



Entomofauna of Turkey (ET)

Report on the “Entomofauna of Turkey” 5- Revised and expanded index of the species of the Pterygot Insects of Turkey

Ahmet Ömer Koçak Muhabbet Kemal

This is the fifth temporary results¹ of the Project “*Entomofauna of Turkey*” by the Cesa.

In the previous article, totally 4500 pterygot species were listed in Turkey. This number increased to **5001** in this report.

The following alphabetical indexes of the valid specific names of the pterygot insects of Turkey are based upon the Info-system of the Cesa.

The scientific names are given below with the authors, usually with the date of publications, and their families. The validity of the names are confirmed here from the taxonomical and nomenclatural standpoints. In the list below the *Lepidoptera* of Turkey is excluded.

Updated number of the species of the pterygot insects of Turkey, including the *Lepidoptera* increased to **10165**.

Next reports concerning this ongoing Project will be published in this serial at irregular intervals.

¹ For the previous list, see Cesa News nr. 41.



Fig. 1 - *Cordulegasteridae* *Cordulegaster insignis* at rest. Turkey Van Prov. Çatak Ardıç Vadisi 2100m 24 6 2007 PV1 M Kemal (Cesa) [see Nr. 1241 in the list below]




Fig. 2 - *Epallagidae* *Epallage fatime* in copula. Turkey Mardin Prov. Nusaybin, Akyüz 600m 25 6 2006 PV1 M Kemal (Cesa) [see Nr. 1757 in the list below]



Fig. 3 - *Epallagidae Epallage fatime* (male) Turkey Batman Prov. Kozluk, Yazlı 720m, 7 6 2008 PV11 M Kemal (Cesa) [see Nr. 1757 in the list below]




Fig. 4 - *Lestidae Lestes virens* at rest. Turkey Urfa Prov. Ceylanpınar, Kızıltepe yolu 1. köprü 370m, 27 5 2008 PV12 M Kemal (Cesa) [see Nr. 2624 in the list below]



Fig. 5 - *Libellulidae Libellula depressa* (female) at rest. Turkey Kahramanmaraş Prov. Nurhak 2000m 30 6 2008 PV3 M Kemal (Cesa) [see Nr. 2662 in the list below]



Fig. 6- *Libellulidae Libellula depressa* (male) at rest. Turkey Van Prov. Çatak Kanispi 1700m, 21 6 2008 PV11 M Kemal (Cesa) [see Nr. 2662 in the list below]



Fig. 7- *Libellulidae Libellula quadrimaculata* at rest. Turkey Bitlis Prov. Nemrut Ilıkgöl 2300m 9 6 2007 PV16 M Kemal Cesa) [see Nr. 2665 in the list below]



Fig. 8- *Libellulidae Sympetrum sanguineum* (male) at rest. Turkey Van Prov. Kampüs 1700m 21 9 2008 PV1 M Kemal (Cesa) [see Nr. 4374 in the list below]



Fig. 9- *Libellulidae Sympetrum fonscolombii* (male) at rest. Turkey İzmir Prov. Seferihisar 250m, 14 7 2008 PV10 M Kemal (Cesa) [see Nr. 4370 in the list below].

[Corrigendum: Please read the figures 2-4 of the Cesa News Nr. 26 as *Sympetrum fonscolombii* not *Sympetrum sanguineum*!]

Index of 5001 species of pterygot insects recorded in Turkey

1. *Abgrallaspis cyanophylli* (Signoret) (Diaspididae)
2. *Ablerus atomon* (Walker, 1847) (Aphelinidae)
3. *Ablerus celsus* (Walker, 1839) (Aphelinidae)
4. *Ablerus perspicuosus* Girault, 1916 (Aphelinidae)
5. *Acanthaclisis occitanica* (Villers, 1789) (Myrmeleionidae)
6. *Acanthaclisis occitanicum* Villers, 1789 (Myrmeleionidae)
7. *Acanthophilus helianthi* (Rossi, 1794) (Tephritidae)
8. *Acantholepis frauenfeldi* (Mayr, 1855) (Formicidae)
9. *Acanthomytilus cedricola* Balachowsky & Alkan (Diaspididae)
10. *Acanthopulvinaria orientalis* (Nasonov) (Coccidae)
11. *Accanthopus velikensis* (Piller & Mitterpacher, 1783) (Tenebrionidae)
12. *Achaeta algericus* (Saussure, 1877) (Gryllidae)
13. *Achaeta burdigalensis* (Latreille, 1804) (Gryllidae)
14. *Achaeta deserta* (Pallas, 1771) (Gryllidae)
15. *Achaeta domestica* (Linnaeus, 1758) (Gryllidae)
16. *Achaeta frontalis* (Fieber, 1845) (Gryllidae)
17. *Achaeta tartarus* (Saussure, 1877) (Gryllidae)
18. *Achalcerinys lindus* (Mercet) (Encyrtidae)
19. *Acheta gossypii* Costa, 1855 (Gryllidae)
20. *Acilius sulcatus* (Linnaeus, 1758) (Dytiscidae)
21. *Acinipe davisii* (Uvarov, 1949) (Pamphagidae)
22. *Aconura oculata* (Lindberg, 1948) (Cicadellidae)
23. *Aconura volgensis* Lethierry, 1876 (Cicadellidae)
24. *Aconurella proluxa* (Lethierry, 1885) (Cicadellidae)
25. *Acrida anatolica* Dirsh, 1949 (Acrididae)
26. *Acrida oxycephala* (Pallas, 1771) (Acrididae)
27. *Acrochordomerus aeneus* Hermann, 1920 (Asilidae)
28. *Acrochordomerus mediterraneus* Kovár & Hradski, 1995 (Asilidae)
29. *Acrometopa servillea* (Brullé, 1832) (Tettigoniidae)
30. *Acrometopa syriaca* Brunner von Wattenwyl, 1878 (Tettigoniidae)
31. *Acrorrhinium conspersum* Noualhier, 1895 (Miridae)
32. *Acrotylus insubricus* (Scopoli, 1786) (Acrididae)
33. *Acrotylus longipes* (Charpentier, 1845) (Acrididae)
34. *Acrotylus patruelis* (Herrich-Schäffer, 1838) (Acrididae)
35. *Actenodia confluens* (Reiche, 1866) (Meloidae)
36. *Actenodia peyroni* (Reiche, 1866) (Meloidae)
37. *Actinoptera discoidea* (Fallén, 1814) (Tephritidae)
38. *Adarrus multinotatus* (Boheman, 1847) (Cicadellidae)
39. *Adelencyrtus aulacaspidis* (Bréthes) (Encyrtidae)
40. *Adelina turcica* (Reitter, 1877) (Tenebrionidae)
41. *Adelocera pygmaea* (Baudi, 1871) (Elateridae)
42. *Adelocera schuberti* Platia & Gudenzi, 2002 (Elateridae)
43. *Adelostoma subtile* Reitter, 1900 (Tenebrionidae)
44. *Adelphocoris lineolatus* (Goeze, 1778) (Miridae)
45. *Adesmia anthracina* Klug, 1830 (Tenebrionidae)
46. *Adesmia fischeri* Faldermann, 1837 (Tenebrionidae)
47. *Adesmia procera* Miller, 1861 (Tenebrionidae)
48. *Adontomerus impolitus* (Askew & Nieves Aldrey) (Torymidae)
49. *Adrastus anatolicus* Platia & Schimmel, 1991 (Elateridae)
50. *Adrastus circassicus* Reitter, 1896 (Elateridae)
51. *Adrastus dolini* Welschmied, 1978 (Elateridae)
52. *Adrastus limbatus* (Fabricius, 1776) (Elateridae)
53. *Adrastus longicornis* Gurjeva, 1976 (Elateridae)
54. *Adrastus montanus* (Scopoli, 1763) (Elateridae)

55. *Adrastus pallens* (Fabricius, 1792) (Elateridae)
56. *Adrastus protractus* Roubal, 1924 (Elateridae)
57. *Adrastus rachifer* (Fourcroy, 1785) (Elateridae)
58. *Adrastus samedovi* Dolin & Agajev, 1974 (Elateridae)
59. *Aelia acuminata* (Linnaeus, 1758) (Pentatomidae)
60. *Aeoloderma crucifer* (Rossi, 1790) (Elateridae)
61. *Aeoloderma obliterata* (Candeze, 1859) (Elateridae)
62. *Aeoloides figuratus* (Germar, 1844) (Elateridae)
63. *Aeoloides grisescens* (Germar, 1844) (Elateridae)
64. *Aeoloides sarmaticus* (Motschoulsky, 1860) (Elateridae)
65. *Aeolosomus rossi* (Germar, 1844) (Elateridae)
66. *Aeropedellus turcicus* Karabağ, 1959 (Acrididae)
67. *Aeropus sibiricus* (Linnaeus, 1767) (Acrididae)
68. *Aeshna affinis* Van Der Linden, 1820 (Aeshnidae)
69. *Aeshna cyanea* (O.F. Müller, 1764) (Aeshnidae)
70. *Aeshna isosceles* (O.F. Müller, 1764) (Aeshnidae)
71. *Aeshna juncea* (Linnaeus, 1758) (Aeshnidae)
72. *Aeshna mixta* Latreille, 1805 (Aeshnidae)
73. *Aeshna serrata* (Hagen, 1856) (Aeshnidae)
74. *Aethiessa mesopotamica* Burmeister, 1842 (Scarabaeidae)
75. *Agabus (Acatodes) congener* (Thunberg, 1794) (Dytiscidae)
76. *Agabus (Acatodes) zimmermanni* Scholz, 1920 (Dytiscidae)
77. *Agabus (Gaurodytes) biguttatus* (Olivier, 1795) (Dytiscidae)
78. *Agabus (Gaurodytes) bipustulatus* (Linnaeus, 1767) (Dytiscidae)
79. *Agabus (Gaurodytes) conspersus* (Marsham, 1802) (Dytiscidae)
80. *Agabus (Gaurodytes) didymus* (Olivier, 1795) (Dytiscidae)
81. *Agabus (Gaurodytes) dilatatus* (Brullé, 1832) (Dytiscidae)
82. *Agabus (Gaurodytes) faldermanni* Zaitzev, 1927 (Dytiscidae)
83. *Agabus (Gaurodytes) guttatus* (Paykull, 1798) (Dytiscidae)
84. *Agabus (Gaurodytes) nebulosus* (Forster, 1771) (Dytiscidae)
85. *Agabus bergi* Zaitzev, 1913 (Dytiscidae)
86. *Agabus glacialis* Hochhuth, 1846 (Dytiscidae)
87. *Agabus lapponicus* (Thomson, 1867) (Dytiscidae)
88. *Agabus paludosus* (Fabricius, 1801) (Dytiscidae)
89. *Agallia bispinata* (Dlabola, 1957) (Cicadellidae)
90. *Agalmatum bilobum* (Fieber, 1877) (Issidae)
91. *Agathidium* (s.str.) *namrunense* Angelini, 1998 (Leiodidae)
92. *Ageniaspis fuscicollis* (Dalman) (Encyrtidae)
93. *Aglena ornata* (Herrich-Schäffer, 1838) (Cicadellidae)
94. *Agnetina wernerii* (Kempny, 1908) (Perlidae)
95. *Agrilus (Anambus) ater* (Linnaeus, 1767) (Buprestidae)
96. *Agrilus (Anambus) buresi* Obenberger, 1935 (Buprestidae)
97. *Agrilus (Anambus) derasofasciatus* Lacordaire, 1835 (Buprestidae)
98. *Agrilus (Anambus) obscuricollis* Kiesenwetter, 1857 (Buprestidae)
99. *Agrilus (Anambus) roscidus* Kiesenwetter, 1857 (Buprestidae)
100. *Agrilus (Anambus) sericans* Kiesenwetter, 1857 (Buprestidae)
101. *Agrilus* (s.str.) *aurichalceus* Redtenbacher, 1849 (Buprestidae)
102. *Agrilus* (s.str.) *hyperici* (Creutzer, 1799) (Buprestidae)
103. *Agrilus* (s.str.) *lineolus* Redtenbacher, 1849 (Buprestidae)
104. *Agrilus kutahyanus* Krolík, 2002 (Buprestidae)
105. *Agrilus rhoos* Krolík & Niehuis, 2003 (Buprestidae)
106. *Agriocnemis sania* Nielsen, 1959 (Coenagrionidae)
107. *Agriotes* (s.str.) *acuminatus* (Stephens, 1830) (Elateridae)
108. *Agriotes* (s.str.) *adanensis* Pic, 1900 (Elateridae)
109. *Agriotes* (s.str.) *adlbaueri* Platia & Schimmel, 1992 (Elateridae)
110. *Agriotes* (s.str.) *anatolicus* Platia, 2003 (Elateridae)
111. *Agriotes* (s.str.) *aquilus* Platia, 2003 (Elateridae)
112. *Agriotes* (s.str.) *audisioi* Platia & Schimmel, 1992 (Elateridae)
113. *Agriotes* (s.str.) *barriesi* Cate & Platia, 1997 (Elateridae)
114. *Agriotes* (s.str.) *brevis* Candeze, 1863 (Elateridae)
115. *Agriotes* (s.str.) *cilicensis* Platia & Gudenzi, 1998 (Elateridae)
116. *Agriotes* (s.str.) *colonnellii* Guglielmi & Platia, 1985 (Elateridae)
117. *Agriotes* (s.str.) *conspicuus* Schwarz, 1891 (Elateridae)
118. *Agriotes* (s.str.) *constrictus* Reitter, 1900 (Elateridae)
119. *Agriotes* (s.str.) *crassiusculus* Platia & Gudenzi, 1998 (Elateridae)
120. *Agriotes* (s.str.) *cribrithorax* Pic, 1910 (Elateridae)
121. *Agriotes* (s.str.) *defreinaei* Platia & Gudenzi, 1998 (Elateridae)
122. *Agriotes* (s.str.) *depressus* Schwarz, 1891 (Elateridae)
123. *Agriotes* (s.str.) *duzaneki* Platia & Gudenzi, 1998 (Elateridae)
124. *Agriotes* (s.str.) *furlani* Platia, 2003 (Elateridae)
125. *Agriotes* (s.str.) *ganglbaueri* Schwarz, 1891 (Elateridae)
126. *Agriotes* (s.str.) *goksunensis* Platia, 2004 (Elateridae)
127. *Agriotes* (s.str.) *graeus* Franz, 1967 (Elateridae)
128. *Agriotes* (s.str.) *granulosus* Platia & Gudenzi, 1992 (Elateridae)
129. *Agriotes* (s.str.) *gurgistanus* (Faldermann, 1835) (Elateridae)
130. *Agriotes* (s.str.) *heydeni* Schwarz, 1891 (Elateridae)
131. *Agriotes* (s.str.) *informis* Schwarz, 1891 (Elateridae)
132. *Agriotes* (s.str.) *infuscatulus* Desbrochers, 1870 (Elateridae)
133. *Agriotes* (s.str.) *integricollis* Reitter, 1911 (Elateridae)
134. *Agriotes* (s.str.) *izmirensis* Cate & Platia, 1997 (Elateridae)
135. *Agriotes* (s.str.) *karsantianus* Pic, 1910 (Elateridae)
136. *Agriotes* (s.str.) *kraatzi* Schwarz, 1891 (Elateridae)
137. *Agriotes* (s.str.) *lapicida* (Faldermann, 1835) (Elateridae)
138. *Agriotes* (s.str.) *leinfesti* Platia & Gudenzi, 1998 (Elateridae)
139. *Agriotes* (s.str.) *lineatus* (Linnaeus, 1767) (Elateridae)
140. *Agriotes* (s.str.) *litigiosus* (Rossi, 1792) (Elateridae)
141. *Agriotes* (s.str.) *lizleri* Platia, 2003 (Elateridae)
142. *Agriotes* (s.str.) *lundbergi* Platia, 1989 (Elateridae)
143. *Agriotes* (s.str.) *mertliki* Platia, 2003 (Elateridae)
144. *Agriotes* (s.str.) *meticulosus* Candeze, 1863 (Elateridae)
145. *Agriotes* (s.str.) *modestus* Kiesenwetter, 1858 (Elateridae)
146. *Agriotes* (s.str.) *nigropubens* Reitter, 1904 (Elateridae)
147. *Agriotes* (s.str.) *nigror* Platia, 2003 (Elateridae)
148. *Agriotes* (s.str.) *nuceus* Fairmaire, 1866 (Elateridae)
149. *Agriotes* (s.str.) *obscurus* (Linnaeus, 1758) (Elateridae)
150. *Agriotes* (s.str.) *paludum* Kiesenwetter, 1859 (Elateridae)
151. *Agriotes* (s.str.) *petterssoni* Platia & Gudenzi, 2000 (Elateridae)
152. *Agriotes* (s.str.) *pilosellus* (Schönherr, 1817) (Elateridae)
153. *Agriotes* (s.str.) *propleuralis* Platia & Gudenzi, 1998 (Elateridae)
154. *Agriotes* (s.str.) *proximus* Schwarz, 1891 (Elateridae)
155. *Agriotes* (s.str.) *radula* Desbrochers, 1875 (Elateridae)
156. *Agriotes* (s.str.) *reitteri* Schwarz, 1891 (Elateridae)
157. *Agriotes* (s.str.) *riesei* Platia, 2004 (Elateridae)
158. *Agriotes* (s.str.) *rufipalpis* (Brullé, 1832) (Elateridae)
159. *Agriotes* (s.str.) *sameki* Platia, 2003 (Elateridae)
160. *Agriotes* (s.str.) *schuberti* Platia, 2004 (Elateridae)
161. *Agriotes* (s.str.) *schurmanni* Platia & Gudenzi, 1998 (Elateridae)
162. *Agriotes* (s.str.) *sexualis* Platia, 2004 (Elateridae)
163. *Agriotes* (s.str.) *solai* Platia, 2004 (Elateridae)
164. *Agriotes* (s.str.) *sputator* (Linnaeus, 1758) (Elateridae)
165. *Agriotes* (s.str.) *starecki* Schwarz, 1891 (Elateridae)
166. *Agriotes* (s.str.) *strigosus* Kiesenwetter, 1859 (Elateridae)
167. *Agriotes* (s.str.) *subsulcatus* Pic, 1913 (Elateridae)
168. *Agriotes* (s.str.) *sylviae* Cate & Platia, 1997 (Elateridae)
169. *Agriotes* (s.str.) *tauricus* Heyden, 1882 (Elateridae)
170. *Agriotes* (s.str.) *tristiculus* Reitter, 1906 (Elateridae)
171. *Agriotes* (s.str.) *turcicus* Candeze, 1863 (Elateridae)
172. *Agriotes* (s.str.) *ustulatus* (Schaller, 1783) (Elateridae)
173. *Agriotes* (s.str.) *wernerii* Platia, 2003 (Elateridae)
174. *Agriotes* (s.str.) *witzgalli* Platia & Schimmel, 1993 (Elateridae)
175. *Agrypnus crenicollis* (Ménétrières, 1832) (Elateridae)
176. *Agrypnus murinus* (Linnaeus, 1758) (Elateridae)
177. *Agrypnus sarikamisensis* Platia, Yıldırım & Kesdek, 2007 (Elateridae)
178. *Aiolopus simulatrix* (Walker, 1870) (Acrididae)
179. *Aiolopus strepens* (Latreille, 1804) (Acrididae)
180. *Aiolopus thalassinus* (Fabricius, 1781) (Acrididae)
181. *Akis elongata* Brullé, 1832 (Tenebrionidae)
182. *Akis elongata opaca* Heyden, 1897 (Tenebrionidae)
183. *Akis latreillei* Solier, 1836 (Tenebrionidae)
184. *Akotropis quercicola* Linnavuori, 1962 (Achiilidae)
185. *Alebra albostrigata* (Fallén, 1826) (Cicadellidae)
186. *Alebra wahlbergi* (Boheman, 1845) (Cicadellidae)
187. *Allodynerus delphinalis* (Giraud, 1866) (Vespidae)
188. *Alloterra claviger* (Kieffer) (Pteromalidae)
189. *Allygidius ectabanicus* Logvinenko, 1979 (Cicadellidae)
190. *Allygus mixtus* (Fabricius, 1794) (Cicadellidae)
191. *Alosimus armeniacus* (Faldermann, 1837) (Meloidae)
192. *Alosimus castaneus* Escherich, 1896 (Meloidae)
193. *Alosimus chalybaeus* (Tauscher, 1812) (Meloidae)
194. *Alosimus decolor* (Abeille de Perrin, 1880) (Meloidae)
195. *Alosimus gracilis* (Abeille de Perrin, 1880) (Meloidae)
196. *Alosimus luteus* (Waltl, 1838) (Meloidae)
197. *Alosimus marginicollis* Haag-Rutenberg, 1880 (Meloidae)
198. *Alosimus pallidicollis* (Gyllenhal, 1806) (Meloidae)
199. *Alosimus reittdianus* (Semenov, 1990) (Meloidae)
200. *Alosimus syrnensis* (Maran, 1942) (Meloidae)
201. *Alosimus syriacus* (Linnaeus, 1758) (Meloidae)
202. *Alphitobius diaperinus* (Panzer, 1797) (Tenebrionidae)
203. *Alphitobius laevigatus* (Fabricius, 1781) (Tenebrionidae)
204. *Alphitophagus bifasciatus* (Say, 1823) (Tenebrionidae)
205. *Amblyopone denticulatus* (Roger, 1859) (Formicidae)
206. *Amblytylus concolor* Jakovlev, 1877 (Miridae)
207. *Amblytylus luridus* Hoberlandt, 1961 (Miridae)

208. *Ameles heldreichi* Brunner von Wattenwyl, 1882 (Mantidae)
209. *Ameles syriensis* Giglio-Tos, 1915 (Mantidae)
210. *Ammobius rufus* Lucas, 1849 (Tenebrionidae)
211. *Ammothreva splendida* (Kröber, 1912) (Theravidae)
212. *Amnodeis grandis* Miller, 1858 (Tenebrionidae)
213. *Amnodeis milleri* Reitter, 1914 (Tenebrionidae)
214. *Ampedus adlbaueri* Schimmel, 1990 (Elateridae)
215. *Ampedus aethiops* (Lacordaire, 1835) (Elateridae)
216. *Ampedus agajewi* Dolin, 1970 (Elateridae)
217. *Ampedus agilis* Platia, 2001 (Elateridae)
218. *Ampedus anatolicus* Platia & Gudenzi, 2002 (Elateridae)
219. *Ampedus balteatus* (Linnaeus, 1758) (Elateridae)
220. *Ampedus canaliculatus* (Reitter, 1918) (Elateridae)
221. *Ampedus cinnabarinus* (Eschscholtz, 1829) (Elateridae)
222. *Ampedus circassicus* (Reitter, 1887) (Elateridae)
223. *Ampedus decumanus* Gurjeva, 1977 (Elateridae)
224. *Ampedus demaisonii* (Buysson, 1898) (Elateridae)
225. *Ampedus elegantulus* (Schönherr, 1817) (Elateridae)
226. *Ampedus elongatulus* (Fabricius, 1787) (Elateridae)
227. *Ampedus erythronus* (P.W. Müller, 1821) (Elateridae)
228. *Ampedus ganglbaueri* (Reitter, 1889) (Elateridae)
229. *Ampedus hirticollis* (Semenov, 1891) (Elateridae)
230. *Ampedus lubricus* (Buysson, 1891) (Elateridae)
231. *Ampedus nigerrimus* (Lacordaire, 1835) (Elateridae)
232. *Ampedus nigrinus* (Herbst, 1784) (Elateridae)
233. *Ampedus nigroflavus* (Goeze, 1777) (Elateridae)
234. *Ampedus ocellatus* (Buysson, 1891) (Elateridae)
235. *Ampedus ochropterus* Germar, 1844 (Elateridae)
236. *Ampedus platiaii* Schimmel, 1990 (Elateridae)
237. *Ampedus pomonae* (Stephens, 1830) (Elateridae)
238. *Ampedus pomorum* (Herbst, 1784) (Elateridae)
239. *Ampedus praestus* (Fabricius, 1792) (Elateridae)
240. *Ampedus pulcher* (Baudi, 1871) (Elateridae)
241. *Ampedus punctatus* Schwarz, 1893 (Elateridae)
242. *Ampedus reslii* Platia & Gudenzi, 1999 (Elateridae)
243. *Ampedus rufipennis* (Stephens, 1830) (Elateridae)
244. *Ampedus samadovi* Dolin & Ajajew, 1983 (Elateridae)
245. *Ampedus sanguineus* (Linnaeus, 1758) (Elateridae)
246. *Ampedus sanguinolentus* (Schränk, 1776) (Elateridae)
247. *Ampedus schoettlei* Zeising & Brunne, 2003 (Elateridae)
248. *Ampedus sinuatus* Germar, 1844 (Elateridae)
249. *Ampedus turcicus* Platia & Kabalak, Sert, 2007 (Elateridae)
250. *Ampedus wachangi* Dolin, 1970 (Elateridae)
251. *Amphinemura mirabilis* (Martynov, 1928) (Nemouridae)
252. *Amphinemura trialectica* Zhiltzova, 1957 (Nemouridae)
253. *Amphisbetetus dorsatus* Becker, 1913 (Asilidae)
254. *Amphisbetetus favillaceus* (Loew, 1856) (Asilidae)
255. *Anacaena limbata* (Fabricius, 1792) (Hydrophilidae)
256. *Anacaena rufipes* (Guillebeau, 1792) (Hydrophilidae)
257. *Anacratogallia laevis* (Ribaut, 1935) (Cicadellidae)
258. *Anacratogallia ribauti* (Ossiannilsson, 1938) (Cicadellidae)
259. *Anachalcis major* Boucek (Chalcididae)
260. *Anachalcis rubra* Steffan (Chalcididae)
261. *Anacridium aegyptium* (Linnaeus, 1764) (Acrididae)
262. *Anadolua burri* Karabağ, 1952 (Tettigoniidae)
263. *Anadolua davisii* Karabağ, 1952 (Tettigoniidae)
264. *Anadolua rammei* Karabağ, 1952 (Tettigoniidae)
265. *Anadolua schwarzi* Ramme, 1939 (Tettigoniidae)
266. *Anadrymadusa adzharia* (Uvarov, 1934) (Tettigoniidae)
267. *Anadrymadusa albomaculata* (Karabağ, 1956) (Tettigoniidae)
268. *Anadrymadusa brevipennis* (Brunner von Wattenwyl, 1882) (Tettigoniidae)
269. *Anadrymadusa curviceris* (Uvarov, 1916) (Tettigoniidae)
270. *Anadrymadusa kosswigi* Karabağ, 1975 (Tettigoniidae)
271. *Anadrymadusa ornatipennis* (Ramme, 1926) (Tettigoniidae)
272. *Anadrymadusa recticauda* (Werner, 1903) (Tettigoniidae)
273. *Anadrymadusa spinicercis* (Karabağ, 1956) (Tettigoniidae)
274. *Anagrus atomus* (Linnaeus) (Mymaridae)
275. *Anagrus aligarhensis* Agarwal & Alam (Encyrtidae)
276. *Anagrus matritensis* (Mercet) (Encyrtidae)
277. *Anagrus pseudococci* (Girault) (Encyrtidae)
278. *Anagrus schoenherri* (Westwood) (Encyrtidae)
279. *Anaphes diana* (Girault) (Mymaridae)
280. *Anaprostocetus acuminatus* (Ratzeburg) (Eulophidae)
281. *Anapulvinaria pistaciae* (Bodenheimer) (Coccidae)
282. *Anarolius fronto* Loew, 1873 (Asilidae)
283. *Anarolius jamshidi* Abbassian-Lintzen, 1964 (Asilidae)
284. *Anarolius jubatus* Loew, 1844 (Asilidae)
285. *Anastatus bifasciatus* (Geoffroy) (Eupelmidae)
286. *Anastoechus araxis* Paramonov, 1926 (Bombyliidae)
287. *Anastoechus nitidulus* (Fabricius, 1794) (Bombyliidae)
288. *Anax immaculifrons* Rambur, 1842 (Aeshnidae)
289. *Anax imperator* Leach, 1815 (Aeshnidae)
290. *Anax parthenope* (Selys, 1839) (Aeshnidae)
291. *Ancistrocerus claripennis* Thomson, 1874 (Vespidae)
292. *Ancistrura nigrovittata* (Brunner von Wattenwyl, 1878) (Tettigoniidae)
293. *Ancylorhynchus brussensis* (Schiner, 1867) (Asilidae)
294. *Ancylorhynchus glaucius* (Rossi, 1790) (Asilidae)
295. *Ancylorhynchus longicornis* (Schiner, 1867) (Asilidae)
296. *Ancyrosoma leucogrammes* (Gmelin, 1790) (Pentatomidae)
297. *Andrenosoma albibarbe* (Meigen, 1820) (Asilidae)
298. *Andrenosoma atrum* (Linnaeus, 1758) (Asilidae)
299. *Andrenosoma cornuta* Oldroyd, 1972 (Asilidae)
300. *Andrenosoma serratum* Hermann, 1906 (Asilidae)
301. *Anechura bipunctata* (Fabricius, 1781) (Forficulidae)
302. *Anechura zubovskii* (Semenov, 1901) (Forficulidae)
303. *Aneomochtherus acratulus* (Tsacas, 1968) (Asilidae)
304. *Aneomochtherus aerifacies* (Tsacas, 1968) (Asilidae)
305. *Aneomochtherus griseus* (Tsacas, 1968) (Asilidae)
306. *Aneomochtherus illustris* (Schiner, 1867) (Asilidae)
307. *Aneomochtherus micrasiaticus* (Tsacas, 1968) (Asilidae)
308. *Aneomochtherus mundus* (Loew, 1849) (Asilidae)
309. *Aneomochtherus perplexus* (Becker, 1923) (Asilidae)
310. *Aneomochtherus soleus* (Tsacas, 1968) (Asilidae)
311. *Anicetus italicus* (Masi) (Encyrtidae)
312. *Anisolabis maritima* (Géné, 1832) (Labiduridae)
313. *Anisopogon hermanni* (Engel, 1930) (Asilidae)
314. *Anisopteromalus calandrae* (Howard) (Pteromalidae)
315. *Anogcodes difformis* (Marseul, 1857) (Oedemeridae)
316. *Anogcodes ferrugineus* (Schränk, 1776) (Oedemeridae)
317. *Anogcodes fulvicollis* (Scopoli, 1763) (Oedemeridae)
318. *Anogcodes geniculatus* (W. Schmidt, 1846) (Oedemeridae)
319. *Anogcodes paradoxus* (Faldernann, 1837) (Oedemeridae)
320. *Anogcodes ruficollis* (Fabricius, 1781) (Oedemeridae)
321. *Anogcodes rufiventris* (Scopoli, 1763) (Oedemeridae)
322. *Anogcodes seladonius* (Fabricius, 1792) (Oedemeridae)
323. *Anogcodes ustulatus* (Scopoli, 1763) (Oedemeridae)
324. *Anoplotettix eckerleini* Dlabola, 1965 (Cicadellidae)
325. *Anoplotettix fuscovenosus* (Ferrari, 1882) (Cicadellidae)
326. *Anoplotettix kalkandeleni* Dlabola, 1971 (Cicadellidae)
327. *Anoplotettix novaki* Wagner, 1959 (Cicadellidae)
328. *Anoplotettix rodosicus* Dlabola, 1974 (Cicadellidae)
329. *Anoplotettix sahtyancii* Dlabola, 1970 (Cicadellidae)
330. *Anormogomphus kiritshenkoi* Bartenev, 1913 (Gomphidae)
331. *Anoscopus albifrons* (Linnaeus, 1758) (Cicadellidae)
332. *Anostirus alexandri* Wurst, 1995 (Elateridae)
333. *Anostirus ataturki* Platia & Gudenzi, 2000 (Elateridae)
334. *Anostirus eschscholtzi* (Faldernann, 1835) (Elateridae)
335. *Anostirus gracilicollis* (Stierlin, 1896) (Elateridae)
336. *Anostirus holtzi* (Schwarz, 1902) (Elateridae)
337. *Anostirus incostatus* (Pic, 1905) (Elateridae)
338. *Anostirus lederi* (Heyden, 1878) (Elateridae)
339. *Anostirus nubilosus* Wurst & Schimmel, 1995 (Elateridae)
340. *Anostirus purpureus* (Poda, 1761) (Elateridae)
341. *Anostirus saltinii* Cate, Platia & Schimmel, 2002 (Elateridae)
342. *Anostirus trivialis* Gurjeva, 1988 (Elateridae)
343. *Anostirus turcicus* Platia & Mertlik, 1996 (Elateridae)
344. *Anoterostemma ivanoffi* (Lethierry, 1876) (Cicadellidae)
345. *Anterastes akdagensis* Ramme, 1951 (Tettigoniidae)
346. *Anterastes anatolicus* Uvarov, 1934 (Tettigoniidae)
347. *Anterastes antitauricus* Çiplak, 2004 (Tettigoniidae)
348. *Anterastes babadaghi* Uvarov, 1939 (Tettigoniidae)
349. *Anterastes burri* Karabağ, 1951 (Tettigoniidae)
350. *Anterastes niger* Ünal, 2000 (Tettigoniidae)
351. *Anterastes serbicus* Brunner von Wattenwyl, 1882 (Tettigoniidae)
352. *Anterastes tolunayi* Karabağ, 1951 (Tettigoniidae)
353. *Anterastes turcicus* Karabağ, 1951 (Tettigoniidae)
354. *Anterastes ucari* Çiplak, 2004 (Tettigoniidae)
355. *Anterastes uludaghensis* Karabağ, 1950 (Tettigoniidae)
356. *Anthrax anthrax* (Schränk, 1781) (Bombyliidae)
357. *Anthrax binotatus* Wiedemann, 1820 (Bombyliidae)
358. *Anthrax flavipes* (Röder, 1896) (Bombyliidae)
359. *Anthrax flavus* (Sack, 1909) (Bombyliidae)
360. *Anthrax leucogaster* Wiedemann, 1820 (Bombyliidae)
361. *Anthrax pallipes* (Loew, 1869) (Bombyliidae)
362. *Anthrax pilosulus* Strobl, 1902 (Bombyliidae)
363. *Anthrax sticticus* Klug, 1832 (Bombyliidae)
364. *Anthrax trifasciatus* Meigen, 1804 (Bombyliidae)
365. *Antipalus truncatus* (Loew, 1849) (Asilidae)
366. *Antiphrisson adpressus* (Loew, 1849) (Asilidae)
367. *Antiphrisson trifarius* (Loew, 1849) (Asilidae)
368. *Antocha (Orimargula) alpigena* (Mik, 1883) (Limoniidae)
369. *Antocha vitripennis* (Meigen, 1830) (Limoniidae)
370. *Antonina graminis* (Maskell) (Pseudococcidae)
371. *Aonidia lauri* (Bouche) (Diaspididae)
372. *Aonidiella aurantii* (Maskell) (Diaspididae)
373. *Aonidiella citrina* (Coquillett) (Diaspididae)
374. *Apalus apicalis* Latreille, 1804 (Meloidae)
375. *Apalus bimaculatus* (Linnaeus, 1761) (Meloidae)
376. *Apalus bipunctatus* Germar, 1817 (Meloidae)
377. *Apalus montanus* Escherich, 1897 (Meloidae)

378. *Apalus necydalaeus* (Pallas, 1782) (Meloidae)
 379. *Apalus spectabilis* Schaum, 1859 (Meloidae)
 380. *Apanteles aragatzii* Tobias, 1976 (Braconidae)
 381. *Apanteles ater* (Ratzeburg, 1852) (Braconidae)
 382. *Apanteles atreus* Nixon, 1973 (Braconidae)
 383. *Apanteles brunnistigma* Abidinbekova, 1969 (Braconidae)
 384. *Apanteles carpatius* Say, 1836 (Braconidae)
 385. *Apanteles ingenuoides* Papp, 1975 (Braconidae)
 386. *Apanteles gallerie* Wilkinson, 1932 (Braconidae)
 387. *Apanteles hemara* Nixon, 1965 (Braconidae)
 388. *Apanteles ingenuoides* Papp, 1971 (Braconidae)
 389. *Apanteles kubensis* Abidinbekova, 1975 (Braconidae)
 390. *Apanteles myron* Nixon, 1973 (Braconidae)
 391. *Apanteles evanidus* Papp, 1975 (Braconidae)
 392. *Aphaenogaster holtzi* Emery, 1898 (Formicidae)
 393. *Aphaenogaster kervillei* Forel, 1910 (Formicidae)
 394. *Aphaenogaster simonelli* Emery, 1894 (Formicidae)
 395. *Aphaenogaster subterranea* (Latreille, 1798) (Formicidae)
 396. *Aphalara maculipennis* Loew, 1886 (Psyllidae)
 397. *Aphasganophora armeniaca* (Boucek) (Chalcididae)
 398. *Aphelinoidea anatolica* Novicki (Trichogrammatidae)
 399. *Aphelinus asychis* Walker, 1839 (Aphelinidae)
 400. *Aphelinus chaonia* Walker, 1839 (Aphelinidae)
 401. *Aphelinus mali* (Haldeman, 1851) (Aphelinidae)
 402. *Aphelinus semiflavus* Howard, 1908 (Aphelinidae)
 403. *Aphelinus varipes* (Förster, 1841) (Aphelinidae)
 404. *Aphelonema melichari* (Horvath, 1897) (Caliscelidae)
 405. *Aphidoletes aphidimyza* (Rondani, 1847) (Cecidomyiidae)
 406. *Apholidoptera kurda* (Uvarov, 1916) (Tettigoniidae)
 407. *Apholidoptera pietschmanni* (Ebner, 1912) (Tettigoniidae)
 408. *Aphrodes anguliceps* Emeljanov, 1964 (Cicadellidae)
 409. *Aphrodes bicinctus* (Schränk, 1776) (Cicadellidae)
 410. *Aphrodes makarovi* Zachvatkin, 1948 (Cicadellidae)
 411. *Aphrodes nigrinus* (Kirschbaum, 1868) (Cicadellidae)
 412. *Aphrophoraalni* (Fallén, 1805) (Cercopidae)
 413. *Aphrophora corticea* Germar, 1821 (Cercopidae)
 414. *Aphrophora exoleta* Horvath, 1901 (Cercopidae)
 415. *Aphrophora salicina* (Goetze, 1778) (Cercopidae)
 416. *Aphycoides clavellatus* (Dalman) (Encyrtidae)
 417. *Aphycus primus* (Mercet) (Encyrtidae)
 418. *Aphytis abnormis* (Howard, 1881) (Aphelinidae)
 419. *Aphytis aonidiae* (Mercet, 1911) (Aphelinidae)
 420. *Aphytis chylensis* Howard, 1900 (Aphelinidae)
 421. *Aphytis chrysomphali* (Mercet, 1912) (Aphelinidae)
 422. *Aphytis diaspidis* (Howard, 1881) (Aphelinidae)
 423. *Aphytis hispanicus* (Mercet, 1912) (Aphelinidae)
 424. *Aphytis lepidosaphes* Compere, 1955 (Aphelinidae)
 425. *Aphytis libanicus* Traboulsi, 1969 (Aphelinidae)
 426. *Aphytis lingnanensis* Compere, 1955 (Aphelinidae)
 427. *Aphytis maculicornis* (Masi, 1911) (Aphelinidae)
 428. *Aphytis melinus* DeBach, 1959 (Aphelinidae)
 429. *Aphytis mytilaspidis* (Le Baron, 1870) (Aphelinidae)
 430. *Aphytis neuter* Yasnovskiy & Myartseva, 1971 (Aphelinidae)
 431. *Aphytis proclia* (Walker, 1839) (Aphelinidae)
 432. *Apiomyia bergenstammii* (Wachtl, 1882) (Cecidomyiidae)
 433. *Aplotarsus angustulus* (Kiesenwetter, 1858) (Elateridae)
 434. *Apoclea algira* (Linnaeus, 1767) (Asilidae)
 435. *Apoclea helvipes* Loew, 1873 (Asilidae)
 436. *Apoclea trivialis* Loew, 1873 (Asilidae)
 437. *Aprostocetus agevilleae* Graham (Eulophidae)
 438. *Aprostocetus agrus* (Walker) (Eulophidae)
 439. *Aprostocetus bucculentus* (Kostjukov) (Eulophidae)
 440. *Aprostocetus catus* (Walker) (Eulophidae)
 441. *Aprostocetus caudatus* Westwood (Eulophidae)
 442. *Aprostocetus ceroplastae* (Girault) (Eulophidae)
 443. *Aprostocetus cracens* Graham (Eulophidae)
 444. *Aprostocetus crino* (Walker) (Eulophidae)
 445. *Aprostocetus eriophyes* (Taylor) (Eulophidae)
 446. *Aprostocetus eurytomae* (Nees) (Eulophidae)
 447. *Aprostocetus forsteri* (Walker) (Eulophidae)
 448. *Aprostocetus holoxanthus* Graham (Eulophidae)
 449. *Aprostocetus levadiensis* Graham (Eulophidae)
 450. *Aprostocetus longicauda* (Thomson) (Eulophidae)
 451. *Aprostocetus lycidas* (Walker) (Eulophidae)
 452. *Aprostocetus neglectus* (Domenichini) (Eulophidae)
 453. *Aprostocetus pausiris* (Walker) (Eulophidae)
 454. *Aprostocetus productus* Graham (Eulophidae)
 455. *Aprostocetus pygmaeus* (Zetterstedt) (Eulophidae)
 456. *Aprostocetus terebrans* Erdős (Eulophidae)
 457. *Aprostocetus toddaliae* (Risbec) (Eulophidae)
 458. *Aprostocetus trjapitzini* (Eulophidae)
 459. *Aprostocetus tymbor* (Walker) (Eulophidae)
 460. *Arachnocephalus vestitus* A. Costa, 1855 (Mogoplistidae)
 461. *Arboridia adanae* (Dlabola, 1957) (Cicadellidae)
 462. *Arboridia expansa* (Zachvatkin, 1946) (Cicadellidae)
 463. *Arboridia parvula* (Boheman, 1845) (Cicadellidae)
 464. *Arctocnopa melampodia* (Loew, 1873) (Limoniidae)
 465. *Arcyptera* (Pararcyptera) *labiata* (Brullé, 1832) (Acrididae)
 466. *Arcyptera* (Pararcyptera) *microptera* (Fischer de Waldheim, 1833) (Acrididae)
 467. *Arcyptera* (s.str.) *fusca* (Pallas, 1773) (Acrididae)
 468. *Arenivaga cerverae* (Bolivar, 1886) (Polyphagidae)
 469. *Arenivaga ebneri* (Chopard, 1929) (Polyphagidae)
 470. *Arenivaga livida* (Brunner von Wattenwyl, 1865) (Polyphagidae)
 471. *Argyra leucocephala* (Meigen, 1824) (Dolichopodidae)
 472. *Arocephalus languidus* (Flor, 1861) (Cicadellidae)
 473. *Arocephalus longiceps* (Kirschbaum, 1868) (Cicadellidae)
 474. *Arthrocnodax coryligallarum* (Targioni-Tozzetti, 1887) (Cecidomyiidae)
 475. *Arthrolitus discoideus* (Nees) (Pteromalidae)
 476. *Artianus manderstjernii* (Kirschbaum, 1868) (Cicadellidae)
 477. *Artvinia tschorochensis* (Adelung, 1907) (Tettigoniidae)
 478. *Asaphes suspensus* (Nees) (Pteromalidae)
 479. *Asaphes vulgaris* Walker (Pteromalidae)
 480. *Ascalaphus dicax* Walker, 1853 (Ascalaphidae)
 481. *Aschitus annulatus* Erdős (Encyrtidae)
 482. *Ascogaster armatus* Wesm., 1835 (Braconidae)
 483. *Ascogaster instabilis* Wesm., 1835 (Braconidae)
 484. *Ascogaster rufipes* (Latreille, 1809) (Braconidae)
 485. *Asiotmethis limbatus* (Charpentier, 1845) (Pamphagidae)
 486. *Asiraca clavicornis* (Fabricius, 1794) (Delphacidae)
 487. *Asphingoderus elazigi* Demirsoy, 1977 (Acrididae)
 488. *Asphingoderus uvarovites* (Mishchenko, 1936) (Acrididae)
 489. *Asphondylia anatolica* Skuhrava & Çam, 1998 (Cecidomyiidae)
 490. *Asphondylia gennadii* (Marchal, 1904) (Cecidomyiidae)
 491. *Asphondylia verbasci* (Vallot, 1827) (Cecidomyiidae)
 492. *Aspidiotus hedericola* Leonardi (Diaspididae)
 493. *Aspidiotus nerii* Bouche (Diaspididae)
 494. *Aspoeckina glaseri* Hölzel, 1972 (Myrmeleionidae)
 495. *Aspoeckina uralensis* Hölzel (Myrmeleionidae)
 496. *Aspoeckina glaseri* Hölzel, 1972 (Myrmeleionidae)
 497. *Asterodiaspis ilicicola* (Targioni Tozzetti) (Asterolecaniidae)
 498. *Asterodiaspis quercicola* (Bouche) (Asterolecaniidae)
 499. *Asterodiaspis variolosa* (Ratzeburg) (Asterolecaniidae)
 500. *Asymmetrasca decedens* (Paoli, 1932) (Cicadellidae)
 501. *Asynapta strobi* (Kieffer, 1920) (Cecidomyiidae)
 502. *Athous* (Euplathous) *proximus* (Hampe, 1864) (Elateridae)
 503. *Athous* (Haplathous) *carpathicus* Reitter, 1889 (Elateridae)
 504. *Athous* (Haplathous) *marginicollis* Reitter, 1890 (Elateridae)
 505. *Athous* (Haplathous) *subfuscus* (O.F. Müller, 1764) (Elateridae)
 506. *Athous* (Haplathous) *turcicus* Reitter, 1905 (Elateridae)
 507. *Athous* (Orthathous) *acutangulus* Fairmaire, 1866 (Elateridae)
 508. *Athous* (Orthathous) *anatolicus* Platia, 1989 (Elateridae)
 509. *Athous* (Orthathous) *apfelbecki* Reitter, 1905 (Elateridae)
 510. *Athous* (Orthathous) *artvinensis* Platia, Yıldırım & Kesdek, 2007 (Elateridae)
 511. *Athous* (Orthathous) *audisioi* Guglielmi & Platia, 1985 (Elateridae)
 512. *Athous* (Orthathous) *barriesi* Platia & Gudenzi, 1996 (Elateridae)
 513. *Athous* (Orthathous) *benedikti* Platia, 2003 (Elateridae)
 514. *Athous* (Orthathous) *cavazzutii* Platia, 2003 (Elateridae)
 515. *Athous* (Orthathous) *daccordii* Guglielmi & Platia, 1985 (Elateridae)
 516. *Athous* (Orthathous) *dasycerus* Buysson, 1890 (Elateridae)
 517. *Athous* (Orthathous) *demirsoyi* Platia, Kabalak & Sert, 2007 (Elateridae)
 518. *Athous* (Orthathous) *dusaneki* Platia, 2003 (Elateridae)
 519. *Athous* (Orthathous) *edimensis* Platia & Gudenzi, 2000 (Elateridae)
 520. *Athous* (Orthathous) *epirus* Stierlin, 1875 (Elateridae)
 521. *Athous* (Orthathous) *fragariae* Platia & Kovanci, 2005 (Elateridae)
 522. *Athous* (Orthathous) *freudei* Platia, 1989 (Elateridae)
 523. *Athous* (Orthathous) *frontalis* Platia & Schimmel, 1991 (Elateridae)
 524. *Athous* (Orthathous) *gianassoi* Platia & Gudenzi, 1996 (Elateridae)
 525. *Athous* (Orthathous) *gracius* Platia, 1989 (Elateridae)
 526. *Athous* (Orthathous) *gudenzi* Guglielmi & Platia, 1985 (Elateridae)
 527. *Athous* (Orthathous) *hajeki* Platia & Gudenzi, 2005 (Elateridae)
 528. *Athous* (Orthathous) *hetzeli* Platia, 2004 (Elateridae)
 529. *Athous* (Orthathous) *kovancii* Platia, 2003 (Elateridae)
 530. *Athous* (Orthathous) *lassallei* Platia & Gudenzi, 1996 (Elateridae)
 531. *Athous* (Orthathous) *malmusii* Platia & Gudenzi, 2000 (Elateridae)
 532. *Athous* (Orthathous) *margheritae* Guglielmi & Platia, 1985 (Elateridae)

533. *Athous (Orthathous) mertliki* Platia & Gudenzi, 2002 (Elateridae)
534. *Athous (Orthathous) paflagonensis* Platia & Gudenzi, 1998 (Elateridae)
535. *Athous (Orthathous) ponticus* Platia & Gudenzi, 2007 (Elateridae)
536. *Athous (Orthathous) propinquus* Buysson, 1889 (Elateridae)
537. *Athous (Orthathous) ruffoi* Guglielmi & Platia, 1985 (Elateridae)
538. *Athous (Orthathous) sabatinellii* Guglielmi & Platia, 1985 (Elateridae)
539. *Athous (Orthathous) sameki* Platia, 2003 (Elateridae)
540. *Athous (Orthathous) senaci* Buysson, 1889 (Elateridae)
541. *Athous (Orthathous) snizeki* Platia, 2004 (Elateridae)
542. *Athous (Orthathous) svihlai* Platia & Gudenzi, 1998 (Elateridae)
543. *Athous (Orthathous) tekkirazicus* Platia, 2003 (Elateridae)
544. *Athous (Orthathous) tribertii* Guglielmi & Platia, 1985 (Elateridae)
545. *Athous (Orthathous) warchalowskii* Platia & Tarnawski, 1998 (Elateridae)
546. *Athous (Orthathous) wewalkai* Platia, 1989 (Elateridae)
547. *Athous (Orthathous) zanettii* Guglielmi & Platia, 1985 (Elateridae)
548. *Athous (Orthathous) zbuzeki* Platia & Gudenzi, 2007 (Elateridae)
549. *Athous (s.str.) haemorrhoidalis* (Fabricius, 1801) (Elateridae)
550. *Athous (s.str.) nadoraz* Mertlik & Dusanek, 2006 (Elateridae)
551. *Athous (s.str.) vittatus* (Fabricius, 1792) (Elateridae)
552. *Atomoscelis roubali* Hoberlandt, 1961 (Miridae)
553. *Atricops apollinis* Lindler, 1923 (Athericidae)
554. *Atrococcus achilleae* (Kiritchenko) (Pseudococcidae)
555. *Atrococcus indigenus* (Borchsenius) (Pseudococcidae)
556. *Atrococcus paludinus* (Green) (Pseudococcidae)
557. *Atrococcus parvulus* (Borchsenius) (Pseudococcidae)
558. *Atrococcus saxatilis* (Ter-Grigorian) (Pseudococcidae)
559. *Atylotus agricola* (Wiedemann, 1826) (Tabanidae)
560. *Atylotus austeni* (Szilady, 1915) (Tabanidae)
561. *Atylotus flavoguttatus* (Szilady, 1915) (Tabanidae)
562. *Atylotus fulvus* (Meigen, 1820) (Tabanidae)
563. *Atylotus hendixi* Leclercq, 1967 (Tabanidae)
564. *Atylotus kerteszi* (Szilady, 1915) (Tabanidae)
565. *Atylotus latistriatus* Brauer, 1879 (Tabanidae)
566. *Atylotus loewianus* (Vileneuve, 1920) (Tabanidae)
567. *Atylotus plebeius* (Fallén, 1817) (Tabanidae)
568. *Atylotus protidor* (Bogatshev & Samedov, 1949) (Tabanidae)
569. *Atylotus pulchellus* (Loew, 1858) (Tabanidae)
570. *Atylotus quadrifarius* (Loew, 1874) (Tabanidae)
571. *Atylotus rusticus* (Linnaeus, 1767) (Tabanidae)
572. *Atylotus venturii* Leclercq, 1966 (Tabanidae)
573. *Aulacaspis rosae* (Bouche) (Diaspididae)
574. *Aulogymnus skianeuros* (Ratzeburg) (Eulophidae)
575. *Aulonogyrus concinnus* (Klug, 1834) (Gyrinidae)
576. *Aulonogyrus striatus* (Fabricius, 1792) (Gyrinidae)
577. *Austroagallia sinuata* (Mulsant & Rey, 1855) (Cicadellidae)
578. *Austrolimnophila (s.str.) brevicellula* Stary, 1977 (Limoniidae)
579. *Azelia gibbera* (Meigen, 1826) (Muscidae)
580. *Bacillus* sp. (Phasmodae)
581. *Bactericera albiventris* (Förster) (Triozidae)
582. *Bactericera femoralis* (Förster, 1848) (Triozidae)
583. *Bactericera nigricornis* (Förster) (Triozidae)
584. *Baeoura alexanderi* Mendl & Tjeder, 1974 (Limoniidae)
585. *Baeoura schachtii* Mendl, 1986 (Limoniidae)
586. *Balcanocerus balcanicus* (Horvath, 1903) (Cicadellidae)
587. *Balclutha hebe* (Kirkaldy, 1906) (Cicadellidae)
588. *Balclutha pellucens* Horvath, 1909 (Cicadellidae)
589. *Balclutha punctata* (Fabricius, 1775) (Cicadellidae)
590. *Balclutha rhenana* Wagner, 1939 (Cicadellidae)
591. *Balclutha rosea* (Scott, 1876) (Cicadellidae)
592. *Balclutha saltuella* (Kirschbaum, 1868) (Cicadellidae)
593. *Bangasternus fausti* (Reitter, 1890) (Curculionidae)
594. *Bangasternus orientalis* (Capiomont, 1873) (Curculionidae)
595. *Bangasternus planifrons* (Brullé, 1832) (Curculionidae)
596. *Barbitistes* sp.n. (Tettigoniidae)
597. *Baryphora speciosa* Loew, 1844 (Therevidae)
598. *Baryscapus adalia* (Walker) (Eulophidae)
599. *Baryscapus babilii* Doganlar (Eulophidae)
600. *Baryscapus bruchidii* (Erdős) (Eulophidae)
601. *Baryscapus bruchivorus* (Gahan) (Eulophidae)
602. *Baryscapus bruchophagi* (Gahan) (Eulophidae)
603. *Baryscapus ceroplastophilus* (Domenichini) (Eulophidae)
604. *Baryscapus cirsicola* Graham (Eulophidae)
605. *Baryscapus crassicornis* (Erdős) (Eulophidae)
606. *Baryscapus daira* (Walker) (Eulophidae)
607. *Baryscapus endemus* (Walker) (Eulophidae)
608. *Baryscapus euphorbiae* Graham (Eulophidae)
609. *Baryscapus evonymellae* Bouché (Eulophidae)
610. *Baryscapus fossarum* Graham (Eulophidae)
611. *Baryscapus galactopus* (Ratzeburg) (Eulophidae)
612. *Baryscapus garganus* (Domenichini) (Eulophidae)
613. *Baryscapus gaziantepensis* Doganlar (Eulophidae)
614. *Baryscapus impeditus* (Nees) (Eulophidae)
615. *Baryscapus nigroviolaceus* (Nees) (Eulophidae)
616. *Baryscapus pallidae* Graham (Eulophidae)
617. *Baryscapus protasis* Graham (Eulophidae)
618. *Baryscapus servadeii* (Domenichini) (Eulophidae)
619. *Baryscapus spartifoliellae* Graham (Eulophidae)
620. *Baryscapus turionum* (Hartig) (Eulophidae)
621. *Basilia mongolensis* Theodor, 1966 (Nycteribiidae)
622. *Basilia nana* Theodor & Moscona, 1954 (Nycteribiidae)
623. *Batocera rufomaculata* (De Geer, 1775) (Cerambycidae)
624. *Batracomorphus glaber* Haupt, 1927 (Cicadellidae)
625. *Batracomorphus irroratus* Lewis, 1834 (Cicadellidae)
626. *Batracomorphus signatus* Lindberg, 1923 (Cicadellidae)
627. *Bazarella subneglecta* (Tonnoir, 1922) (Psychodidae)
628. *Beckerellus androgynus* (Loew, 1855) (Bombyliidae)
629. *Belaspida nigra* (Siebold) (Chalcididae)
630. *Belaspida obscura* Masi (Chalcididae)
631. *Belopus (Centorus) procerus* Mulsant, 1854 (Tenebrionidae)
632. *Belopus (Centorus) turcicus* (Kaszab, 1959) (Tenebrionidae)
633. *Beraea alihosi* Sipahiler, 2008 (Beraeidae)
634. *Berosus (Enoplurus) hispina* Reiche & Saulcy, 1856 (Hydrophilidae)
635. *Berosus (Enoplurus) frontifoveatus* Kuwert, 1888 (Hydrophilidae)
636. *Berosus (Enoplurus) fulvus* Kuwert, 1888 (Hydrophilidae)
637. *Berosus (Enoplurus) jaechi* Schödi, 1991 (Hydrophilidae)
638. *Berosus (Enoplurus) spinosus* (Steven, 1808) (Hydrophilidae)
639. *Berosus (s.str.) affinis* Brulle, 1922 (Hydrophilidae)
640. *Berosus (s.str.) byzantinus* Ganglbauer, 1904 (Hydrophilidae)
641. *Berosus (s.str.) dispar* Reiche & Saulcy, 1856 (Hydrophilidae)
642. *Berosus (s.str.) hispanicus* Küster, 1847 (Hydrophilidae)
643. *Berosus (s.str.) luridus* (Linnaeus, 1761) (Hydrophilidae)
644. *Berosus (s.str.) signaticollis* (Charpentier, 1825) (Hydrophilidae)
645. *Berosus spinosus* (Steven, 1808) (Hydrophilidae)
646. *Berytinus minor* (Herrich-Schäffer, 1835) (Berytidae)
647. *Betarmon bisbimaculatus* (Fabricius, 1803) (Elateridae)
648. *Bidessus anatolicus* Wewalka, 1972 (Dytiscidae)
649. *Bidessus calabricus* Guignot, 1957 (Dytiscidae)
650. *Bidessus delicatulus* (Schaum, 1844) (Dytiscidae)
651. *Bidessus nasutus* Sharp, 1887 (Dytiscidae)
652. *Bidessus unistriatus* (Goeze, 1777) (Dytiscidae)
653. *Blaps abbreviata* Ménétries, 1836 (Tenebrionidae)
654. *Blaps gigas* (Linnaeus, 1767) (Tenebrionidae)
655. *Blaps jeanneli* Ferrer & Soldati, 1999 (Tenebrionidae)
656. *Blaps lata* Seidlitz, 1893 (Tenebrionidae)
657. *Blaps lethifera* Marshall, 1802 (Tenebrionidae)
658. *Blaps ocreata* Allard, 1880 (Tenebrionidae)
659. *Blaps pterostapha* Ménétries, 1832 (Tenebrionidae)
660. *Blaps rotundata* Solier, 1848 (Tenebrionidae)
661. *Blaps splichali* Gebien, 1913 (Tenebrionidae)
662. *Blaps tibialis* Reiche, 1857 (Tenebrionidae)
663. *Blastophaga psenes* (Linnaeus, 1758) (Agaonidae)
664. *Blastothrix erythrostetha* (Walker) (Encyrtidae)
665. *Blastothrix gurselae* Japoshvili & Karaca (Encyrtidae)
666. *Blastothrix hungarica* Erdős (Encyrtidae)
667. *Blastothrix longipennis* Howard (Encyrtidae)
668. *Blastothrix sericea* (Dalman) (Encyrtidae)
669. *Blastothrix turanica* Sugonjaev (Encyrtidae)
670. *Blatta orientalis* Linnaeus, 1758 (Blattidae)
671. *Blattella germanica* (Linnaeus, 1767) (Blattidae)
672. *Blepharidopterus angulatus* (Fallén, 1807) (Miridae)
673. *Blepharopsis mendica* (Fabricius, 1775) (Empusidae)
674. *Bloodiella andalusica* Nowicki (Trichogrammatidae)
675. *Bodenheimera rachelae* (Bodenheimer, 1924) (Coccidae)
676. *Bolitophagus reticulatus* (Linnaeus, 1767) (Tenebrionidae)
677. *Bolivaria brachyptera* (Pallas, 1773) (Mantidae)
678. *Bolivaria kurda* Ramme, 1951 (Mantidae)
679. *Bolua turkiyae* Ünal, 1999 (Tettigoniidae)
680. *Bombomyia discoidea* (Fabricius, 1794) (Bombyliidae)
681. *Bombomyia stictica* (Boisduval, 1835) (Bombyliidae)
682. *Bombyliella atra* (Scopoli, 1763) (Bombyliidae)
683. *Bombylisoma brevisculum* (Loew, 1855) (Bombyliidae)
684. *Bombylisoma croaticum* (Kertész, 1901) (Bombyliidae)
685. *Bombylisoma melanocephalum* (Fabricius, 1794) (Bombyliidae)
686. *Bombylisoma minimum* (Scopoli, 1772) (Bombyliidae)
687. *Bombylisoma nigriceps* (Loew, 1862) (Bombyliidae)

688. *Bombylisoma simulator* (Loew,1855) (*Bombyliidae*)
689. *Bombylisoma turkmenicum* (Paramonov,1926) (*Bombyliidae*)
690. *Bombylisoma unicolor* (Loew,1855) (*Bombyliidae*)
691. *Boriomyia arenata* Aspöck & Aspöck,1966 (*Hemerobiidae*)
692. *Bothriomyrmex communista* (Santschi,1920) (*Formicidae*)
693. *Bothriothorax clavicornis* (Dalman) (*Encyrtidae*)
694. *Bothriothorax serratellus* (Dalman) (*Encyrtidae*)
695. *Bothynoderes carinatus* (Zoubkoff,1829) (*Curculionidae*)
696. *Bothynoderes carinicornis* Gyllenhal,1834 (*Curculionidae*)
697. *Bothynoderes punctiventris* (Germar,1794) (*Curculionidae*)
698. *Brachineura squamigera* (Winnertz,1853) (*Cecidomyiidae*)
699. *Brachycarenum tigrinus* (Schilling,1829) (*Rhopalidae*)
700. *Brachycephalus exiguus* (Horvath,1901) (*Tettigoniidae*)
701. *Brachyceraea brevicornis* (Loew,1847) (*Conopidae*)
702. *Brachycoleus decolor* Rt.,1887 (*Miridae*)
703. *Brachycoleus scriptus* (Fabricius,1803) (*Miridae*)
704. *Brachygonus frater* Wurst,1995 (*Elateridae*)
705. *Brachygonus gratus* Platia & Schimmel,1991 (*Elateridae*)
706. *Brachygonus hadullanus* Wurst,1995 (*Elateridae*)
707. *Brachygonus megerlei* (Lacordaire,1835) (*Elateridae*)
708. *Brachygonus ruficepsoides* Platia & Gudenzi,2002 (*Elateridae*)
709. *Brachymeria femorata* (Panzer) (*Chalcididae*)
710. *Brachymeria inermis* (Fonscolombe) (*Chalcididae*)
711. *Brachymeria minuta* (Linnaeus) (*Chalcididae*)
712. *Brachymeria moerens* (Ruschka) (*Chalcididae*)
713. *Brachymeria obtusata* (Förster) (*Chalcididae*)
714. *Brachymeria pseudorugosa* Masi (*Chalcididae*)
715. *Brachymeria rugulosa* (Förster) (*Chalcididae*)
716. *Brachymeria secundaria* (Ruschka) (*Chalcididae*)
717. *Brachymeria tibialis* (Walker) (*Chalcididae*)
718. *Brachymeria vitripennis* (Förster) (*Chalcididae*)
719. *Brachynema virens* (Klug,1845) (*Pentatomidae*)
720. *Brachyptera ankara* Kazancı,2000 (*Taeniopterygidae*)
721. *Brachyptera berkii* Kazancı,2001 (*Taeniopterygidae*)
722. *Brachyptera demirsoyi* Kazancı,1983 (*Taeniopterygidae*)
723. *Brachyptera sislii* Kazancı,1983 (*Taeniopterygidae*)
724. *Brachyptera transcaucasica* Zhiltzova,1956 (*Taeniopterygidae*)
725. *Brachyptera zwicki* Braasch & Joost,1971 (*Taeniopterygidae*)
726. *Brachytarsina flavipennis* Macquart,1851 (*Streblidae*)
727. *Brachythemis leucosticta* (Burmeister,1839) (*Libellulidae*)
728. *Brachytron pratense* (O.F.Müller,1764) (*Aeshnidae*)
729. *Bracon* (*Cyanopterobracon*) *illyricus* (Marshall,1888) (*Braconidae*)
730. *Bracon* (*Cyanopterobracon*) *oculatus* Tobias,1957 (*Braconidae*)
731. *Bracon* (*Cyanopterobracon*) *spectabilis* (Telenga,1936) (*Braconidae*)
732. *Bracon* (*Glabrobracon*) *angustiventris* Tobias,1957 (*Braconidae*)
733. *Bracon* (*Glabrobracon*) *anthracinus* (Nees,1834) (*Braconidae*)
734. *Bracon* (*Glabrobracon*) *atrator* (Nees,1834) (*Braconidae*)
735. *Bracon* (*Glabrobracon*) *delusorius* Telenga,1936 (*Braconidae*)
736. *Bracon* (*Glabrobracon*) *discoideus* (Wesmael,1838) (*Braconidae*)
737. *Bracon* (*Glabrobracon*) *fumipennis* (Thomson,1892) (*Braconidae*)
738. *Bracon* (*Glabrobracon*) *larvicida* (Wesmael,1838) (*Braconidae*)
739. *Bracon* (*Glabrobracon*) *maculiger* (Wesmael,1838) (*Braconidae*)
740. *Bracon* (*Glabrobracon*) *obscurator* (Nees,1812) (*Braconidae*)
741. *Bracon* (*Glabrobracon*) *osculator* (Nees,1812) (*Braconidae*)
742. *Bracon* (*Glabrobracon*) *piger* (Wesmael,1838) (*Braconidae*)
743. *Bracon* (*Glabrobracon*) *popovi* Telenga,1936 (*Braconidae*)
744. *Bracon* (*Glabrobracon*) *terebella* (Wesmael,1838) (*Braconidae*)
745. *Bracon* (*Glabrobracon*) *tshitsherini* (Kokoujev,1904) (*Braconidae*)
746. *Bracon* (*Glabrobracon*) *variator* (Nees,1812) (*Braconidae*)
747. *Bracon* (*Rostrobracon*) (*Braconidae*)
748. *Bracon* (*Rostrobracon*) *urinator* (Fabricius,1798) (*Braconidae*)
749. *Bradypterus dasyptus* (Illiger,1800) (*Tettigoniidae*)
750. *Bruchophagus roddi* Gussakovskiy (*Eurytomidae*)
751. *Brucoscelis peculiaris* (Horvath,1904) (*Caliscelidae*)
752. *Brunnerella mirabilis* Saussure,1888 (*Acrididae*)
753. *Bruntridactylus irremipes* (Uvarov,1934) (*Tridactylidae*)
754. *Bubastia* (*Acrestia*) *epialtes* (Linnavuori,1971) (*Issidae*)
755. *Bubastia* (s.str.) *suturale* (Fieber,1877) (*Issidae*)
756. *Bubopsis andromache* Aspöck, Aspöck & Hölzel,1979 (*Ascalaphidae*)
757. *Bubopsis hamatus* (Klug,1834) (*Ascalaphidae*)
758. *Bubopsis zarudnyi* Alexandrov-Martynov,1926 (*Ascalaphidae*)
759. *Bucephaloptera bolivari* Karabağ,1950 (*Tettigoniidae*)
760. *Bucephaloptera bucephala* (Brunner von Wattenwyl,1882) (*Tettigoniidae*)
761. *Bucephaloptera convergens* Karabağ,1950 (*Tettigoniidae*)
762. *Bucephaloptera robusta* Karabağ,1956 (*Tettigoniidae*)
763. *Bugraia ocularis* (Mulsant & Rey,1855) (*Cicadellidae*)
764. *Burriola* sp.? (*Forficulidae*)
765. *Cabirutus cribricollis* (Baudi,1875) (*Tenebrionidae*)
766. *Cabirutus gracilis* (Reitter,1904) (*Tenebrionidae*)
767. *Cacopsylla hippophaes* (Förster,1848) (*Psyllidae*)
768. *Cacopsylla mali* (Schmidberger) (*Psyllidae*)
769. *Cacopsylla mariannae* (Beava) (*Psyllidae*)
770. *Cacopsylla peregrina* (Förster) (*Psyllidae*)
771. *Cacopsylla pyri* (Linnaeus) (*Psyllidae*)
772. *Caenoblaps kulzeri* Schuster,1928 (*Tenebrionidae*)
773. *Caenoblaps nitida* Schuster,1920 (*Tenebrionidae*)
774. *Caenocrepis arenicola* (Thomson) (*Pteromalidae*)
775. *Caenocrepis bothynoderi* Gromakov (*Pteromalidae*)
776. *Calais parreysi* (Steven,1830) (*Elateridae*)
777. *Cales noacki* Howard,1907 (*Aphelinidae*)
778. *Caliaeschna microstigma* (Schneider,1845) (*Aeshnidae*)
779. *Calligypona reyi* (Fieber,1866) (*Delphacidae*)
780. *Callimenus dilatatus* (Stål,1876) (*Tettigoniidae*)
781. *Callimenus macrogaster* (Lefebvre,1831) (*Tettigoniidae*)
782. *Calliptamus barbarus* (Costa,1836) (*Acrididae*)
783. *Calliptamus coelesyriensis* (Giglio-Tos,1893) (*Acrididae*)
784. *Calliptamus italicus* (Linnaeus,1758) (*Acrididae*)
785. *Calliptamus tenuicercis* Tarbinsky,1930 (*Acrididae*)
786. *Callipteroma sexguttata* Motschulsky (*Encyrtidae*)
787. *Callodictya krueperi* (Fieber,1876) (*Dictyopharidae*)
788. *Callostoma oezbeki* Dils & Özbek,2006 (*Bombyliidae*)
789. *Calopteryx hyalina* Martin,1909 (*Calopterygidae*)
790. *Calopteryx intermedia* Selys,1887 (*Calopterygidae*)
791. *Calopteryx mingrelia* Selys,1869 (*Calopterygidae*)
792. *Calopteryx splendens* (Harris,1776) (*Calopterygidae*)
793. *Calopteryx syriaca* Géné,1842 (*Calopterygidae*)
794. *Calopteryx taurica* Selys-Longchamps,1853 (*Calopterygidae*)
795. *Calopteryx virgo* (Linnaeus,1758) (*Calopterygidae*)
796. *Calopteryx waterstoni* Schneider,1984 (*Calopterygidae*)
797. *Calosota aestivalis* Curtis (*Eupelmidae*)
798. *Calydus escherichi* Reitter,1898 (*Meloidae*)
799. *Calyptopsis capnisiformis* Reitter,1903 (*Tenebrionidae*)
800. *Calyptopsis capnisiformis* Reitter,1903 (*Tenebrionidae*)
801. *Calyptopsis emarginata* Reitter,1889 (*Tenebrionidae*)
802. *Camponotus aethiops* (Latreille,1798) (*Formicidae*)
803. *Camponotus compressus* (Fabricius,1787) (*Formicidae*)
804. *Camponotus dalmaticus* (Nylander,1848) (*Formicidae*)
805. *Camponotus festai* Emery,1894 (*Formicidae*)
806. *Camponotus gestroi* Emery,1878 (*Formicidae*)
807. *Camponotus herculeanus* (Linnaeus,1758) (*Formicidae*)
808. *Camponotus ionius* Emery,1901 (*Formicidae*)
809. *Camponotus jaliensis* Dalla Torre,1893 (*Formicidae*)
810. *Camponotus kiesenwetteri* Roger,1859 (*Formicidae*)
811. *Camponotus samius* Forel,1888 (*Formicidae*)
812. *Camponotus sylvaticus* (Olivier,1792) (*Formicidae*)
813. *Camptocera glaberrima* (Walker,1872) (*Lygaeidae*)
814. *Camptomyia pinicola* Mamaev,1961 (*Cecidomyiidae*)
815. *Camptopus illustris* Horváth,1899 (*Alydidae*)
816. *Camptopus lateralis* (Germar,1817) (*Alydidae*)
817. *Camptopus tragacanthae* Kolenati,1845 (*Alydidae*)
818. *Campylomma nicolasi* Puton & Reuter,1883 (*Miridae*)
819. *Canthydrus diophthalmus* (Reiche & Sauley,1855) (*Noteridae*)
820. *Capnia nigra* (Pictet,1833) (*Capniidae*)
821. *Capnia sevanica* Zhiltzova,1964 (*Capniidae*)
822. *Capnodis carbonaria* (Klug,1829) (*Buprestidae*)
823. *Capnodis cariosa* (Pallas,1776) (*Buprestidae*)
824. *Capnodis henningii* (Faldernmann,1835) (*Buprestidae*)
825. *Capnodis marquardtii* Reitter,1913 (*Buprestidae*)
826. *Capnodis miliaris* (Klug,1829) (*Buprestidae*)
827. *Capnodis porosa* (Klug,1829) (*Buprestidae*)
828. *Capnodis semisuturalis* Marseul,1865 (*Buprestidae*)
829. *Capnodis tenebricosa* (Olivier,1790) (*Buprestidae*)
830. *Capnodis tenebrionis* (Linnaeus,1761) (*Buprestidae*)
831. *Cardiocondyla elegans* Emery,1869 (*Formicidae*)
832. *Cardiophorus* (s.str.) *acuminatus* Platia & Gundezi,2002 (*Elateridae*)
833. *Cardiophorus* (s.str.) *aemulus* Platia & Gundezi,2002 (*Elateridae*)
834. *Cardiophorus* (s.str.) *agilis* Platia & Gundezi,2002 (*Elateridae*)
835. *Cardiophorus* (s.str.) *alepensis* Pic,1914 (*Elateridae*)
836. *Cardiophorus* (s.str.) *analisis* Schwarz,1892 (*Elateridae*)

837. *Cardiophorus* (s.str.) *anticus* Erichson, 1840 (Elateridae)
838. *Cardiophorus* (s.str.) *apterus* Platia & Gundezi, 2002 (Elateridae)
839. *Cardiophorus* (s.str.) *araxicola* Jablonožský & Křehovský, 1970 (Elateridae)
840. *Cardiophorus* (s.str.) *bellus* Platia & Gundezi, 2000 (Elateridae)
841. *Cardiophorus* (s.str.) *carnosus* Platia & Gundezi, 2002 (Elateridae)
842. *Cardiophorus* (s.str.) *cyanipennis* Mulsant & Wachanru, 1852 (Elateridae)
843. *Cardiophorus* (s.str.) *discicollis* (Herbst, 1806) (Elateridae)
844. *Cardiophorus* (s.str.) *dolini* Mardjanian, 1985 (Elateridae)
845. *Cardiophorus* (s.str.) *ebeninus* (Germar, 1824) (Elateridae)
846. *Cardiophorus* (s.str.) *eliasi* Pic, 1904 (Elateridae)
847. *Cardiophorus* (s.str.) *fossulatus* Platia & Gudenzi, 2002 (Elateridae)
848. *Cardiophorus* (s.str.) *frequens* Platia & Gudenzi, 2002 (Elateridae)
849. *Cardiophorus* (s.str.) *gramineus* (Scopoli, 1763) (Elateridae)
850. *Cardiophorus* (s.str.) *hayekae* Platia & Gudenzi, 2002 (Elateridae)
851. *Cardiophorus* (s.str.) *hinkei* Frivaldsky, 1837 (Elateridae)
852. *Cardiophorus* (s.str.) *imitator* Platia & Gudenzi, 2002 (Elateridae)
853. *Cardiophorus* (s.str.) *impressiventris* Schwarz, 1900 (Elateridae)
854. *Cardiophorus* (s.str.) *insignis* Descrochers, 1875 (Elateridae)
855. *Cardiophorus* (s.str.) *kindermanni* Candeze, 1860 (Elateridae)
856. *Cardiophorus* (s.str.) *kinzelbachi* Chassain, 1979 (Elateridae)
857. *Cardiophorus* (s.str.) *laevis* Platia & Gudenzi, 2002 (Elateridae)
858. *Cardiophorus* (s.str.) *lundbergi* Platia & Gudenzi, 2000 (Elateridae)
859. *Cardiophorus* (s.str.) *maculicollis* Reiche & Saulcy, 1856 (Elateridae)
860. *Cardiophorus* (s.str.) *megathorax* (Faldermann, 1835) (Elateridae)
861. *Cardiophorus* (s.str.) *miniaticollis* Candeze, 1860 (Elateridae)
862. *Cardiophorus* (s.str.) *neuberti* Platia & Gudenzi, 2002 (Elateridae)
863. *Cardiophorus* (s.str.) *nigerrimus* Erichson, 1840 (Elateridae)
864. *Cardiophorus* (s.str.) *nigratissimus* Buysson, 1891 (Elateridae)
865. *Cardiophorus* (s.str.) *parvulus* Platia & Gudenzi, 2000 (Elateridae)
866. *Cardiophorus* (s.str.) *pavesii* Platia & Gudenzi, 2000 (Elateridae)
867. *Cardiophorus* (s.str.) *picinus* Platia & Gudenzi, 2002 (Elateridae)
868. *Cardiophorus* (s.str.) *plurimus* Platia & Gudenzi, 2002 (Elateridae)
869. *Cardiophorus* (s.str.) *procerus* Platia & Gudenzi, 2002 (Elateridae)
870. *Cardiophorus* (s.str.) *proprius* Platia & Gudenzi, 2002 (Elateridae)
871. *Cardiophorus* (s.str.) *ressli* Platia & Gudenzi, 2002 (Elateridae)
872. *Cardiophorus* (s.str.) *rotundicollis* Frivaldsky, 1845 (Elateridae)
873. *Cardiophorus* (s.str.) *ruficollis* (Linnaeus, 1758) (Elateridae)
874. *Cardiophorus* (s.str.) *ruficurris* (Linnaeus, 1758) (Elateridae)
875. *Cardiophorus* (s.str.) *sacratu* Erichson, 1840 (Elateridae)
876. *Cardiophorus* (s.str.) *samai* Platia & Gudenzi, 2000 (Elateridae)
877. *Cardiophorus* (s.str.) *schuberti* Platia & Gudenzi, 2002 (Elateridae)
878. *Cardiophorus* (s.str.) *schurmanni* Platia & Gudenzi, 2002 (Elateridae)
879. *Cardiophorus* (s.str.) *somcheticus* Schwarz, 1896 (Elateridae)
880. *Cardiophorus* (s.str.) *stussineri* Buysson, 1913 (Elateridae)
881. *Cardiophorus* (s.str.) *syriacus* (Linnaeus, 1758) (Elateridae)
882. *Cardiophorus* (s.str.) *tenellus* Reiche, 1856 (Elateridae)
883. *Cardiophorus* (s.str.) *turgidus* Erichson, 1840 (Elateridae)
884. *Cardiophorus* (s.str.) *uncinatus* Platia & Gudenzi, 2002 (Elateridae)
885. *Cardiophorus* (s.str.) *varius* Cate, Platia & Schimmel, 2002 (Elateridae)
886. *Cardiophorus* (s.str.) *vestigialis* Erichson, 1840 (Elateridae)
887. *Cardiophorus* (s.str.) *winkleri* Platia & Gudenzi, 2002 (Elateridae)
888. *Cardiophorus* (s.str.) *witzgalli* Platia & Gudenzi, 2002 (Elateridae)
889. *Cardiophorus* (s.str.) *zeisingi* Platia, 2004 (Elateridae)
890. *Carpocoris fuscispinus* (Boheman, 1851) (Pentatomidae)
891. *Carpocoris pudicus* (Poda, 1761) (Pentatomidae)
892. *Carulaspis juniperi* (Bouche) (Diaspididae)
893. *Carulaspis minima* (Signoret) (Diaspididae)
894. *Cassida atrata* Fabricius, 1787 (Chrysomelidae)
895. *Cassida bella* Faldermann, 1837 (Chrysomelidae)
896. *Cassida brevis* Weise, 1834 (Chrysomelidae)
897. *Cassida hablitzi* Motschoulsky, 1838 (Chrysomelidae)
898. *Cassida margaritacea* Schaller, 1783 (Chrysomelidae)
899. *Cassida palaestina* Reiche, 1858 (Chrysomelidae)
900. *Cassida pannonica* Suffrian, 1844 (Chrysomelidae)
901. *Cassida prasina* Illiger, 1798 (Chrysomelidae)
902. *Cassida rubiginosa* Müller, 1776 (Chrysomelidae)
903. *Cassida sanguinolenta* Müller, 1776 (Chrysomelidae)
904. *Cassida saucia* Weise, 1889 (Chrysomelidae)
905. *Cassida seraphina* Ménétries, 1836 (Chrysomelidae)
906. *Cassida vibex* Linnaeus, 1767 (Chrysomelidae)
907. *Cassida viridis* Linnaeus, 1758 (Chrysomelidae)
908. *Cataglyphis kurdistanicus* Pisarski, 1965 (Formicidae)
909. *Cataglyphis livida* André, 1881 (Formicidae)
910. *Cataglyphis nodus* (Brullé, 1832) (Formicidae)
911. *Cataglyphis viaticoides* André, 1881 (Formicidae)
912. *Cataphronetis reitteri* Seidlitz, 1893 (Tenebrionidae)
913. *Catolaccus ater* (Ratzeburg) (Pteromalidae)
914. *Catomus consentaneus* (Küster, 1851) (Tenebrionidae)
915. *Catoplatus nigriceps* Horváth, 1905 (Tingidae)
916. *Cea pulicaris* Walker (Pteromalidae)
917. *Cebrio nigricollis* Laporte, 1838 (Cebriionidae)
918. *Celes variabilis* (Pallas, 1771) (Acrididae)
919. *Centrocoris spiniger* (Fabricius, 1781) (Coreidae)
920. *Centrotus cornutus* (Linnaeus, 1758) (Membracidae)
921. *Cephalochilus draco* Giordani & Soika, 1970 (Vespidae)
922. *Cephalostenus demaisonii* Reitter, 1903 (Tenebrionidae)
923. *Cephalostenus elegans* Brullé, 1832 (Tenebrionidae)
924. *Cephalostenus orbicollis* Ménétries, 1836 (Tenebrionidae)
925. *Cephalota* (s.str.) *turcica* (Schaum, 1859) (Carabidae)
926. *Cephalota* (Taenidia) *circumdacta* (Dejean, 1822) (Carabidae)
927. *Cephalota* (Taenidia) *deserticola* (Faldermann, 1836) (Carabidae)
928. *Cephalota* (Taenidia) *eiselsti* (Mandl, 1967) (Carabidae)
929. *Ceraninus antalyacus* Triapitsyn (Eulophidae)
930. *Ceraninus bozovaensis* Doganlar (Eulophidae)
931. *Ceraninus hirsutus* Doganlar & Triapitsyn (Eulophidae)
932. *Ceraninus menes* (Walker) (Eulophidae)
933. *Ceraninus pacuvius* (Walker) (Eulophidae)
934. *Cerapteroceris mirabilis* Westwood (Encyrtidae)
935. *Ceratanius tristis* (Faldermann, 1837) (Tenebrionidae)
936. *Ceratitidis* (s.str.) *capitata* (Wiedemann, 1824) (Tephritidae)
937. *Cerchysiella planiscutellum* (Mercet) (Encyrtidae)
938. *Cerchysius subplanus* (Dalman) (Encyrtidae)
939. *Cercion lindenii* (Selys, 1840) (Coenagrionidae)
940. *Cercopis distincta* (Melichar, 1896) (Cercopidae)
941. *Cercopis intermedia* Kirschbaum, 1868 (Cercopidae)
942. *Cercopis sanguinolenta* (Scopoli, 1763) (Cercopidae)
943. *Cercopis septemmaculata* (Melichar, 1903) (Cercopidae)
944. *Cercyon* (s.str.) *haemorrhoidalis* (Fabricius, 1775) (Hydrophilidae)
945. *Cercyon* (s.str.) *marinus* Thomson, 1853 (Hydrophilidae)
946. *Cercyon* (s.str.) *putricola* Wollaston, 1867 (Hydrophilidae)
947. *Cerdistus dactylopygus* Janssens, 1968 (Asilidae)
948. *Cerdistus debilis* Becker, 1923 (Asilidae)
949. *Cerdistus erythruoides* Theodor, 1980 (Asilidae)
950. *Cerdistus manii* Schiner, 1867 (Asilidae)
951. *Ceriagrion tenellum* (De Villiers, 1789) (Coenagrionidae)
952. *Cerococcus perowskiae* Archangelskaya (Ceroconidae)
953. *Cerocoma adamovichiana* (Piller & Mitterpacher, 1783) (Meloidae)
954. *Cerocoma albopilosa* Dvorak, 1993 (Meloidae)
955. *Cerocoma bodemeyeri* Reitter, 1913 (Meloidae)
956. *Cerocoma dahlia* Kraatz, 1863 (Meloidae)
957. *Cerocoma ephesia* Reitter, 1885 (Meloidae)
958. *Cerocoma festiva* Faldermann, 1837 (Meloidae)
959. *Cerocoma gloriosa* Mulsant, 1857 (Meloidae)
960. *Cerocoma kunzei* Frivaldsky, 1835 (Meloidae)
961. *Cerocoma macedonica* Maran, 1944 (Meloidae)
962. *Cerocoma malatzensis* Kaszab, 1941 (Meloidae)
963. *Cerocoma marginiventris* Reitter, 1889 (Meloidae)
964. *Cerocoma muehlfeldi* Gyllenhal, 1817 (Meloidae)
965. *Cerocoma schaefferi* (Linnaeus, 1758) (Meloidae)
966. *Cerocoma schreberi* Fabricius, 1781 (Meloidae)
967. *Cerocoma scovitzii* Faldermann, 1837 (Meloidae)

968. *Cerocoma syriaca* Abeille de Perrin, 1880 (*Meloidae*)
 969. *Cerocoma turcica* Pardo Alcaide, 1977 (*Meloidae*)
 970. *Ceroplastes floridensis* Comstock (*Coccidae*)
 971. *Ceroplastes rusci* (Linnaeus) (*Coccidae*)
 972. *Ceroplastes sinensis* Del Guercio (*Coccidae*)
 973. *Cetonia* (s.str.) *asiatica* Gory & Percheron, 1833 (*Scarabaeidae*)
 974. *Cetonia* (s.str.) *aurata* (Linnaeus, 1761) (*Scarabaeidae*)
 975. *Cetonia* (s.str.) *delangrei* Boucard, 1893 (*Scarabaeidae*)
 976. *Cetonia* (s.str.) *kemali* Delpont, 1995 (*Scarabaeidae*)
 977. *Chaetarthria seminulum* (Herbst, 1797) (*Hydrophilidae*)
 978. *Chaetococcus bambusae* (Maskell) (*Pseudococcidae*)
 979. *Chaetococcus phragmitis* (Marchal) (*Pseudococcidae*)
 980. *Chaetorellia carthami* Stackelberg, 1929 (*Tephritidae*)
 981. *Chaetorellia loricata* (Rondani, 1870) (*Tephritidae*)
 982. *Chaetostomella cylindrica* (Robineau-Desvoidy, 1830) (*Tephritidae*)
 983. *Chaetostricha steineri* (Nowicki) (*Trichogrammatidae*)
 984. *Charitopus fulviventris* Förster (*Encyrtidae*)
 985. *Charora pentagrammica* Bolívar, 1899 (*Acrididae*)
 986. *Chartocerus novitzkyi* (Domenichini) (*Signiphoridae*)
 987. *Chartocerus subaeneus* (Förster) (*Signiphoridae*)
 988. *Cheiloneurus claviger* Thomson (*Encyrtidae*)
 989. *Cheiloneurus paralia* (Walker) (*Encyrtidae*)
 990. *Cheiloneurus quercus* Mayr (*Encyrtidae*)
 991. *Cheilotrichia* (Empeda) *cinerascens* (Meigen, 1804) (*Limoniidae*)
 992. *Cheirodes sardous* Géné, 1839 (*Tenebrionidae*)
 993. *Cheiopachus quadrum* (Fabricius) (*Pteromalidae*)
 994. *Chelidura specifica* Steinmann, 1989 (*Labiduridae*)
 995. *Chelonella basalis* (Curtis, 1837) (*Braconidae*)
 996. *Chelonella contracta* (Nees, 1834) (*Braconidae*)
 997. *Chelonella hungarica* (Szepligeti, 1896) (*Braconidae*)
 998. *Chelonella nitens* (Reinhard, 1867) (*Braconidae*)
 999. *Chelonella sulcata* (Jurine, 1807) (*Braconidae*)
 1000. *Chelonus carbonator* Marshall, 1885 (*Braconidae*)
 1001. *Chelonus erythrogaster* Lucas, 1846 (*Braconidae*)
 1002. *Chelonus gravenhorstii* (Nees, 1813) (*Braconidae*)
 1003. *Chelonus inanitus* (Linnaeus, 1767) (*Braconidae*)
 1004. *Chelonus mucronatus* Thomson, 1874 (*Braconidae*)
 1005. *Chelonus obscurator* Herrich-Schäffer, 1838 (*Braconidae*)
 1006. *Chiasmus conspurcatus* (Perris, 1857) (*Cicadellidae*)
 1007. *Chionaspis etrusca* Leonardi (*Diaspididae*)
 1008. *Chionaspis salicis* (Linnaeus) (*Diaspididae*)
 1009. *Chitona cretica* Fairmaire, 1863 (*Oedemeridae*)
 1010. *Chitona fucata* (Faldernann, 1837) (*Oedemeridae*)
 1011. *Chitona incana* (W. Schmidt, 1846) (*Oedemeridae*)
 1012. *Chlidaspis asiatica* (Archangelskaya) (*Diaspididae*)
 1013. *Chloriona canariensis* Lindberg, 1954 (*Delphacidae*)
 1014. *Chloriona ponticana* Asche, 1982 (*Delphacidae*)
 1015. *Chloriona sicula* Matsumura, 1910 (*Delphacidae*)
 1016. *Chlorita brevispina* Linnavuori, 1965 (*Cicadellidae*)
 1017. *Chlorita moganica* (Dlabola, 1957) (*Cicadellidae*)
 1018. *Chlorita paolii* (Ossiannilsson, 1939) (*Cicadellidae*)
 1019. *Chlorita tessellata* Lethierry, 1884 (*Cicadellidae*)
 1020. *Chlorita uvaroviana* Zachvatkin, 1946 (*Cicadellidae*)
 1021. *Chlorocyttus diversus* (Walker) (*Pteromalidae*)
 1022. *Chlorocyttus phalaridis* Graham (*Pteromalidae*)
 1023. *Chlorocyttus ultonicus* Graham (*Pteromalidae*)
 1024. *Chloromyia speciosa* (Macquart, 1834) (*Stratiomyidae*)
 1025. *Chloroperla zhiltzovae* Zwick (*Chloroperlidae*)
 1026. *Choerades ursula* (Loew, 1851) (*Asilidae*)
 1027. *Choeras dorsalis* (Spinola, 1808) (*Braconidae*)
 1028. *Chorea maculata* (Hoffer) (*Encyrtidae*)
 1029. *Chorosoma schillingi* Schummel, 1829 (*Rhopalidae*)
 1030. *Chorthippus* (Chorthippus) *brauneri* Znojko, 1928 (*Acrididae*)
 1031. *Chorthippus* (Chorthippus) *dorsatus* (Zetterstedt, 1821) (*Acrididae*)
 1032. *Chorthippus* (Chorthippus) *labaumei* Ramme, 1926 (*Acrididae*)
 1033. *Chorthippus* (Chorthippus) *parallelus* (Zetterstedt, 1821) (*Acrididae*)
 1034. *Chorthippus* (Glyptobothrus) *apricarius* (Linnaeus, 1758) (*Acrididae*)
 1035. *Chorthippus* (Glyptobothrus) *biguttulus* (Linnaeus, 1758) (*Acrididae*)
 1036. *Chorthippus* (Glyptobothrus) *binotatus* (Charpentier, 1825) (*Acrididae*)
 1037. *Chorthippus* (Glyptobothrus) *bozdaghi* Uvarov, 1934 (*Acrididae*)
 1038. *Chorthippus* (Glyptobothrus) *brunneus* (Thunberg, 1815) (*Acrididae*)
 1039. *Chorthippus* (Glyptobothrus) *demodikovi* Ramme, 1930 (*Acrididae*)
 1040. *Chorthippus* (Glyptobothrus) *helveseni* Mol, 2003 (*Acrididae*)
 1041. *Chorthippus* (Glyptobothrus) *ilkazi* Uvarov, 1934 (*Acrididae*)
 1042. *Chorthippus* (Glyptobothrus) *kazdagensis* Mol & Çiplak, 2005 (*Acrididae*)
 1043. *Chorthippus* (Glyptobothrus) *labaumei* Ramme, 1926 (*Acrididae*)
 1044. *Chorthippus* (Glyptobothrus) *longicornis* (Latreille, 1804) (*Acrididae*)
 1045. *Chorthippus* (Glyptobothrus) *macrocerus* (Fischer von Waldheim, 1846) (*Acrididae*)
 1046. *Chorthippus* (Glyptobothrus) *mollis* (Charpentier, 1825) (*Acrididae*)
 1047. *Chorthippus* (Glyptobothrus) *satunini* Mistshenko, 1951 (*Acrididae*)
 1048. *Chorthippus* (Glyptobothrus) *taurensis* Şirin & Çiplak, 2005 (*Acrididae*)
 1049. *Chorthippus* (Glyptobothrus) *vagans* (Eversmann, 1848) (*Acrididae*)
 1050. *Chorthippus* (s.str.) *albomarginatus* (De Geer, 1773) (*Acrididae*)
 1051. *Chorthippus* (s.str.) *dichrous* (Eversmann, 1859) (*Acrididae*)
 1052. *Chorthippus* (s.str.) *loratus* (Fischer von Waldheim, 1846) (*Acrididae*)
 1053. *Chorthippus* (Stauroderus) *scalaris* (Fischer von Waldheim, 1846) (*Acrididae*)
 1054. *Chortinaspis subterranea* (Lindinger) (*Diaspididae*)
 1055. *Chromoderus fasciatus* (O.F. Müller, 1776) (*Curculionidae*)
 1056. *Chrysanthia chalcocroa* Fairmaire, 1892 (*Oedemeridae*)
 1057. *Chrysanthia distinctithorax* Pic, 1904 (*Oedemeridae*)
 1058. *Chrysanthia flavipes* Reitter, 1889 (*Oedemeridae*)
 1059. *Chrysanthia varipes* Kiesenwetter, 1861 (*Oedemeridae*)
 1060. *Chrysobothris affinis* (Fabricius, 1794) (*Buprestidae*)
 1061. *Chrysobothris chrysostigma* (Linnaeus, 1758) (*Buprestidae*)
 1062. *Chrysobothris solieri* Laporte & Gory, 1837 (*Buprestidae*)
 1063. *Chrysocharis amarus* (Walker) (*Eulophidae*)
 1064. *Chrysocharis debussyi* Hansson (*Eulophidae*)
 1065. *Chrysocharis gemma* (Walker) (*Eulophidae*)
 1066. *Chrysocharis idyia* (Walker) (*Eulophidae*)
 1067. *Chrysocharis laomedon* (Walker) (*Eulophidae*)
 1068. *Chrysocharis latifossa* Hansson (*Eulophidae*)
 1069. *Chrysocharis liriomyzae* Delucchi (*Eulophidae*)
 1070. *Chrysocharis mediana* Förster (*Eulophidae*)
 1071. *Chrysocharis nephereus* (Walker) (*Eulophidae*)
 1072. *Chrysocharis pentheus* (Walker) (*Eulophidae*)
 1073. *Chrysocharis phryne* (Walker) (*Eulophidae*)
 1074. *Chrysocharis polyzo* (Walker) (*Eulophidae*)
 1075. *Chrysocharis pubicornis* (Zetterstedt) (*Eulophidae*)
 1076. *Chrysolampus thenae* (Walker) (*Perilampidae*)
 1077. *Chrysomalla roseri* Förster (*Perilampidae*)
 1078. *Chrysomalla stigmatica* Boucek (*Perilampidae*)
 1079. *Chrysomalla turcica* Boucek (*Perilampidae*)
 1080. *Chrysomphalus aonidum* (Linnaeus) (*Diaspididae*)
 1081. *Chrysomphalus dictyospermi* (Morgan) (*Diaspididae*)
 1082. *Chrysomphalus pinnulifer* (Maskell) (*Diaspididae*)
 1083. *Chrysopilus pallipes* (Loew, 1869) (*Rhagionidae*)
 1084. *Chrysops* (Petersenichrysops) *buxtoni* Austen, 1922 (*Tabanidae*)
 1085. *Chrysops* (Petersenichrysops) *compactus* Austen, 1924 (*Tabanidae*)
 1086. *Chrysops* (Petersenichrysops) *hamatus* Loew, 1858 (*Tabanidae*)
 1087. *Chrysops* (s.str.) *caecutiens* (Linnaeus, 1761) (*Tabanidae*)
 1088. *Chrysops* (s.str.) *flavipes* Meigen, 1804 (*Tabanidae*)
 1089. *Chrysops* (s.str.) *italicus* Meigen, 1804 (*Tabanidae*)
 1090. *Chrysops* (s.str.) *relictus* Meigen, 1820 (*Tabanidae*)
 1091. *Chrysops* (s.str.) *sejunctus* Szilady, 1917 (*Tabanidae*)
 1092. *Chrysops* (s.str.) *viduatus* (Fabricius, 1794) (*Tabanidae*)
 1093. *Chrysotus albibarbus* Loew, 1857 (*Dolichopodidae*)
 1094. *Chrysotus alpicola* Strobl, 1893 (*Dolichopodidae*)
 1095. *Chrysotus cilipes* Meigen, 1824 (*Dolichopodidae*)
 1096. *Chrysotus obscuripes* Zetterstedt, 1838 (*Dolichopodidae*)
 1097. *Chrysotus pennatus* Lichtwardt, 1902 (*Dolichopodidae*)
 1098. *Chrysotus suavis* Loew, 1857 (*Dolichopodidae*)
 1099. *Chunrocerus balcanicus* (Horvath, 1903) (*Cicadellidae*)
 1100. *Cicada lodosi* Boulard, 1979 (*Cicadidae*)
 1101. *Cicada mordoganensis* Boulard, 1979 (*Cicadidae*)
 1102. *Cicada permagna* (Haupt, 1917) (*Cicadidae*)
 1103. *Cicadatra alhageos* (Kolenati, 1857) (*Cicadidae*)
 1104. *Cicadatra atra* (Oliver, 1790) (*Cicadidae*)
 1105. *Cicadatra hyalina* (Fabricius, 1798) (*Cicadidae*)
 1106. *Cicadatra persica* Kirkaldy, 1909 (*Cicadidae*)
 1107. *Cicadatra platyptera* Fieber, 1876 (*Cicadidae*)
 1108. *Cicadatra tenebrosa* Fieber, 1876 (*Cicadidae*)
 1109. *Cicadella viridis* (Linnaeus, 1758) (*Cicadellidae*)
 1110. *Cicadetta dimissa* (Hagen, 1856) (*Cicadidae*)
 1111. *Cicadetta montana* (Scopoli, 1772) (*Cicadidae*)
 1112. *Cicadetta musiva* (Germar, 1830) (*Cicadidae*)
 1113. *Cicadetta parvula* Fieber, 1876 (*Cicadidae*)
 1114. *Cicadetta pilosa* (Horvath, 1901) (*Cicadidae*)
 1115. *Cicadetta sibilatrix* Horvath, 1901 (*Cicadidae*)

1116. *Cicadivetta tibialis* (Panzer, 1798) (Cicadidae)
 1117. *Cicadula lineatopunctata* (Matsumura, 1908) (Cicadellidae)
 1118. *Cicadulina bipunctata* (Melichar, 1904) (Cicadellidae)
 1119. *Cicindela asiatica* Audouin & Brullé, 1839 (Carabidae)
 1120. *Cicindela campestris* Linnaeus, 1758 (Carabidae)
 1121. *Cicindela desertorum* Dejean, 1825 (Carabidae)
 1122. *Cicindela herbacea* Klug, 1832 (Carabidae)
 1123. *Cicindela sylvatica* Linnaeus, 1758 (Carabidae)
 1124. *Cicindela turkestanicoides* W. Horn, 1938 (Carabidae)
 1125. *Cidnopus crassipes* (Schwarz, 1900) (Elateridae)
 1126. *Cidnopus pilosus* (Leske, 1785) (Elateridae)
 1127. *Cidnopus schurmanni* Platia & Gudenzi, 1998 (Elateridae)
 1128. *Cidnopus turcicus* Platia, 2004 (Elateridae)
 1129. *Circulifer haematoceps* (Mulsant & Rey, 1855) (Cicadellidae)
 1130. *Cirrospilus lyncus* Walker (Eulophidae)
 1131. *Cirrospilus staryi* Boucek (Eulophidae)
 1132. *Cirrospilus variegatus* (Masi) (Eulophidae)
 1133. *Cirrospilus vittatus* Walker (Eulophidae)
 1134. *Cixidia marginicollis* (Spinola, 1839) (Achilidae)
 1135. *Cixidia mersinica* Dlabola, 1987 (Achilidae)
 1136. *Cixidia pilatovi* D'Urso & Guglielmino, 1995 (Achilidae)
 1137. *Cixius pallipes* Fieber, 1876 (Cixiidae)
 1138. *Cixius remotus* Edwards, 1888 (Cixiidae)
 1139. *Cleonis piger* (Scopoli, 1763) (Curculionidae)
 1140. *Clinodiplosis botularia* (Winnertz, 1853) (Cecidomyiidae)
 1141. *Closterocerus chlorogaster* (Erdős) (Eulophidae)
 1142. *Closterocerus cuprifrons* (Erdős) (Eulophidae)
 1143. *Closterocerus formosus* Westwood (Eulophidae)
 1144. *Closterocerus lyonetiae* (Ferrière) (Eulophidae)
 1145. *Cnemeplatia atropos* Costa, 1847 (Tenebrionidae)
 1146. *Coccidohystrix artemisiae* (Kiritchenko, 1937) (Pseudococcidae)
 1147. *Coccobius testaceus* (Masi, 1909) (Aphelinidae)
 1148. *Coccophagus moeris* (Walker, 1839) (Aphelinidae)
 1149. *Coccophagus aterrimus* Vikberg, 1966 (Aphelinidae)
 1150. *Coccophagus differens* Yasnosh, 1966 (Aphelinidae)
 1151. *Coccophagus insidiator* (Dalman, 1826) (Aphelinidae)
 1152. *Coccophagus kvavadze* Japoshvili & Karaca, 2002 (Aphelinidae)
 1153. *Coccophagus lycimnia* (Walker, 1839) (Aphelinidae)
 1154. *Coccophagus palaeolecanii* Yasnosh, 1957 (Aphelinidae)
 1155. *Coccophagus piceae* Erdős, 1956 (Aphelinidae)
 1156. *Coccophagus proximus* Yasnosh, 1956 (Aphelinidae)
 1157. *Coccophagus scutellaris* (Dalman, 1826) (Aphelinidae)
 1158. *Coccophagus spartanus* Japoshvili & Karaca, 2002 (Aphelinidae)
 1159. *Coccus hesperidum* Linnaeus (Coccidae)
 1160. *Coccus pseudomagnoliarum* (Kuwana) (Coccidae)
 1161. *Codophila varia* (Fabricius, 1787) (Pentatomidae)
 1162. *Coelopenecyrtus callidii* (Jansson) (Encyrtidae)
 1163. *Coelopisthia caledonica* Askew (Pteromalidae)
 1164. *Coenagrion hastulatum* (Charpentier, 1825) (Coenagrionidae)
 1165. *Coenagrion lunulatum* (Charpentier, 1840) (Coenagrionidae)
 1166. *Coenagrion ornatum* (Selys, 1850) (Coenagrionidae)
 1167. *Coenagrion persicum* Lohmann, 1993 (Coenagrionidae)
 1168. *Coenagrion ponticum* (Bartenev, 1929) (Coenagrionidae)
 1169. *Coenagrion pullum* (Linnaeus, 1758) (Coenagrionidae)
 1170. *Coenagrion pulchellum* (Van Der Linden, 1825) (Coenagrionidae)
 1171. *Coenagrion scitulum* (Rambur, 1842) (Coenagrionidae)
 1172. *Coenagrion syriacum* (Morton, 1924) (Coenagrionidae)
 1173. *Coenagrion vanbrinkae* Lohmann, 1993 (Coenagrionidae)
 1174. *Coenosia agromyzina* (Fallén, 1825) (Muscidae)
 1175. *Coenosia nigridigita* Rondani, 1866 (Muscidae)
 1176. *Coleostoma* (s.str.) *orbiculare* (Fabricius, 1775) (Hydrophilidae)
 1177. *Colotrechnus viridis* (Masi) (Pteromalidae)
 1178. *Colpoclypeus florus* (Walker) (Eulophidae)
 1179. *Colpotus byzantinicus* (Waltl, 1838) (Tenebrionidae)
 1180. *Colpotus dentatus* Grimm & Schawaller, 2000 (Tenebrionidae)
 1181. *Colpotus lassallei* Ferrer & Soldati, 1999 (Tenebrionidae)
 1182. *Colpotus pupleureis* Reitter, 1904 (Tenebrionidae)
 1183. *Colpotus reitteri* Züchner, 1911 (Tenebrionidae)
 1184. *Colpotus sulcatus* Ménétériés, 1838 (Tenebrionidae)
 1185. *Colpotus vogti* Koch, 1944 (Tenebrionidae)
 1186. *Colymbetes fuscus* (Linnaeus, 1758) (Dytiscidae)
 1187. *Comperiella bifasciata* Howard (Encyrtidae)
 1188. *Coniatus repandus* (Fabricius, 1792) (Curculionidae)
 1189. *Coniatus tamarisci* (Fabricius, 1787) (Curculionidae)
 1190. *Coniocleonus nigrosuturatus* (Goeze, 1777) (Curculionidae)
 1191. *Conocephalus* (Anisoptera) *concolor* (Burmeister, 1838) (Tettigoniidae)
 1192. *Conocephalus* (s.str.) *conocephalus* (Linnaeus, 1758) (Tettigoniidae)
 1193. *Conocephalus* (Xiphidion) *dorsalis* (Latreille, 1804) (Tettigoniidae)
 1194. *Conocephalus* (Xiphidion) *fuscus* (Fabricius, 1793) (Tettigoniidae)
 1195. *Conocephalus* (Xiphidion) *hastatus* (Charpentier, 1825) (Tettigoniidae)
 1196. *Conocephalus* (Xiphidion) *kisi* (Tettigoniidae)
 1197. *Conocephalus* (Xiphidion) *turanicus* (Semenov, 1915) (Tettigoniidae)
 1198. *Conomelus anceps* (Germar, 1821) (Delphacidae)
 1199. *Conomorium patulum* (Walker) (Pteromalidae)
 1200. *Conomorium pityocampae* Graham (Pteromalidae)
 1201. *Conophorus aktashi* Hasbenli, Koç & Zaitzev, 1998 (Bombyliidae)
 1202. *Conophorus anatolicus* Zaitzev, 1981 (Bombyliidae)
 1203. *Conophorus asiaticus* Paramonov, 1929 (Bombyliidae)
 1204. *Conophorus bivittatus* (Loew, 1862) (Bombyliidae)
 1205. *Conophorus glaucescens* (Loew, 1863) (Bombyliidae)
 1206. *Conophorus gracilis* Dils & Özbek, 2006 (Bombyliidae)
 1207. *Conophorus nobilis* (Loew, 1873) (Bombyliidae)
 1208. *Conophorus rossicus* Paramonov, 1929 (Bombyliidae)
 1209. *Conophorus simplex* Loew, 1869 (Bombyliidae)
 1210. *Conophorus syriacus* Paramonov, 1929 (Bombyliidae)
 1211. *Conophorus virescens* (Fabricius, 1787) (Bombyliidae)
 1212. *Conops flavicaudus* (Bigot, 1880) (Conopidae)
 1213. *Conops flavifrons* Meigen, 1824 (Conopidae)
 1214. *Conops flavipes* Linnaeus, 1758 (Conopidae)
 1215. *Conops insignis* Loew, 1848 (Conopidae)
 1216. *Conops quadrifasciatus* De Geer, 1776 (Conopidae)
 1217. *Conops silaceus* Wiedemann, 1824 (Conopidae)
 1218. *Conops tomentosus* Kröber, 1916 (Conopidae)
 1219. *Conops vesicularis* Linnaeus, 1761 (Conopidae)
 1220. *Conorhynchus nigrivittis* (Pallas, 1781) (Curculionidae)
 1221. *Conosanus obsoletus* (Kirschbaum, 1858) (Cicadellidae)
 1222. *Contarinia citri* Barnes, 1944 (Cecidomyiidae)
 1223. *Contarinia coryli* (Kaltenbach, 1859) (Cecidomyiidae)
 1224. *Contarinia nasturtii* (Kieffer, 1888) (Cecidomyiidae)
 1225. *Contarinia populi* (Rübsaamen, 1917) (Cecidomyiidae)
 1226. *Contarinia pyrivora* (Riley, 1886) (Cecidomyiidae)
 1227. *Contigaspis zillae* (Hall) (Diaspididae)
 1228. *Copidosoma agrotis* (Fonscolombe) (Encyrtidae)
 1229. *Copidosoma aithya* (Walker) (Encyrtidae)
 1230. *Copidosoma boucheanum* Ratzeburg (Encyrtidae)
 1231. *Copidosoma breviclava* Hoffer (Encyrtidae)
 1232. *Copidosoma floridanum* (Ashmead) (Encyrtidae)
 1233. *Copidosoma hispanicum* (Mercet) (Encyrtidae)
 1234. *Copidosoma primulum* (Mercet) (Encyrtidae)
 1235. *Copidosoma truncatellum* (Dalman) (Encyrtidae)
 1236. *Copidosoma varicome* (Nees) (Encyrtidae)
 1237. *Coptosoma scutellatum* (Geoffroy, 1785) (Plataspidae)
 1238. *Coraeus elatus* (Fabricius, 1787) (Buprestidae)
 1239. *Coraeus rubi* (Linnaeus, 1767) (Buprestidae)
 1240. *Cordulegaster bidentata* Selys, 1843 (Cordulegasteridae)
 1241. *Cordulegaster insignis* Schneider, 1845 (Cordulegasteridae)
 1242. *Cordulegaster picta* Selys, 1854 (Cordulegasteridae)
 1243. *Cordulia aenea* (Linnaeus, 1758) (Corduliidae)
 1244. *Coriomeris affinis* (Herrich-Schäffer, 1839) (Coreidae)
 1245. *Corizus hyoscyami* (Linnaeus, 1758) (Rhopalidae)
 1246. *Cossyphus tauricus* Steven, 1882 (Tenebrionidae)
 1247. *Cotesia ancilla* (Nixon, 1974) (Braconidae)
 1248. *Cotesia brevicollis* (Wesmael, 1837) (Braconidae)
 1249. *Cotesia calodetta* (Nixon, 1974) (Braconidae)
 1250. *Cotesia cupresus* (Lylé, 1925) (Braconidae)
 1251. *Cotesia geryonis* (Marshall, 1885) (Braconidae)
 1252. *Cotesia glabratus* (Telenga, 1955) (Braconidae)
 1253. *Cotesia hypantiriae* (Riley, 1887) (Braconidae)
 1254. *Cotesia jucunda* (Marshall, 1885) (Braconidae)
 1255. *Cotesia kazak* (Telenga, 1949) (Braconidae)
 1256. *Cotesia kurdjumovi* (Telenga, 1955) (Braconidae)
 1257. *Cotesia lineola* (Curtis, 1830) (Braconidae)
 1258. *Cotesia melanoscela* (Ratzeburg, 1844) (Braconidae)
 1259. *Cotesia memnon* (Nixon, 1974) (Braconidae)
 1260. *Cotesia numen* (Nixon, 1974) (Braconidae)
 1261. *Cotesia orestes* (Nixon, 1974) (Braconidae)
 1262. *Cotesia ruficus* (Haliday, 1834) (Braconidae)
 1263. *Cotesia saltatoria* (Balevski, 1980) (Braconidae)
 1264. *Cotesia setebis* (Nixon, 1974) (Braconidae)
 1265. *Cotesia telengai* (Tobias, 1972) (Braconidae)
 1266. *Cotesia tenebrosa* (Papp, 1976) (Braconidae)
 1267. *Cotesia tetricus* (Reinhard, 1880) (Braconidae)
 1268. *Cotesia tibialis* (Curtis, 1830) (Braconidae)
 1269. *Cotesia vanessae* (Reinhard, 1880) (Braconidae)
 1270. *Cotesia villanus* Reinhard, 1880 (Braconidae)
 1271. *Cowperia areolata* (Walker) (Encyrtidae)
 1272. *Craspedolepta malachitica* (Dahlbom) (Psyllidae)
 1273. *Craspedolepta nebulosa* (Zetterstedt, 1828) (Psyllidae)
 1274. *Craspedolepta pontica* (Dobreanu & Manolache) (Psyllidae)
 1275. *Crastina myricariae* Loginova (Psyllidae)

1276. *Crataepus marbis* (Walker) (*Eulophidae*)
 1277. *Crematogaster laestrygon* Emery, 1869 (*Formicidae*)
 1278. *Crematogaster scutellaris* (Olivier, 1791) (*Formicidae*)
 1279. *Crematogaster sordidula* (Nylander, 1849) (*Formicidae*)
 1280. *Creoleon lugdunensis* (Villers, 1789) (*Myrmeleionidae*)
 1281. *Crobelocerus engeli* Geller-Grimm & Hradski, 1999 (*Asilidae*)
 1282. *Crobelocerus megilliformis* (Loew, 1847) (*Asilidae*)
 1283. *Crocothemis erythraea* (Brullé, 1832) (*Libellulidae*)
 1284. *Crocothemis servilia* (Drury, 1770) (*Libellulidae*)
 1285. *Cryphaeus cornutus* Fischer von Waldheim, 1823 (*Tenebrionidae*)
 1286. *Crypticus* (*Platycrypticus*) *castaneus* Baudi, 1876 (*Tenebrionidae*)
 1287. *Crypticus* (s.str.) *pettersoni* Ferrer & Soldati, 1999 (*Tenebrionidae*)
 1288. *Crypticus* (s.str.) *quisquilius* (Linnaeus, 1761) (*Tenebrionidae*)
 1289. *Cryptobium chaudiroii* Hochhuth, 1851 (*Staphylinidae*)
 1290. *Cryptobium fracticorne* (Paykull, 1800) (*Staphylinidae*)
 1291. *Cryptococcus fagisuga* Lindinger (*Eriococcidae*)
 1292. *Cryptotyx latipes* (Rondani) (*Pteromalidae*)
 1293. *Cryptotyx robustus* (Masi) (*Pteromalidae*)
 1294. *Ctenicera pectinicornis* (Linnaeus, 1758) (*Elateridae*)
 1295. *Ctenophora* (s.str.) *guttata* Meigen, 1818 (*Tipulidae*)
 1296. *Ctenopus* sp. (*Meloidae*)
 1297. *Cueta beieri* Hölzel, 1969 (*Myrmeleionidae*)
 1298. *Cueta beieri* Hölzel, 1969 (*Myrmeleionidae*)
 1299. *Cueta lineosa* (Rambur, 1842) (*Myrmeleionidae*)
 1300. *Cueta lineosus* (Rambur, 1842) (*Myrmeleionidae*)
 1301. *Cuneala amasiensis* (Kriechbaumer, 1869) (*Tenthredinidae*)
 1302. *Cuneala confinis* (Konow, 1886) (*Tenthredinidae*)
 1303. *Cuneala koehleri* Klug, 1817 (*Tenthredinidae*)
 1304. *Curculio crux* Fabricius, 1776 (*Curculionidae*)
 1305. *Curculio elephas* Gyllenhal, 1836 (*Curculionidae*)
 1306. *Curculio excellans* Khnzorian, 1953 (*Curculionidae*)
 1307. *Curculio glandium* Marsham, 1802 (*Curculionidae*)
 1308. *Curculio nucum* Linnaeus, 1758 (*Curculionidae*)
 1309. *Curculio pellitus* Boheman, 1843 (*Curculionidae*)
 1310. *Curculio pyrrhoceras* Marsham, 1802 (*Curculionidae*)
 1311. *Curculio salicivorus* Paykull, 1792 (*Curculionidae*)
 1312. *Curculio venosus* (Gravenhorst, 1807) (*Curculionidae*)
 1313. *Cyamophila astragalicola* (Gegechkori, 1977) (*Psyllidae*)
 1314. *Cyamophila glycyrrhizae* (Becker) (*Psyllidae*)
 1315. *Cyamophila stocklosai* Klimaszewski & Lodos (*Psyllidae*)
 1316. *Cybister* (s.str.) *tripunctatus* (Olivier, 1795) (*Dytiscidae*)
 1317. *Cybister* (*Scaphinectes*) *lateralimarginalis* (De Geer, 1774) (*Dytiscidae*)
 1318. *Cylindera* (*Cicindina*) *arenaria* (Fuessli, 1775) (*Carabidae*)
 1319. *Cylindera* (*Cicindina*) *pygmaea* (Dejean, 1825) (*Carabidae*)
 1320. *Cylindera* (*Cicindina*) *sublacerata* (Solsky, 1874) (*Carabidae*)
 1321. *Cylindera* (*Cicindina*) *trisinata* (Dejean, 1822) (*Carabidae*)
 1322. *Cylindera* (s.str.) *germanica* (Linnaeus, 1758) (*Carabidae*)
 1323. *Cylindronotus* (*Helopelius*) *aeneipennis* (Allard, 1876) (*Tenebrionidae*)
 1324. *Cylindronotus* (*Odocnemis*) *dasyus* Seidlitz, 1893 (*Tenebrionidae*)
 1325. *Cylindronotus* (*Odocnemis*) *exararatus* (Germar, 1817) (*Tenebrionidae*)
 1326. *Cylindronotus* (*Odocnemis*) *korbi* Reitter, 1901 (*Tenebrionidae*)
 1327. *Cylindronotus* (*Odocnemis*) *nitidus* Seidlitz, 1893 (*Tenebrionidae*)
 1328. *Cylindronotus* (*Odocnemis*) *seriegranatus* Seidlitz, 1893 (*Tenebrionidae*)
 1329. *Cylindronotus* (*Odocnemis*) *tuberculiger* Reich, 1857 (*Tenebrionidae*)
 1330. *Cylindronotus* (s.str.) *funestoides* Reitter, 1900 (*Tenebrionidae*)
 1331. *Cyphon abeillei* Bourgeois, 1884 (*Scirtidae*)
 1332. *Cyphon arietizans* Nyholm, 1970 (*Scirtidae*)
 1333. *Cyphon buceros* Nyholm, 1949 (*Scirtidae*)
 1334. *Cyphon dinolabis* Nyholm, 1970 (*Scirtidae*)
 1335. *Cyphon euoplus* Nyholm, 1970 (*Scirtidae*)
 1336. *Cyphon laevipennis* Tournier, 1868 (*Scirtidae*)
 1337. *Cyphon longispinus* Nyholm, 1968 (*Scirtidae*)
 1338. *Cyphon longiusculus* Nyholm, 1970 (*Scirtidae*)
 1339. *Cyphon ochraceus* Stephens, 1830 (*Scirtidae*)
 1340. *Cyphon osellai* Klausnitzer, 1989 (*Scirtidae*)
 1341. *Cyphon padi* (Linnaeus, 1758) (*Scirtidae*)
 1342. *Cyphon palustris* Thomson, 1855 (*Scirtidae*)
 1343. *Cyphon ponticus* Nyholm, 1976 (*Scirtidae*)
 1344. *Cyphon pubescens* Fabricius, 1792 (*Scirtidae*)
 1345. *Cyphon scurrula* Nyholm, 1970 (*Scirtidae*)
 1346. *Cyphon wittmeri* Nyholm, 1970 (*Scirtidae*)
 1347. *Cyrtisopsis melleus* (Loew, 1856) (*Mythicomysiidae*)
 1348. *Cyrtogaster vulgaris* Walker (*Pteromalidae*)
 1349. *Dactylolabis* (*Dactylolabis*) *jonica* Lackschewitz, 1940 (*Limoniidae*)
 1350. *Dactylopius coccus* Costa (*Dactylopiidae*)
 1351. *Dahlbominus fuscipennis* (Zetterstedt) (*Eulophidae*)
 1352. *Dailognatha caraboides* Solier, 1835 (*Tenebrionidae*)
 1353. *Dailognatha carceli* Solier, 1835 (*Tenebrionidae*)
 1354. *Dailognatha impressicollis* Solier, 1835 (*Tenebrionidae*)
 1355. *Dailognatha pumila* Baudi, 1874 (*Tenebrionidae*)
 1356. *Dailognatha quadricollis* Brullé, 1832 (*Tenebrionidae*)
 1357. *Dailognatha rugipleuris* Reitter, 1896 (*Tenebrionidae*)
 1358. *Dailognatha caraboides* Solier, 1835 (*Tenebrionidae*)
 1359. *Dailognatha crenata* Reiche & Saulcy, 1857 (*Tenebrionidae*)
 1360. *Dailognatha pumila* Baudi, 1874 (*Tenebrionidae*)
 1361. *Dailognatha quadricollis* Brullé, 1832 (*Tenebrionidae*)
 1362. *Dailognatha rugipleuris* Reitter, 1896 (*Tenebrionidae*)
 1363. *Dalmannia marginata* (Meigen, 1824) (*Conopidae*)
 1364. *Dalmannia punctata* (Fabricius, 1794) (*Conopidae*)
 1365. *Dalopius marginatus* (Linnaeus, 1758) (*Elateridae*)
 1366. *Dalopius radiculosus* Gurjeva, 1964 (*Elateridae*)
 1367. *Danaosoma fasciata* (Linnaeus, 1758) (*Elateridae*)
 1368. *Dasineura affinis* (Kieffer, 1886) (*Cecidomyiidae*)
 1369. *Dasineura crataegi* (Winnertz, 1853) (*Cecidomyiidae*)
 1370. *Dasineura oleae* (Loew, 1885) (*Cecidomyiidae*)
 1371. *Dasineura refescens* (Stefani, 1896) (*Cecidomyiidae*)
 1372. *Dasineura rosae* (Bremi, 1847) (*Cecidomyiidae*)
 1373. *Dasineura viciae* (Kieffer, 1888) (*Cecidomyiidae*)
 1374. *Dasyhippus escalerae* (Bolivar, 1899) (*Acrididae*)
 1375. *Dasyhippus uvarovi* Karabağ, 1953 (*Acrididae*)
 1376. *Dasyphora penicillata* (Egger, 1865) (*Muscidae*)
 1377. *Dasygogon geradi* Weinberg, 1987 (*Asilidae*)
 1378. *Dasygogon irinelae* Weinberg, 1986 (*Asilidae*)
 1379. *Dasyramphus anthracinus* (Meigen, 1824) (*Tabanidae*)
 1380. *Dasyramphus ater* (Austen, 1925) (*Tabanidae*)
 1381. *Dasyramphus carbonarius* (Meigen, 1820) (*Tabanidae*)
 1382. *Dasyramphus nigrinus* (Fabricius, 1794) (*Tabanidae*)
 1383. *Dasyramphus umbrinus* (Meigen, 1820) (*Tabanidae*)
 1384. *Decticus albifrons* (Fabricius, 1793) (*Tettigoniidae*)
 1385. *Decticus mithati* Rammé, 1939 (*Tettigoniidae*)
 1386. *Decticus verrucivorus* (Linnaeus, 1758) (*Tettigoniidae*)
 1387. *Deleproctophylla dusmeti* Navas, 1914 (*Ascalaphidae*)
 1388. *Deleproctophylla variegata* (Klug, 1834) (*Ascalaphidae*)
 1389. *Delphacodes audrasi* Ribaut, 1954 (*Delphacidae*)
 1390. *Delphacodoides anaxarchi* (Muir, 1926) (*Delphacidae*)
 1391. *Delta Saussure*, 1855 (*Vespidae*)
 1392. *Delta unguiculatus* (Villers, 1789) (*Vespidae*)
 1393. *Demirsoy salmani* Şirin & Çiplak, 2004 (*Acrididae*)
 1394. *Dendarus* (*Pandarinus*) *armeniaceus* Baudi, 1876 (*Tenebrionidae*)
 1395. *Dendarus* (*Pandarinus*) *caelatus* Brullé, 1832 (*Tenebrionidae*)
 1396. *Dendarus* (*Pandarinus*) *crenulatus* (Ménétriér, 1832) (*Tenebrionidae*)
 1397. *Dendarus* (*Pandarinus*) *dalmatinus* Germar, 1824 (*Tenebrionidae*)
 1398. *Dendarus* (*Pandarinus*) *foveolatus* Seidlitz, 1893 (*Tenebrionidae*)
 1399. *Dendarus* (*Pandarinus*) *messenius* Brullé, 1832 (*Tenebrionidae*)
 1400. *Dendarus* (*Pandarinus*) *moesiaceus* Mulsant & Rey, 1854 (*Tenebrionidae*)
 1401. *Dendarus* (*Pandarinus*) *punctatus* Audinet-Serville, 1825 (*Tenebrionidae*)
 1402. *Dendarus* (*Pandarinus*) *scrobiculatus* Seidlitz, 1893 (*Tenebrionidae*)
 1403. *Dendarus* (*Pandarinus*) *tenellus* Mulsant & Rey, 1854 (*Tenebrionidae*)
 1404. *Dendarus* (*Pandarinus*) *stygius* Waltl, 1838 (*Tenebrionidae*)
 1405. *Dendroleon pantherinus* (Fabricius, 1787) (*Myrmeleionidae*)
 1406. *Dendroleon pantherinus* (Fabricius, 1787) (*Myrmeleionidae*)
 1407. *Denops albofasciatus* (Charpentier, 1825) (*Cleridae*)
 1408. *Denticollis linearis* (Linnaeus, 1758) (*Elateridae*)
 1409. *Denticollis parallelus* Aubé, 1850 (*Elateridae*)
 1410. *Denticollis rubens* Piller & Mitterpacher, 1783 (*Elateridae*)
 1411. *Depressotetrix depressa* (Brisout, 1848) (*Tetrigidae*)
 1412. *Deraeocoris punctulatus* (Fallén, 1807) (*Miridae*)
 1413. *Deraeocoris rutilus* (Herrich-Schäffer, 1838) (*Miridae*)
 1414. *Derocorys tibialis* (Pallas, 1773) (*Acrididae*)
 1415. *Derocorys uvarovi* Rammé, 1930 (*Acrididae*)
 1416. *Deronectes doriae* Sharp, 1882 (*Dytiscidae*)
 1417. *Deronectes evelynae* Fery & Hosseinie, 1998 (*Dytiscidae*)
 1418. *Deronectes hakkariensis* Wewalka, 1989 (*Dytiscidae*)
 1419. *Deronectes jaechi* Wewalka, 1989 (*Dytiscidae*)
 1420. *Deronectes kinzelbachii* Fery & Hosseinie, 1998 (*Dytiscidae*)
 1421. *Deronectes longipes* Sharp, 1882 (*Dytiscidae*)
 1422. *Deronectes parvicollis* (Schaum, 1864) (*Dytiscidae*)
 1423. *Deronectes sahlbergi* Zimmermann, 1932 (*Dytiscidae*)
 1424. *Deronectes syriacus* Wewalka, 1971 (*Dytiscidae*)
 1425. *Deronectes toledoi* Fery, Köksal & Hosseinie, 2001 (*Dytiscidae*)

1426. *Deronectes wittmeri* Wewalka, 1971 (Dytiscidae)
 1427. *Desmatoneura lepida* (Hermann, 1907) (Bombyliidae)
 1428. *Diaclina fagi* (Panzer, 1799) (Tenebrionidae)
 1429. *Diaperis boleti* (Linnaeus, 1758) (Tenebrionidae)
 1430. *Diaspidiotus anatolicus* (Bodenheimer) (Diaspididae)
 1431. *Diaspidiotus armenicus* (Borchsenius) (Diaspididae)
 1432. *Diaspidiotus caucasicus* (Borchsenius) (Diaspididae)
 1433. *Diaspidiotus distinctus* (Leonardi) (Diaspididae)
 1434. *Diaspidiotus elaeagni* (Borchsenius) (Diaspididae)
 1435. *Diaspidiotus gigas* (Thiem & Gerneck) (Diaspididae)
 1436. *Diaspidiotus kaussarii* Balachowsky (Diaspididae)
 1437. *Diaspidiotus lenticularis* (Lindinger) (Diaspididae)
 1438. *Diaspidiotus marani* (Zahradnik) (Diaspididae)
 1439. *Diaspidiotus osborni* (Newell & Cockerell) (Diaspididae)
 1440. *Diaspidiotus ostreaeformis* (Curtis) (Diaspididae)
 1441. *Diaspidiotus perniciosus* (Comstock) (Diaspididae)
 1442. *Diaspidiotus prunorum* (Laing) (Diaspididae)
 1443. *Diaspidiotus pyri* (Lichtenstein) (Diaspididae)
 1444. *Diaspidiotus sulci* (Balachowsky) (Diaspididae)
 1445. *Diaspidiotus wuennii* (Lindinger) (Diaspididae)
 1446. *Diaspidiotus zonatus* (Frauenfeld) (Diaspididae)
 1447. *Diaspis boisduvalii* Signoret (Diaspididae)
 1448. *Diaspis bromeliae* (Kerner) (Diaspididae)
 1449. *Diaspis echinocacti* (Bouche) (Diaspididae)
 1450. *Diaspis syriaca* Lindinger (Diaspididae)
 1451. *Dibrachoides lyncastii* (Förster) (Pteromalidae)
 1452. *Dibrachys affinis* Masi (Pteromalidae)
 1453. *Dibrachys boarmiae* (Walker) (Pteromalidae)
 1454. *Dibrachys cavus* (Walker) (Pteromalidae)
 1455. *Dibrachys palandoekenus* Doganlar (Pteromalidae)
 1456. *Dicarnosis hemiptera* (Dalman) (Encyrtidae)
 1457. *Dicarnosis sugonjaevi* Myrtseva (Encyrtidae)
 1458. *Dicarnosis superba* Mercet (Encyrtidae)
 1459. *Dichillus* (*Dichillocerus*) *crassicornis* Allard, 1869 (Tenebrionidae)
 1460. *Dichillus carinatus* Küster, 1848 (Tenebrionidae)
 1461. *Dichillus subsetulosus* Reitter, 1886 (Tenebrionidae)
 1462. *Dicranomyia* (*Glochina*) *sericata* (Meigen, 1830) (Limoniidae)
 1463. *Dicranomyia* (*Glochina*) *transsilvanica* Lackschewitz, 1928 (Limoniidae)
 1464. *Dicranomyia* (*Melanolimonia*) *hamata* Becker, 1908 (Limoniidae)
 1465. *Dicranomyia* (*Melanolimonia*) *morio* (Fabricius, 1787) (Limoniidae)
 1466. *Dicranomyia* (*Melanolimonia*) *rufiventris* (Strobl, 1900) (Limoniidae)
 1467. *Dicranomyia* (*Numantia*) *fusca* (Meigen, 1804) (Limoniidae)
 1468. *Dicranomyia* (s.str.) *chorea* (Meigen, 1818) (Limoniidae)
 1469. *Dicranomyia* (s.str.) *goritiensis* (Mik, 1864) (Limoniidae)
 1470. *Dicranomyia* (s.str.) *kamakensis* Stary, 1993 (Limoniidae)
 1471. *Dicranomyia* (s.str.) *livornica* Lackschewitz, 1928 (Limoniidae)
 1472. *Dicranomyia* (s.str.) *lucida* De Meijere, 1918 (Limoniidae)
 1473. *Dicranomyia* (s.str.) *mitis* (Meigen, 1830) (Limoniidae)
 1474. *Dicranomyia* (s.str.) *modesta* (Meigen, 1818) (Limoniidae)
 1475. *Dicranomyia* (s.str.) *ornata* (Meigen, 1818) (Limoniidae)
 1476. *Dicranomyia* (s.str.) *sera* (Walker, 1848) (Limoniidae)
 1477. *Dicranomyia* (s.str.) *signata* Lackschewitz & Pagast, 1941 (Limoniidae)
 1478. *Dicranomyia* (s.str.) *signatella* Stary & Freidberg, 2007 (Limoniidae)
 1479. *Dicranomyia* (s.str.) *ventralis* (Schummel, 1829) (Limoniidae)
 1480. *Dicranophragma* (*Brachylimnophila*) *adjunctum* (Walker, 1848) (Limoniidae)
 1481. *Dicranophragma* (*Brachylimnophila*) *nemorale* (Meigen, 1818) (Limoniidae)
 1482. *Dicranoptycha* (s.str.) *fuscens* (Schummel, 1829) (Limoniidae)
 1483. *Dicranoptycha* (*Ulugbekia*) *savtshenkoi* Mendl, 1976 (Limoniidae)
 1484. *Dicranota* (*Ludicia*) *lucidipennis* (Edwards, 1921) (Pediidae)
 1485. *Dicranota* (*Paradicranota*) *robusta* Lundstrom, 1912 (Pediidae)
 1486. *Dicrodiplosis pseudococci* (Felt, 1914) (Cecidomyiidae)
 1487. *Dicronychus adanensis* (Pic, 1908) (Elateridae)
 1488. *Dicronychus apteriformis* Platia & Gudenzi, 2004 (Elateridae)
 1489. *Dicronychus bicolor* Platia & Gudenzi, 2004 (Elateridae)
 1490. *Dicronychus bozdaghensis* Platia & Gudenzi, 2004 (Elateridae)
 1491. *Dicronychus cinereus* (Herbst, 1784) (Elateridae)
 1492. *Dicronychus decorus* (Faldernmann, 1835) (Elateridae)
 1493. *Dicronychus deminutus* Platia & Gudenzi, 2004 (Elateridae)
 1494. *Dicronychus desbrochersi* Platia & Gudenzi, 2004 (Elateridae)
 1495. *Dicronychus drureri* (Pic, 1908) (Elateridae)
 1496. *Dicronychus equiseti* (Herbst, 1784) (Elateridae)
 1497. *Dicronychus exstinctus* (Erichson, 1840) (Elateridae)
 1498. *Dicronychus freudei* Platia & Gudenzi, 2007 (Elateridae)
 1499. *Dicronychus gillerforsi* Platia & Gudenzi, 2004 (Elateridae)
 1500. *Dicronychus iconiensis* (Pic, 1908) (Elateridae)
 1501. *Dicronychus incanus* (Erichson, 1840) (Elateridae)
 1502. *Dicronychus merkli* (Pic, 1910) (Elateridae)
 1503. *Dicronychus mutilus* Platia & Gudenzi, 2004 (Elateridae)
 1504. *Dicronychus obscuripennis* (Pic, 1899) (Elateridae)
 1505. *Dicronychus pici* Platia & Gudenzi, 2004 (Elateridae)
 1506. *Dicronychus rubripes* (Germar, 1824) (Elateridae)
 1507. *Dicronychus senaci* Desbrochers, 1870 (Elateridae)
 1508. *Dicronychus turcicus* Platia & Gudenzi, 2004 (Elateridae)
 1509. *Dicronychus variatus* Desbrochers, 1875 (Elateridae)
 1510. *Dicronychus versicolor* (Mulsant & Guillebeau, 1856) (Elateridae)
 1511. *Dictenidia bimaculata* (Linnaeus, 1760) (Tipulidae)
 1512. *Dictyla triconula* (Seidenstücker, 1954) (Tingidae)
 1513. *Dictyophara asiatica* Melichar, 1912 (Dictyopharidae)
 1514. *Dictyophara europaea* (Linnaeus, 1767) (Dictyopharidae)
 1515. *Dictyophara iranica* Linnavuori, 1962 (Dictyopharidae)
 1516. *Dictyophara lindbergi* Metcalf, 1955 (Dictyopharidae)
 1517. *Dictyophara multireticulata* Mulsant & Rey, 1855 (Dictyopharidae)
 1518. *Dictyophara pannonica* (Germar, 1830) (Dictyopharidae)
 1519. *Dictyophara xiphias* Puton, 1884 (Dictyopharidae)
 1520. *Dielocroce ephemera* (Gersträcker, 1893) (Nemopteridae)
 1521. *Diglyphus anadolucis* Doganlar (Eulophidae)
 1522. *Diglyphus crassinervis* Erdős (Eulophidae)
 1523. *Diglyphus isaea* (Walker) (Eulophidae)
 1524. *Diglyphus pachyneurus* Graham (Eulophidae)
 1525. *Dikraneura variata* Hardy, 1850 (Cicadellidae)
 1526. *Dinarmus acutus* (Thomson) (Pteromalidae)
 1527. *Dinarmus italicus* (Masi) (Pteromalidae)
 1528. *Dinocistus eupterus* (Walker, 1836) (Pteromalidae)
 1529. *Dioctria abdominalis* Becker, 1923 (Asilidae)
 1530. *Dioctria arcana* Richter, 1966 (Asilidae)
 1531. *Dioctria arthritica* Loew, 1871 (Asilidae)
 1532. *Dioctria atricapilla* Meigen, 1804 (Asilidae)
 1533. *Dioctria bithynica* Janssens, 1968 (Asilidae)
 1534. *Dioctria flavipennis* Meigen, 1820 (Asilidae)
 1535. *Dioctria lenta* Becker, 1923 (Asilidae)
 1536. *Dioctria lugens* Loew, 1873 (Asilidae)
 1537. *Dioctria meyeri* Nowicki, 1867 (Asilidae)
 1538. *Dioctria rufonigra* Theodor, 1980 (Asilidae)
 1539. *Dioctria striata* Theodor, 1980 (Asilidae)
 1540. *Dioctria valida* Loew, 1856 (Asilidae)
 1541. *Diogma dmitrii* Paramonov, 2005 (Cyndrotomidae)
 1542. *Diolcogaster alvearia* (Fabricius, 1798) (Braconidae)
 1543. *Diolcogaster claritibia* (Papp, 1959) (Braconidae)
 1544. *Diplacodes lefebvrei* (Rambur, 1842) (Libellulidae)
 1545. *Diplocolenus bekiri* Kalkandelen, 1972 (Cicadellidae)
 1546. *Diplocolenus frauenfeldi* (Fieber, 1869) (Cicadellidae)
 1547. *Diplorhoptrum fugax* (Latreille, 1798) (Formicidae)
 1548. *Dirhinus hesperidum* (Rossi) (Chalcididae)
 1549. *Discodes aeneus* (Dalman) (Encyrtidae)
 1550. *Discodes coccophagus* (Ratzeburg) (Encyrtidae)
 1551. *Discodes obscurilavus* Myrtseva (Encyrtidae)
 1552. *Discodes trjapitzini* Herthetvzian (Encyrtidae)
 1553. *Discoptila heroni* Popov, 1974 (Gryllidae)
 1554. *Discoptila brevis* Bey-Bienko, 1964 (Gryllidae)
 1555. *Discoptila fragosoi* (Bolivar, 1855) (Gryllidae)
 1556. *Dissonomus substriatus* Reitter, 1898 (Tenebrionidae)
 1557. *Distoleon curdus* Höllzel, 1972 (Myrmeleonidae)
 1558. *Distoleon tetragrammicus* (Fabricius, 1798) (Myrmeleonidae)
 1559. *Ditropis flavipes* (Signoret, 1865) (Delphacidae)
 1560. *Dociostaurus* (*Kazakia*) *brevicollis* (Eversmann, 1848) (Acrididae)
 1561. *Dociostaurus* (*Kazakia*) *jagoi* Soltani, 1978 (Acrididae)
 1562. *Dociostaurus* (*Notostaurus*) *anatolicus* (Krauss, 1896) (Acrididae)
 1563. *Dociostaurus* (s.str.) *genei* (Ocskay, 1832) (Acrididae)
 1564. *Dociostaurus* (s.str.) *maroccanus* (Thunberg, 1815) (Acrididae)
 1565. *Dociostaurus* (s.str.) *salmani* Demirsoy, 1977 (Acrididae)
 1566. *Dociostaurus* (*Stauronotulus*) *cappadocicus* (Azam, 1913) (Acrididae)
 1567. *Dociostaurus* (*Stauronotulus*) *hauensteini* (Bolivar, 1893) (Acrididae)
 1568. *Docotettix cornutus* Ribaut, 1948 (Cicadellidae)
 1569. *Dolichogenidea anarsiae* (Faure & Alabouvetle, 1924) (Braconidae)
 1570. *Dolichogenidea breviventris* (Ratzeburg, 1848) (Braconidae)

1571. *Dolichogenidea coleophorae* (Wilkinson, 1938) (Braconidae)
 1572. *Dolichogenidea drusilla* (Nixon, 1972) (Braconidae)
 1573. *Dolichogenidea immissus* (Papp, 1977) (Braconidae)
 1574. *Dolichogenidea infimus* (Haliday, 1834) (Braconidae)
 1575. *Dolichogenidea lacteicolor* (Viereck, 1911) (Braconidae)
 1576. *Dolichogenidea litae* (Nixon, 1972) (Braconidae)
 1577. *Dolichogenidea longicauda* (Wesmael, 1837) (Braconidae)
 1578. *Dolichogenidea longipalpis* (Reinhard, 1880) (Braconidae)
 1579. *Dolichogenidea mycale* (Nixon, 1972) (Braconidae)
 1580. *Dolichogenidea sicarius* (Marshall, 1885) (Braconidae)
 1581. *Dolichogenidea soikai* (Nixon, 1972) (Braconidae)
 1582. *Dolichopeza* (s.str.) *graeca* Mannheims, 1954 (Tipulidae)
 1583. *Dolichopoda* (s.str.) *aranaea* Bolivar, 1899 (Raphidophoridae)
 1584. *Dolichovespula sylvestris* (Scopoli, 1763) (Vespidae)
 1585. *Dolicopoda* (s.str.) *euxina* Semenov, 1901 (Raphidophoridae)
 1586. *Dolicopoda* (s.str.) *pusilla* (Bolivar, 1899) (Raphidophoridae)
 1587. *Dolycoris haccarum* (Linnaeus, 1758) (Pentatomidae)
 1588. *Donus audax* Faust, 1887 (Curculionidae)
 1589. *Donus comatus* (Boheman, 1842) (Curculionidae)
 1590. *Donus zoilus* (Scopoli, 1763) (Curculionidae)
 1591. *Doratulina acuticeps* (Ribaut, 1948) (Cicadellidae)
 1592. *Doratulina instabilis* (Ribaut, 1948) (Cicadellidae)
 1593. *Doratulina pallifrons* (Horvath, 1897) (Cicadellidae)
 1594. *Doratura heterophyla* Horvath, 1903 (Cicadellidae)
 1595. *Doratura homophyla* (Flor, 1861) (Cicadellidae)
 1596. *Doratura impudica* Horvath, 1897 (Cicadellidae)
 1597. *Doratura stylata* (Boheman, 1847) (Cicadellidae)
 1598. *Drasterius himaculatus* (Rossi, 1790) (Elateridae)
 1599. *Drymadusa dorsalis* (Brullé, 1832) (Tettigoniidae)
 1600. *Drymadusa limbata* Brunner von Wattenwyl, 1882 (Tettigoniidae)
 1601. *Drymeia alpicola* (Rondani, 1871) (Muscidae)
 1602. *Dryodurgades anaticus* Dlabola, 1957 (Cicadellidae)
 1603. *Dryodurgades dlabolai* Wagner, 1963 (Cicadellidae)
 1604. *Dryodurgades reticulatus* (Herrich-Schäffer, 1834) (Cicadellidae)
 1605. *Dryomyia circinans* (Giraud, 1861) (Cecidomyiidae)
 1606. *Duilus seticulosus* (Lethierry, 1874) (Cixiidae)
 1607. *Duilus tamaricis* (Puton & Lethierry, 1887) (Cixiidae)
 1608. *Duplacionaspis berlesii* (Leonardi) (Diaspididae)
 1609. *Duplacionaspis natalensis* (Maskell) (Diaspididae)
 1610. *Duplacionaspis noaeae* (Hall) (Diaspididae)
 1611. *Duroniella fracta* (Krauss, 1890) (Acridae)
 1612. *Duroniella laticornis* (Krauss, 1890) (Acridae)
 1613. *Dynaspidiotus abieticola* (Koroneos) (Diaspididae)
 1614. *Dynaspidiotus abietis* (Schrank) (Diaspididae)
 1615. *Dynaspidiotus atlanticus* (Balachowsky) (Diaspididae)
 1616. *Dynaspidiotus britannicus* (Newstead) (Diaspididae)
 1617. *Dysmachus antipai* Weinberg, 1968 (Asilidae)
 1618. *Dysmachus appendiculatus* Schiner, 1867 (Asilidae)
 1619. *Dysmachus bilobus* Loew, 1871 (Asilidae)
 1620. *Dysmachus cephalenus* Loew, 1871 (Asilidae)
 1621. *Dysmachus dasyproctus* Loew, 1871 (Asilidae)
 1622. *Dysmachus safranholiticus* Hasbenli & Geller-Grimm, 1999 (Asilidae)
 1623. *Dysmachus setiger* (Loew, 1848) (Asilidae)
 1624. *Dysmachus setipiga* Becker, 1923 (Asilidae)
 1625. *Dysmachus suludereae* Hasbenli & Geller-Grimm, 1999 (Asilidae)
 1626. *Dysmachus transcaucasicus* Richter, 1962 (Asilidae)
 1627. *Dysmachus zaitzevi* Lehr, 1996 (Asilidae)
 1628. *Dytiscus circumflexus* Fabricius, 1781 (Dytiscidae)
 1629. *Dytiscus dimidiatus* Bergsträßer, 1778 (Dytiscidae)
 1630. *Dytiscus marginalis* Linnaeus, 1758 (Dytiscidae)
 1631. *Dytiscus semisulcatus* O.F. Müller, 1776 (Dytiscidae)
 1632. *Ebarrius cognatus* (Fieber, 1869) (Cicadellidae)
 1633. *Ebnerodes toelgi* (Ebner, 1919) (Pamphagidae)
 1634. *Echthromyrmex schitlerolmez* Koçak & Kemal, 2008 (Myrmeleontidae)
 1635. *Echthroleptiella aeneiventris* Mercet (Encyrtidae)
 1636. *Ectamenogonus montandoni* (Buysson, 1888) (Elateridae)
 1637. *Ectinus aterrimus* (Linnaeus, 1761) (Elateridae)
 1638. *Ectobius balcani* Rammer, 1923 (Blattidae)
 1639. *Ectobius vittiventris* Costa, 1847 (Blattidae)
 1640. *Edwardsiana lethierryi* (Edwards, 1881) (Cicadellidae)
 1641. *Edwardsiana rosae* (Linnaeus, 1758) (Cicadellidae)
 1642. *Edwardsiana tersa* (Edwards, 1914) (Cicadellidae)
 1643. *Edwardsiana tshinari* Zachvatkin, 1947 (Cicadellidae)
 1644. *Elachertus cyprianus* Ferrière (Eulophidae)
 1645. *Elachertus fenestratus* Nees (Eulophidae)
 1646. *Elachertus pulcher* (Erdős) (Eulophidae)
 1647. *Elasmus cyprianus* Ferrière (Eulophidae)
 1648. *Elasmus flabellatus* (Fonscolombe) (Eulophidae)
 1649. *Elasmus nudus* (Nees) (Eulophidae)
 1650. *Elasmus phthorimaeae* Ferrière (Eulophidae)
 1651. *Elasmus platydrae* Ferrière (Eulophidae)
 1652. *Elasmus steffani* Viggiani (Eulophidae)
 1653. *Elasmus unicolor* (Rondani) (Eulophidae)
 1654. *Elasmus westwoodi* Giraud (Eulophidae)
 1655. *Elater ferrugineus* Linnaeus, 1758 (Elateridae)
 1656. *Elater tauricus* (Schwarz, 1897) (Elateridae)
 1657. *Elathous buyssoni* Reitter, 1890 (Elateridae)
 1658. *Elathous depressus* Platia & Schimmel, 1991 (Elateridae)
 1659. *Elathous lizlerwerneri* Mertlik & Dusanek, 2006 (Elateridae)
 1660. *Elathous mertliki* Platia & Schimmel, 1992 (Elateridae)
 1661. *Elathous nigricans* Platia & Schimmel, 1991 (Elateridae)
 1662. *Elathous pavesii* Platia & Schimmel, 1992 (Elateridae)
 1663. *Elathous rufobasalis* Wurst, 1994 (Elateridae)
 1664. *Elathous schwarzi* Reitter, 1905 (Elateridae)
 1665. *Elathous smyrnensis* Reitter, 1905 (Elateridae)
 1666. *Elathous turcicus* Platia & Gudenzi, 2005 (Elateridae)
 1667. *Eledona agaricola* (Herbst, 1784) (Tenebrionidae)
 1668. *Elinora asiatica* Enslin, 1910 (Tenthredinidae)
 1669. *Elinora baetica* Spinola, 1843 (Tenthredinidae)
 1670. *Elinora ornata* André, 1881 (Tenthredinidae)
 1671. *Ellipteroides* (Protophomyia) *quadridens* (Limoniidae)
 1672. *Ellipteroides* (s.str.) *bifastigatus* Mendl, 1987 (Limoniidae)
 1673. *Elodes akbesianus* Pic, 1898 (Scirtidae)
 1674. *Elodes eberti* Klausnitzer, 1970 (Scirtidae)
 1675. *Elodes flavoangularis* Klausnitzer, 1990 (Scirtidae)
 1676. *Elodes luteata* Klausnitzer, 1979 (Scirtidae)
 1677. *Elodes megalopus* Klausnitzer, 2002 (Scirtidae)
 1678. *Elodes microps* Klausnitzer, 2002 (Scirtidae)
 1679. *Elodes minuta* (Linnaeus, 1767) (Scirtidae)
 1680. *Elodes persimilis* Klausnitzer, 2002 (Scirtidae)
 1681. *Elodes pseudominuta* Klausnitzer, 1971 (Scirtidae)
 1682. *Elodes sieberi* Klausnitzer, 1973 (Scirtidae)
 1683. *Elodes venustula* Klausnitzer, 2002 (Scirtidae)
 1684. *Elocephala maculata* (Meigen, 1804) (Limoniidae)
 1685. *Elocephala miliaria* (Egger, 1863) (Limoniidae)
 1686. *Elymana sulphurella* (Zetterstedt, 1828) (Cicadellidae)
 1687. *Emblethis denticollis* Horvath, 1878 (Lygaeidae)
 1688. *Emelyanoviana mollicula* (Boheman, 1845) (Cicadellidae)
 1689. *Empis* (s.str.) *acinerea* Chavala, 1985 (Empididae)
 1690. *Empis* (s.str.) *caudatula* Loew, 1867 (Empididae)
 1691. *Empis* (s.str.) *curticornis* Collin, 1960 (Empididae)
 1692. *Empis* (s.str.) *discrepans* Collin, 1960 (Empididae)
 1693. *Empis* (s.str.) *inopinata* Collin, 1960 (Empididae)
 1694. *Empis* (s.str.) *insulata* Collin, 1960 (Empididae)
 1695. *Empis* (s.str.) *lepidopus* Meigen, 1822 (Empididae)
 1696. *Empis* (s.str.) *nigripes* Fabricius, 1794 (Empididae)
 1697. *Empis* (s.str.) *peccata* Collin, 1960 (Empididae)
 1698. *Empis* (s.str.) *tristis* Loew, 1867 (Empididae)
 1699. *Empoasca decipiens* Paoli, 1930 (Cicadellidae)
 1700. *Empoasca solani* (Curtis, 1846) (Cicadellidae)
 1701. *Empoasca vitis* (Göthe, 1875) (Cicadellidae)
 1702. *Empusa fasciata* Brullé, 1836 (Empusidae)
 1703. *Empusa pennicornis* (Pallas, 1773) (Empusidae)
 1704. *Enallagma cyathigerum* (Charpentier, 1840) (Coenagrionidae)
 1705. *Encarsia aspidioticola* (Mercet, 1929) (Aphelinidae)
 1706. *Encarsia berlesii* (Howard, 1906) (Aphelinidae)
 1707. *Encarsia citrina* (Craw, 1891) (Aphelinidae)
 1708. *Encarsia formosa* Gahan, 1924 (Aphelinidae)
 1709. *Encarsia inaron* (Walker, 1839) (Aphelinidae)
 1710. *Encarsia lahorensis* (Howard, 1911) (Aphelinidae)
 1711. *Encarsia leucaspis* (Mercet, 1912) (Aphelinidae)
 1712. *Encarsia lounsburyi* (Berlese & Paoli, 1916) (Aphelinidae)
 1713. *Encarsia perniciosi* (Tower, 1913) (Aphelinidae)
 1714. *Encarsia sophia* (Girault & Dodd, 1915) (Aphelinidae)
 1715. *Encarsia tricolor* Förster, 1878 (Aphelinidae)
 1716. *Encyrtus aurantii* (Geoffroy) (Encyrtidae)
 1717. *Encyrtus infelix* (Embleton) (Encyrtidae)
 1718. *Encyrtus infidus* (Rossi) (Encyrtidae)
 1719. *Endomia concolor* (Desbrochers, 1875) (Anthicidae)
 1720. *Engelpegon antiochenensis* (Tsacas, 1964) (Asilidae)
 1721. *Engelpegon chrysophora* (Tsacas, 1964) (Asilidae)
 1722. *Engelpegon goedli* (Loew, 1854) (Asilidae)
 1723. *Engelpegon rufus* (Loew, 1871) (Asilidae)
 1724. *Enochrus* (Lumetus) *ater* (Kuwert, 1888) (Hydrophilidae)
 1725. *Enochrus* (Lumetus) *bicolor* (Fabricius, 1792) (Hydrophilidae)
 1726. *Enochrus* (Lumetus) *salmonis* (Shalberg, 1900) (Hydrophilidae)
 1727. *Enochrus* (Lumetus) *segmentinotatus* Kuwert, 1888 (Hydrophilidae)
 1728. *Enochrus* (Methydrus) *nigritus* (Sharp, 1872) (Hydrophilidae)
 1729. *Enochrus bicolor* (Fabricius, 1792) (Hydrophilidae)
 1730. *Enochrus melanocephalus* (Olivier, 1792) (Hydrophilidae)
 1731. *Ensina sonchi* (Linnaeus, 1767) (Tephritidae)
 1732. *Entedon abdera* Walker (Eulophidae)
 1733. *Entedon angorensis* Gumovsky (Eulophidae)

1734. *Entedon biroi* Erdős (Eulophidae)
 1735. *Entedon calcicola* Graham (Eulophidae)
 1736. *Entedon cionobius* Thomson (Eulophidae)
 1737. *Entedon fufius* Walker (Eulophidae)
 1738. *Entedon hercyna* Walker (Eulophidae)
 1739. *Entedon longus* Boucek (Eulophidae)
 1740. *Entedon pallicerus* Erdős (Eulophidae)
 1741. *Entedon palvicalcar* Thomson (Eulophidae)
 1742. *Entedon pinetorum* Ratzeburg (Eulophidae)
 1743. *Entedon procioni* Erdős (Eulophidae)
 1744. *Entedon sparetus* Walker (Eulophidae)
 1745. *Entedon subpunctatus* Erdős (Eulophidae)
 1746. *Entedon thomsianus* Erdős (Eulophidae)
 1747. *Entomogonus* (Deloniurops) *duchoni* Reitter, 1903 (Tenebrionidae)
 1748. *Entomogonus* (Deloniurops) *egregius* Seidlitz, 1893 (Tenebrionidae)
 1749. *Entomogonus* (Deloniurops) *obtus* Seidlitz, 1893 (Tenebrionidae)
 1750. *Entomogonus* (Deloniurops) *peyroni* (Reiche, 1861) (Tenebrionidae)
 1751. *Entomogonus* (Deloniurops) *saphyrinus* Allard, 1876 (Tenebrionidae)
 1752. *Entomogonus* (Eutelagonus) *davidis* (Fairmaire, 1884) (Tenebrionidae)
 1753. *Entomogonus* (Eutelagonus) *nylanderi* Ferrer & Soldati, 1999 (Tenebrionidae)
 1754. *Entomogonus* (s.str.) *angulicollis* Mulsant & Wacherau, 1852 (Tenebrionidae)
 1755. *Eohardya fraudulentus* (Horvath, 1903) (Cicadellidae)
 1756. *Eoperla ochracea* (Kolbe, 1885) (Perlidae)
 1757. *Epallage fatime* (Charpentier, 1840) (Calopterygidae)
 1758. *Ephippiger ephippiger* (Fiebiger, 1784) (Tettigoniidae)
 1759. *Epicauta erythrocephala* (Pallas, 1771) (Meloidae)
 1760. *Epiclerus alahanensis* Doganlar (Tetracampidae)
 1761. *Epiclerus guemenekus* Doganlar (Tetracampidae)
 1762. *Epiclerus panyas* (Walker) (Tetracampidae)
 1763. *Epiclerus tokatus* Doganlar (Tetracampidae)
 1764. *Epicometis* (Epicometis) *hirta* (Poda, 1761) (Scarabaeidae)
 1765. *Epidiaspis gennadii* (Leonardi) (Diaspididae)
 1766. *Epidiaspis leperii* (Signoret) (Diaspididae)
 1767. *Epiphragma* (Epiphragma) *ocellare* (Linnaeus, 1761) (Limoniidae)
 1768. *Epitetracnemus intersectus* (Fonscolombe) (Encyrtidae)
 1769. *Erax hayati* Tomasovic, 2002 (Asilidae)
 1770. *Erax nigrosetosus* Theodor, 1980 (Asilidae)
 1771. *Erax nubeculus* (Loew, 1848) (Asilidae)
 1772. *Erax tenuicornis* (Loew, 1848) (Asilidae)
 1773. *Erdoesina albuannulata* (Ratzeburg) (Pteromalidae)
 1774. *Eremiaphila dagi* Doganlar, 2007 (Mantidae)
 1775. *Eremiaphila genei* Lefebvre, 1835 (Mantidae)
 1776. *Eremiaphila hauensteini* Werner, 1905 (Mantidae)
 1777. *Eremippus angulatus* Uvarov, 1934 (Acrididae)
 1778. *Eremippus gracilis* Uvarov, 1934 (Acrididae)
 1779. *Eremippus simplex* (Eversmann, 1859) (Acrididae)
 1780. *Eremippus turcicus* Ramme, 1951 (Acrididae)
 1781. *Eremippus weidneri* Demirsoy, 1977 (Acrididae)
 1782. *Eremocampe choresmiana* Sugonjaev (Tetracampidae)
 1783. *Eremopeza festiva* (Saussure, 1884) (Pamphagidae)
 1784. *Eremopeza gibbera* (Stål, 1874) (Pamphagidae)
 1785. *Eremopeza saussurei* (Uvarov, 1918) (Pamphagidae)
 1786. *Eretes griseus* (Fabricius, 1781) (Dytiscidae)
 1787. *Eretmocerus debachi* Rose & Rosen, 1992 (Aphelinidae)
 1788. *Eretmocerus diversiciliatus* Silvestri, 1915 (Aphelinidae)
 1789. *Eretmocerus mundus* Mercet, 1931 (Aphelinidae)
 1790. *Ericydnus aeneus* Nikol'skaya (Encyrtidae)
 1791. *Ericydnus robustior* Mercet (Encyrtidae)
 1792. *Eriococcus agropyri* (Borchsenius) (Eriococcidae)
 1793. *Eriococcus araucariae* Maskell (Eriococcidae)
 1794. *Eriococcus buxi* (Boyer de Fonscolombe) (Eriococcidae)
 1795. *Eriococcus cingulatus* Kiritchenko (Eriococcidae)
 1796. *Eriococcus cynodontis* Kiritchenko (Eriococcidae)
 1797. *Eriococcus devonensis* (Green) (Eriococcidae)
 1798. *Eriococcus greeni* Newstead (Eriococcidae)
 1799. *Eriococcus herbaceus* (Danzig) (Eriococcidae)
 1800. *Eriococcus laingi* (Bodenheimer) (Eriococcidae)
 1801. *Eriococcus micracanthus* (Danzig) (Eriococcidae)
 1802. *Eriococcus munroi* (Boratynski) (Eriococcidae)
 1803. *Eriococcus pseudosignis* Green (Eriococcidae)
 1804. *Eriococcus roboris* Goux (Eriococcidae)
 1805. *Eriococcus spurius* (Modeer) (Eriococcidae)
 1806. *Eriococcus tavnigani* Goux (Eriococcidae)
 1807. *Eriococcus thymi* (Schränk) (Eriococcidae)
 1808. *Eriococcus variabilis* Goux (Eriococcidae)
 1809. *Eriococcus zernae* (Tereznikova) (Eriococcidae)
 1810. *Eriocnopa symplectoides* (Kuntze, 1914) (Limoniidae)
 1811. *Eriocnopa trivialis* (Meigen, 1818) (Limoniidae)
 1812. *Eriopeltis festucae* (Boyer de Fonscolombe) (Coccidae)
 1813. *Erioptera* (Erioptera) *fusculeta* Edwards, 1938 (Limoniidae)
 1814. *Erioptera* (Erioptera) *lutea* Meigen, 1804 (Limoniidae)
 1815. *Erioptera* (Mesocyphona) *bivittata* (Loew, 1873) (Limoniidae)
 1816. *Eristalis tenax* (Linnaeus, 1758) (Syrphidae)
 1817. *Ernodes abanticus* Çakın, 1983 (Beraeidae)
 1818. *Ernodes anatolicus* Çakın, 1983 (Beraeidae)
 1819. *Ernodes orduensis* Sipahiler, 2008 (Beraeidae)
 1820. *Erodus orientalis* Brullé, 1832 (Tenebrionidae)
 1821. *Erythromma najas* (Hansemann, 1823) (Coenagrionidae)
 1822. *Erythromma viridulum* (Charpentier, 1840) (Coenagrionidae)
 1823. *Euaresta bullans* (Wiedemann, 1830) (Tephritidae)
 1824. *Euboeus mimonti* (Boieldieu, 1865) (Tenebrionidae)
 1825. *Euborellia annulipes* (Lucas, 1837) (Labiduridae)
 1826. *Euborellia moesta* (Géné, 1839) (Labiduridae)
 1827. *Eucalymnatus tessellatus* (Signoret) (Coccidae)
 1828. *Eucampsipoda aegyptia* (Macquart, 1851) (Nycteribiidae)
 1829. *Euchalcis miegii* Dufour (Chalcididae)
 1830. *Euchalcis unicolor* (Lucas) (Chalcididae)
 1831. *Eucharis adscendens* (Fabricius) (Eucharitidae)
 1832. *Eucharis anatolica* Boucek (Eucharitidae)
 1833. *Eucharis punctata* Förster (Eucharitidae)
 1834. *Eucharis turca* Nikol'skaya (Eucharitidae)
 1835. *Euchorthippus declivus* (Brisout de Barneville, 1849) (Acrididae)
 1836. *Euchorthippus pulvinatus* (Fischer von Waldheim, 1846) (Acrididae)
 1837. *Euchorthippus transcaucasicus* Tarbinski, 1930 (Acrididae)
 1838. *Euderus agrili* Boucek (Eulophidae)
 1839. *Euderus brevicornis* Boucek (Eulophidae)
 1840. *Euderus palustris* Erdős (Eulophidae)
 1841. *Eugahania fumipennis* (Ratzeburg) (Encyrtidae)
 1842. *Euides caspiana* (Dlabola, 1961) (Delphacidae)
 1843. *Eulecanium ciliatum* (Douglas) (Coccidae)
 1844. *Eulecanium pistaciae* Borchsenius (Coccidae)
 1845. *Eulecanium rugulosum* (Archangelskaya) (Coccidae)
 1846. *Eulecanium takachihoi* (Kuwana) (Coccidae)
 1847. *Eulecanium tiliae* (Linnaeus) (Coccidae)
 1848. *Eulecanium transvittatum* (Green) (Coccidae)
 1849. *Eulophus larvarum* (Linnaeus) (Eulophidae)
 1850. *Eumecurus bourouensis* (Linnavuori, 1965) (Cixiidae)
 1851. *Eumecurus gyaurus* (Dlabola, 1957) (Cixiidae)
 1852. *Eumenes coarctatus* (Linnaeus, 1758) (Vespidae)
 1853. *Eumenes dubius* Saussure, 1852 (Vespidae)
 1854. *Eumenes mediterraneus* Kriechbaumer, 1879 (Vespidae)
 1855. *Eumenes pomiformis* (Fabricius, 1781) (Vespidae)
 1856. *Eunothotes derjugini* Adlung, 1907 (Pamphagidae)
 1857. *Eunotus arreolatus* (Ratzeburg) (Pteromalidae)
 1858. *Euodynerus hellenicus* Blüthgen, 1942 (Vespidae)
 1859. *Eupelix cuspidata* (Fabricius, 1775) (Cicadellidae)
 1860. *Eupelmus annulatus* Nees (Eupelmidae)
 1861. *Eupelmus microzonus* Förster (Eupelmidae)
 1862. *Eupelmus seculatus* (Ferrière) (Eupelmidae)
 1863. *Eupelmus urozonus* Dalman (Eupelmidae)
 1864. *Eupelmus vesicularis* (Retzius) (Eupelmidae)
 1865. *Eupholidoptera akdeniz* Ünal & Naskrecki, 2002 (Tettigoniidae)
 1866. *Eupholidoptera anatolica* (Ramme, 1930) (Tettigoniidae)
 1867. *Eupholidoptera annulipes* (Brunner von Wattenwyl, 1882) (Tettigoniidae)
 1868. *Eupholidoptera cypria* (Tettigoniidae)
 1869. *Eupholidoptera demirsoyi* Salman, 1983 (Tettigoniidae)
 1870. *Eupholidoptera excisa* (Karabağ, 1952) (Tettigoniidae)
 1871. *Eupholidoptera femorata* Çiplak, 1999 (Tettigoniidae)
 1872. *Eupholidoptera karabagi* Salman, 1983 (Tettigoniidae)
 1873. *Eupholidoptera krueperi* (Ramme, 1930) (Tettigoniidae)
 1874. *Eupholidoptera maraschensis* Salman, 1983 (Tettigoniidae)
 1875. *Eupholidoptera mersinensis* Salman, 1983 (Tettigoniidae)
 1876. *Eupholidoptera prasina* (Brunner von Wattenwyl, 1882) (Tettigoniidae)
 1877. *Eupholidoptera raggei* Salman, 1983 (Tettigoniidae)
 1878. *Eupholidoptera sevketi* (Ramme, 1933) (Tettigoniidae)
 1879. *Eupholidoptera smyrnensis* (Brunner von Wattenwyl, 1882) (Tettigoniidae)
 1880. *Eupholidoptera tahtalica* (Uvarov, 1949) (Tettigoniidae)
 1881. *Eupholidoptera tasheliensis* Çiplak, 1999 (Tettigoniidae)
 1882. *Eupholidoptera tauricola* (Ramme, 1930) (Tettigoniidae)
 1883. *Eupholidoptera tucherti* Harz, 1988 (Tettigoniidae)
 1884. *Eupholidoptera unimacula* Karabağ, 1956 (Tettigoniidae)
 1885. *Eupholidoptera wernerii* Ramme, 1951 (Tettigoniidae)
 1886. *Euphyllidorea dispar* (Meigen, 1818) (Limoniidae)
 1887. *Euphyllidorea lineola* (Meigen, 1804) (Limoniidae)
 1888. *Euphyllura phillyreae* Förster (Psyllidae)
 1889. *Euplectrus bicolor* (Swederus) (Eulophidae)
 1890. *Euplectrus ceresensis* Ferrière (Eulophidae)
 1891. *Euplectrus flavipes* (Fonscolombe) (Eulophidae)
 1892. *Euplectrus phthorimaeae* Ferrière (Eulophidae)

1893. *Eupteryx alticola* Ribaut, 1936 (*Cicadellidae*)
 1894. *Eupteryx atropunctata* (Goeze, 1778) (*Cicadellidae*)
 1895. *Eupteryx cypria* (Ribaut, 1948) (*Cicadellidae*)
 1896. *Eupteryx fahringeri* Melichar, 1911 (*Cicadellidae*)
 1897. *Eupteryx gyaurdagicus* Dlabola, 1957 (*Cicadellidae*)
 1898. *Eupteryx insulana* (Ribaut, 1948) (*Cicadellidae*)
 1899. *Eupteryx stachydearum* (Hardy, 1850) (*Cicadellidae*)
 1900. *Eupteryx taborskyi* Dlabola, 1957 (*Cicadellidae*)
 1901. *Eupteryx tenella* (Fallén, 1806) (*Cicadellidae*)
 1902. *Eupteryx thoulessi* Edwards, 1926 (*Cicadellidae*)
 1903. *Eurhadina ribauti* Wagner, 1935 (*Cicadellidae*)
 1904. *Eurpersia amnicola* Borchsenius (*Pseudococcidae*)
 1905. *Euroleon nostras* (Fourcroy, 1785) (*Myrmeleontidae*)
 1906. *Euroleon nostras* (Fourcroy, 1785) (*Myrmeleontidae*)
 1907. *Eurybregma nigrolineata* Scott, 1875 (*Delphacidae*)
 1908. *Eurydema ornatum* (Linnaeus, 1758) (*Pentatomidae*)
 1909. *Eurygaster maurus* (Linnaeus, 1758) (*Scutellaridae*)
 1910. *Eurytoma amygdali* Enderlein (*Eurytomidae*)
 1911. *Eurytoma aspila* (Walker) (*Eurytomidae*)
 1912. *Eurytoma brevicoxa* Zerova & Çam (*Eurytomidae*)
 1913. *Eurytoma curculionum* Mayr (*Eurytomidae*)
 1914. *Eurytoma curta* Walker (*Eurytomidae*)
 1915. *Eurytoma kemalpasensis* Narendran, Tezcan & Civelek (*Eurytomidae*)
 1916. *Eurytoma lobopterae* Erdős (*Eurytomidae*)
 1917. *Eurytoma martellii* Domenichini (*Eurytomidae*)
 1918. *Eurytoma pistaciae* Rondani (*Eurytomidae*)
 1919. *Eurytoma robusta* Mayr (*Eurytomidae*)
 1920. *Eurytoma rosae* Nees (*Eurytomidae*)
 1921. *Eurytoma schreineri* Schreiner (*Eurytomidae*)
 1922. *Eurytoma serratulae* (Fabricius) (*Eurytomidae*)
 1923. *Eurytoma taborskyi* Dlabola, 1957 (*Eurytomidae*)
 1924. *Eurytoma turkezia* Zerova & Çam (*Eurytomidae*)
 1925. *Euscelidius mundus* (Haupt, 1927) (*Cicadellidae*)
 1926. *Euscelidius obenbergeri* Dlabola, 1957 (*Cicadellidae*)
 1927. *Euscelis alsioideus* Remane, 1967 (*Cicadellidae*)
 1928. *Euscelis alsius* Ribaut, 1952 (*Cicadellidae*)
 1929. *Euscelis distinguendus* (Kirschbaum, 1858) (*Cicadellidae*)
 1930. *Euscelis incisus* (Kirschbaum, 1858) (*Cicadellidae*)
 1931. *Euscelis lineolatus* Brullé, 1832 (*Cicadellidae*)
 1932. *Eustenopus villosus* (Boheman, 1843) (*Curculionidae*)
 1933. *Eutagenia smyrnensis* Solier, 1838 (*Tenebrionidae*)
 1934. *Euthystira brachyptera* (Ocskay, 1826) (*Acrididae*)
 1935. *Eutolmus apiculatus* (Loew, 1848) (*Asilidae*)
 1936. *Eutolmus calopus* (Loew, 1848) (*Asilidae*)
 1937. *Eutolmus fascialis* (Loew, 1848) (*Asilidae*)
 1938. *Eutolmus palestinensis* Theodor, 1980 (*Asilidae*)
 1939. *Eutolmus parvicornis* (Loew, 1848) (*Asilidae*)
 1940. *Eutolmus polygona* (Loew, 1848) (*Asilidae*)
 1941. *Euzonitis bifasciata* Swarts, 1808 (*Meloidae*)
 1942. *Euzonitis flavipennis* (Fabricius, 1792) (*Meloidae*)
 1943. *Euzonitis quadrimaculata* (Pallas, 1782) (*Meloidae*)
 1944. *Euzonitis rubida* (Ménétrières, 1832) (*Meloidae*)
 1945. *Euzonitis sexmaculata* (Olivier, 1789) (*Meloidae*)
 1946. *Euzonitis terminata* (Abeille de Perrin, 1880) (*Meloidae*)
 1947. *Evacanthus acuminatus* (Fabricius, 1794) (*Cicadellidae*)
 1948. *Exaeretopus agropyri* (Hadzibejli) (*Coccidae*)
 1949. *Exaeretopus formicicola* Newstead (*Coccidae*)
 1950. *Exaeretopus tritici* Williams (*Coccidae*)
 1951. *Exeurytoma anatolica* Çam, 1998 (*Eurytomidae*)
 1952. *Exeurytoma kebanensis* Doğanlar, 2005 (*Eurytomidae*)
 1953. *Exitianus capicola* (Stål, 1855) (*Cicadellidae*)
 1954. *Exitianus fasciolatus* (Melichar, 1911) (*Cicadellidae*)
 1955. *Exochostoma ossellai* Mason, 1995 (*Stratiomyidae*)
 1956. *Exopholidoptera brevifemora* Ünal, 1998 (*Tettigoniidae*)
 1957. *Exopristoides dentatus* Boucek (*Torymidae*)
 1958. *Exopristus trigonomerus* (Masi, 1916) (*Torymidae*)
 1959. *Exoprosopa baccha* Loew, 1869 (*Bombyliidae*)
 1960. *Exoprosopa dedecor* Loew, 1871 (*Bombyliidae*)
 1961. *Exoprosopa grandis* (Wiedemann, 1820) (*Bombyliidae*)
 1962. *Exoprosopa jaccus* (Fabricius, 1805) (*Bombyliidae*)
 1963. *Exoprosopa maenas* Loew, 1869 (*Bombyliidae*)
 1964. *Exoprosopa minois* Loew, 1869 (*Bombyliidae*)
 1965. *Exoprosopa minois* Loew, 1869 (*Bombyliidae*)
 1966. *Exoprosopa minus* (Meigen, 1804) (*Bombyliidae*)
 1967. *Exoprosopa normalis* Loew, 1869 (*Bombyliidae*)
 1968. *Exoprosopa onusta* (Walker, 1852) (*Bombyliidae*)
 1969. *Exoprosopa pleskei* Paramonov, 1928 (*Bombyliidae*)
 1970. *Exoprosopa rutula* (Wiedemann, 1818) (*Bombyliidae*)
 1971. *Exoprosopa subfasciata* Engel, 1936 (*Bombyliidae*)
 1972. *Eyprepocnemis plorans* (Charpentier, 1825) (*Acrididae*)
 1973. *Falcotoya minuscula* (Horváth, 1897) (*Delphacidae*)
 1974. *Feltiella acarisa* (Vallot, 1827) (*Cecidomyiidae*)
 1975. *Festella festae* (Giglio-Tos, 1893) (*Tettigoniidae*)
 1976. *Festella rammei* Ciplak, 2000 (*Tettigoniidae*)
 1977. *Fieberiella aschei* Meyer-Arndt, 1988 (*Cicadellidae*)
 1978. *Fieberiella chioscola* Meyer-Arndt, 1988 (*Cicadellidae*)
 1979. *Fieberiella flori* (Stål, 1864) (*Cicadellidae*)
 1980. *Fieberiella gemelina* Dlabola, 1965 (*Cicadellidae*)
 1981. *Fieberiella lindbergi* Wagner, 1963 (*Cicadellidae*)
 1982. *Fieberiella macchia* Linnavuori, 1962 (*Cicadellidae*)
 1983. *Fieberiella oenderi* Dlabola, 1985 (*Cicadellidae*)
 1984. *Fieberiella pallida* Melichar, 1896 (*Cicadellidae*)
 1985. *Fieberiella septentrionalis* Wagner, 1963 (*Cicadellidae*)
 1986. *Fiorinia fioriniae* (Targioni Tozzetti) (*Diaspididae*)
 1987. *Flabellotilloidea palaestina* (Pic, 1900) (*Cleridae*)
 1988. *Florodelphax leptosoma* (Flor, 1861) (*Delphacidae*)
 1989. *Foersterella seyhanensis* Doğanlar (*Tetracampidae*)
 1990. *Forficula aetolica* Brunner von Wattenwyl, 1882 (*Forficulidae*)
 1991. *Forficula auricularia* Linnaeus, 1758 (*Forficulidae*)
 1992. *Forficula decipiens* Génée, 1832 (*Forficulidae*)
 1993. *Forficula lucasi* Dohrn, 1865 (*Forficulidae*)
 1994. *Forficula lurida* Fischer, 1853 (*Forficulidae*)
 1995. *Forficula senegalensis* Audinet-Serville, 1839 (*Forficulidae*)
 1996. *Forficula smyrnensis* Audinet-Serville, 1839 (*Forficulidae*)
 1997. *Forficula tomis* (Kolenati, 1846) (*Forficulidae*)
 1998. *Formica cinereofusca* Karawajew, 1919 (*Formicidae*)
 1999. *Formica cunicularia* Latreille, 1798 (*Formicidae*)
 2000. *Formica fusca* Linnaeus, 1758 (*Formicidae*)
 2001. *Formica sanguinea* Latreille, 1798 (*Formicidae*)
 2002. *Formicomus ionicus* LaFerté & Sénectere, 1847 (*Anthicidae*)
 2003. *Frutioidia* (s.str.) *bisignata* (Mulsant & Rey, 1855) (*Cicadellidae*)
 2004. *Frutioidia* (s.str.) *sanguinosa* (Rey, 1891) (*Cicadellidae*)
 2005. *Furchadaspis zamiae* (Morgan) (*Diaspididae*)
 2006. *Gampsocleis acutipennis* Karabağ, 1956 (*Tettigoniidae*)
 2007. *Gampsocleis recticauda* Werner, 1901 (*Tettigoniidae*)
 2008. *Gampsocleis schelkovnikovae* Adelung, 1916 (*Tettigoniidae*)
 2009. *Gargara genistae* (Fabricius, 1775) (*Membracidae*)
 2010. *Gastrancistrus glabellus* (Nees) (*Pteromalidae*)
 2011. *Gastrancistrus hirtulus* Graham (*Pteromalidae*)
 2012. *Gastrancistrus latifrons* (Thomson) (*Pteromalidae*)
 2013. *Genistaspis zelihae* Bodenheimer (*Diaspididae*)
 2014. *Geomantis larvoides* Pantel, 1896 (*Mantidae*)
 2015. *Geron krymensis* Paramonov, 1929 (*Bombyliidae*)
 2016. *Geron olivieri* Macquart, 1849 (*Bombyliidae*)
 2017. *Ginsiana carpetana* (Mercet) (*Encyrtidae*)
 2018. *Glabellula nobilis* Kertész, 1912 (*Mythicomyiidae*)
 2019. *Glandulosa harzi* Gorochov, 1996 (*Gryllidae*)
 2020. *Glandulosa kinzelbachi* Harz, 1979 (*Gryllidae*)
 2021. *Glandulosa willemsei* (Uvarov, 1934) (*Gryllidae*)
 2022. *Glaucops hakkariensis* Schacht, 1983 (*Tabanidae*)
 2023. *Glyphomerus stigma* (Fabricius) (*Torymidae*)
 2024. *Glyphomerus tibialis* Förster (*Torymidae*)
 2025. *Glyphotmethis adaliae* (Uvarov, 1928) (*Pamphagidae*)
 2026. *Glyphotmethis dimorphus* (Uvarov, 1934) (*Pamphagidae*)
 2027. *Glyphotmethis efe* Ünal, 2007 (*Pamphagidae*)
 2028. *Glyphotmethis escherichi* (Krauss, 1896) (*Pamphagidae*)
 2029. *Glyphotmethis holtzi* (Werner, 1901) (*Pamphagidae*)
 2030. *Glyphotmethis inermis* (Uvarov, 1934) (*Pamphagidae*)
 2031. *Glyphotmethis ovipennis* (Uvarov, 1934) (*Pamphagidae*)
 2032. *Glyphotmethis sevketi* (Ramme, 1951) (*Pamphagidae*)
 2033. *Glyphotmethis turritus* (Fischer von Waldheim, 1833) (*Pamphagidae*)
 2034. *Glyptapanteles antione* (Nixon, 1973) (*Braconidae*)
 2035. *Glyptapanteles callidus* (Haliday, 1834) (*Braconidae*)
 2036. *Glyptapanteles eugeni* (Papp, 1972) (*Braconidae*)
 2037. *Glyptapanteles fulvipes* (Haliday, 1834) (*Braconidae*)
 2038. *Gnaptor prolixus* Fairmaire, 1866 (*Tenebrionidae*)
 2039. *Goidanichium atrum* Boucek (*Pteromalidae*)
 2040. *Gomphus davidi* Selys, 1887 (*Gomphidae*)
 2041. *Gomphus flavipes* (Charpentier, 1825) (*Gomphidae*)
 2042. *Gomphus schneideri* Selys, 1850 (*Gomphidae*)
 2043. *Gonaspidiotus seurati* (Marchal) (*Diaspididae*)
 2044. *Goniagnathus bolivari* (Melichar, 1907) (*Cicadellidae*)
 2045. *Goniagnathus brevis* (Herrich-Schäffer, 1835) (*Cicadellidae*)
 2046. *Goniagnathus guttulinervis* (Kirschbaum, 1868) (*Cicadellidae*)
 2047. *Gonocephalum costatum* Brullé, 1832 (*Tenebrionidae*)
 2048. *Gonocephalum granulatum* (Fabricius, 1791) (*Tenebrionidae*)
 2049. *Gonocephalum rusticum* (Olivier, 1811) (*Tenebrionidae*)
 2050. *Gonocephalum setulosum* (Faldermann, 1837) (*Tenebrionidae*)
 2051. *Gonomyia* (s.str.) *conoviensis* Barnes, 1924 (*Limoniidae*)
 2052. *Gonomyia* (s.str.) *copulata* (Becker, 1908) (*Limoniidae*)
 2053. *Gonomyia* (s.str.) *sicula* Lackschewitz, 1940 (*Limoniidae*)
 2054. *Grammacephalus pugio* (Noualhier, 1895) (*Cicadellidae*)
 2055. *Granulodes beieri* Ramme, 1951 (*Pamphagidae*)
 2056. *Graphoderus cinereus* (Linnaeus, 1758) (*Dytiscidae*)
 2057. *Graphosoma semipunctatum* (Fabricius, 1775) (*Pentatomidae*)
 2058. *Graptodytes bilineatus* (Sturm, 1835) (*Dytiscidae*)
 2059. *Graptodytes veterator* (Zimmermann, 1918) (*Dytiscidae*)
 2060. *Gratidia kurda* Uvarov, 1944 (*Phasmidae*)

2061. *Gratidia turca* Karabağ, 1955 (*Phasmidae*)
 2062. *Grylloides ferdinandi* Bolívar, 1899 (*Gryllidae*)
 2063. *Gryllomorpha* (*Gryllomorpha*) *dalmatina* (Ocskay, 1832) (*Gryllidae*)
 2064. *Gryllomorpha willemsei* Uvarov, 1934 (*Gryllidae*)
 2065. *Gryllotalpa gryllotalpa* (Linnaeus, 1758) (*Gryllotalpidae*)
 2066. *Gryllus* (s.str.) *bimaculatus* (De Geer, 1773) (*Gryllidae*)
 2067. *Gryllus* (s.str.) *campestris* Linnaeus, 1758 (*Gryllidae*)
 2068. *Gryllus* (s.str.) *urfaensis* Gümüşsuyu, 1978 (*Gryllidae*)
 2069. *Grypotes puncticollis* (Herrich-Schäffer, 1834) (*Cicadellidae*)
 2070. *Grypotes staurus* Ivanoff, 1885 (*Cicadellidae*)
 2071. *Guanchia hincksi* (Burr, 1947) (*Forficulidae*)
 2072. *Guanchia pubescens* (Géné, 1837) (*Forficulidae*)
 2073. *Gueriniella serratulae* (Fabricius) (*Margarodidae*)
 2074. *Gugolzia bademia* Doganlar (*Pteromalidae*)
 2075. *Gyrinus caspius* Ménétériés, 1832 (*Gyrinidae*)
 2076. *Gyrinus dejeani* Brullé, 1832 (*Gyrinidae*)
 2077. *Gyrinus distinctus* Aubé, 1836 (*Gyrinidae*)
 2078. *Gyrinus suffriani* Scriba, 1855 (*Gyrinidae*)
 2079. *Habrolepis dalmanni* (Westwood) (*Encyrtidae*)
 2080. *Habrolepis italicus* Delucchi (*Encyrtidae*)
 2081. *Habropogon decipiens* Theodor, 1980 (*Asilidae*)
 2082. *Habropogon longiventris* Loew, 1847 (*Asilidae*)
 2083. *Habropogon similinus* Theodor, 1980 (*Asilidae*)
 2084. *Habropogon verticalis* Becker, 1913 (*Asilidae*)
 2085. *Haematoloma dorsatum* (Ahrens, 1812) (*Cercopidae*)
 2086. *Haematopota bigoti* Gobert, 1881 (*Tabanidae*)
 2087. *Haematopota caenofrons* Kröber, 1922 (*Tabanidae*)
 2088. *Haematopota coolsi* Leclercq, 1966 (*Tabanidae*)
 2089. *Haematopota crassicornis* Wahlberg, 1848 (*Tabanidae*)
 2090. *Haematopota delozi* Leclercq, 1966 (*Tabanidae*)
 2091. *Haematopota gallica* Szilady, 1923 (*Tabanidae*)
 2092. *Haematopota grandis* Macquart, 1834 (*Tabanidae*)
 2093. *Haematopota hennauxi* Leclercq, 1967 (*Tabanidae*)
 2094. *Haematopota italica* Meigen, 1804 (*Tabanidae*)
 2095. *Haematopota kemali* Szilady, 1923 (*Tabanidae*)
 2096. *Haematopota lambi* Willeneuve, 1921 (*Tabanidae*)
 2097. *Haematopota latebricola* Austen, 1925 (*Tabanidae*)
 2098. *Haematopota longantennata* Olsufjev, 1937 (*Tabanidae*)
 2099. *Haematopota nubilis* Hauser, 1960 (*Tabanidae*)
 2100. *Haematopota ocelligera* Kröber, 1922 (*Tabanidae*)
 2101. *Haematopota oenderi* Jezek, 1990 (*Tabanidae*)
 2102. *Haematopota pallens* Loew, 1871 (*Tabanidae*)
 2103. *Haematopota pandazisi* Kröber, 1936 (*Tabanidae*)
 2104. *Haematopota pavlovskii* Hauser, 1960 (*Tabanidae*)
 2105. *Haematopota pluvialis* (Linnaeus, 1761) (*Tabanidae*)
 2106. *Haematopota scutellata* (Olsufjev, Moucha & Chvala, 1964) (*Tabanidae*)
 2107. *Haematopota sewelli* Austen, 1920 (*Tabanidae*)
 2108. *Haematopota sobrina* Kröber, 1922 (*Tabanidae*)
 2109. *Haematopota subcylindrica* Pandelle, 1883 (*Tabanidae*)
 2110. *Haematopota sumelae* Timmer, 1984 (*Tabanidae*)
 2111. *Haliplus variegatus* Sturm, 1834 (*Haliplidae*)
 2112. *Haltichella rufipes* (Olivier) (*Chalcididae*)
 2113. *Halticoptera adanacus* Doganlar (*Pteromalidae*)
 2114. *Halticoptera aenea* (Walker) (*Pteromalidae*)
 2115. *Halticoptera circulus* (Walker) (*Pteromalidae*)
 2116. *Halticoptera crius* (Walker) (*Pteromalidae*)
 2117. *Halticoptera dimidiata* (Förster) (*Pteromalidae*)
 2118. *Halticoptera kemaliyensis* Doganlar (*Pteromalidae*)
 2119. *Halticoptera laevigata* Thomson (*Pteromalidae*)
 2120. *Halticoptera longipetiolus* Hedqvist (*Pteromalidae*)
 2121. *Halticoptera patellana* (Dalman) (*Pteromalidae*)
 2122. *Halticoptera polita* (Walker) (*Pteromalidae*)
 2123. *Halticoptera poreia* (Walker) (*Pteromalidae*)
 2124. *Halticoptera sakipagai* Doganlar (*Pteromalidae*)
 2125. *Halticoptera yoncacus* Doganlar (*Pteromalidae*)
 2126. *Halticopterina moczari* Erdős (*Pteromalidae*)
 2127. *Halticopterina triannulata* Erdős (*Pteromalidae*)
 2128. *Handianus ignoscus* (Melichar, 1896) (*Cicadellidae*)
 2129. *Handianus procerus* (Herrich-Schäffer, 1835) (*Cicadellidae*)
 2130. *Hardya alpina* Wagner, 1955 (*Cicadellidae*)
 2131. *Hardya anatolica* Zachvatkin, 1946 (*Cicadellidae*)
 2132. *Harmandiola cavernosa* (Rübsaamen, 1899) (*Cecidomyiidae*)
 2133. *Harmandiola globuli* (Rübsaamen, 1889) (*Cecidomyiidae*)
 2134. *Hartigiola annulipes* (Hartig, 1839) (*Cecidomyiidae*)
 2135. *Haterumelater fulvago* (Marseul, 1868) (*Elateridae*)
 2136. *Haterumelater languidus* (Buysson, 1891) (*Elateridae*)
 2137. *Hauptidia* (s.str.) *cretacea* (Moravskaja, 1948) (*Cicadellidae*)
 2138. *Hauptidia* (s.str.) *rivularis* (Linnavuori, 1962) (*Cicadellidae*)
 2139. *Hecalus glaucescens* (Fieber, 1866) (*Cicadellidae*)
 2140. *Hedyphanes upioides* (Faldernmann, 1837) (*Tenebrionidae*)
 2141. *Helina atricolor* (Fallén, 1825) (*Muscidae*)
 2142. *Helina decipiens* Mihalyi, 1974 (*Muscidae*)
 2143. *Helina latitarsis* Ringdahl, 1924 (*Muscidae*)
 2144. *Helina obtusipennis* (Fallén, 1823) (*Muscidae*)
 2145. *Helina pubescens* (Stein, 1893) (*Muscidae*)
 2146. *Helina setiventris* Ringdahl, 1924 (*Muscidae*)
 2147. *Heliococcus bohemicus* Sulc (*Pseudococcidae*)
 2148. *Heliococcus radicolica* Goux (*Pseudococcidae*)
 2149. *Heliococcus saxatilis* Borchsenius (*Pseudococcidae*)
 2150. *Heliococcus sulcii* Goux (*Pseudococcidae*)
 2151. *Helionidia himyarita* Zachvatkin, 1946 (*Cicadellidae*)
 2152. *Helioperyx humeralis* (Kuthy, 1907) (*Acrididae*)
 2153. *Helius* (s.str.) *hispanicus* Lackschewitz, 1928 (*Limoniidae*)
 2154. *Hellerina lycia* Galvagni, 2006 (*Raphidophoridae*)
 2155. *Helophorus aquaticus* (Linnaeus, 1758) (*Helophoridae*)
 2156. *Helophorus brevipalpis* Sulc, 1881 (*Helophoridae*)
 2157. *Helophorus longitarsis* Wollaston, 1864 (*Helophoridae*)
 2158. *Helophorus micans* Faldernmann, 1835 (*Helophoridae*)
 2159. *Helops* (*Mesohelops*) *cyanipes* Allard, 1877 (*Tenebrionidae*)
 2160. *Helops* (s.str.) *glabriventris* Reitter, 1885 (*Tenebrionidae*)
 2161. *Helops* (s.str.) *rossii* Germar, 1817 (*Tenebrionidae*)
 2162. *Hemerobius friedeli* Aspöck & Aspöck, 1966 (*Hemerobiidae*)
 2163. *Hemianax ephippiger* (Burmeister, 1839) (*Aeshnidae*)
 2164. *Hemiberlesia lataniae* (Signoret) (*Diaspididae*)
 2165. *Hemiberlesia rapax* (Comstock) (*Diaspididae*)
 2166. *Hemicrepidius corvinus* (Reitter, 1905) (*Elateridae*)
 2167. *Hemicrepidius hirtus* (Herbst, 1784) (*Elateridae*)
 2168. *Hemicrepidius koenigi* Schwarz, 1897 (*Elateridae*)
 2169. *Hemicrepidius niger* (Linnaeus, 1758) (*Elateridae*)
 2170. *Hemicrepidius nigrifolius* (Reitter, 1890) (*Elateridae*)
 2171. *Hemicrepidius schneideri* (Kiesenwetter, 1877) (*Elateridae*)
 2172. *Hemicrepidius vulpeculus* (Reitter, 1890) (*Elateridae*)
 2173. *Hemipenthes hamiferus* (Loew, 1854) (*Bombyliidae*)
 2174. *Hemipenthes maurus* (Linnaeus, 1758) (*Bombyliidae*)
 2175. *Hemipenthes morio* (Linnaeus, 1758) (*Bombyliidae*)
 2176. *Hemipenthes velutina* (Meigen, 1820) (*Bombyliidae*)
 2177. *Hemiptarsenus varicornis* (Grault) (*Eulophidae*)
 2178. *Hemiptarsenus zilahisebessi* Erdős (*Eulophidae*)
 2179. *Hephathus freyi* (Fieber, 1868) (*Cicadellidae*)
 2180. *Hephathus nanus* (Herrich-Schäffer, 1835) (*Cicadellidae*)
 2181. *Hephathus unicolor* (Lindberg, 1926) (*Cicadellidae*)
 2182. *Hespericercus bruninae* (Horvath, 1891) (*Cicadellidae*)
 2183. *Heteracris adpersa* (Redtenbacher, 1889) (*Acrididae*)
 2184. *Heteracris littoralis* (Rambur, 1838) (*Acrididae*)
 2185. *Heterococcopsis opertus* Borkhsenius (*Pseudococcidae*)
 2186. *Heterococcus mudus* (Green) (*Pseudococcidae*)
 2187. *Heterococcus tritici* (Kiritshenko) (*Pseudococcidae*)
 2188. *Heterogaster affinis* Herrich-Schäffer, 1835 (*Lygaeidae*)
 2189. *Heteropogon lehri* Richter, 1968 (*Asilidae*)
 2190. *Heteropogon manicatus* (Meigen, 1820) (*Asilidae*)
 2191. *Heteropogon manni* Loew, 1854 (*Asilidae*)
 2192. *Heteropogon ornatipes* Loew, 1851 (*Asilidae*)
 2193. *Heteropogon scoparius* Loew, 1847 (*Asilidae*)
 2194. *Heteropogon succinctus* Loew, 1847 (*Asilidae*)
 2195. *Heterotropus pyrus* Bowden, 1967 (*Bombyliidae*)
 2196. *Heterotropus taurus* Bowden, 1967 (*Bombyliidae*)
 2197. *Hexatoma* (*Cladolipes*) *simplex* (Loew, 1865) (*Limoniidae*)
 2198. *Hexatoma* (*Eriocera*) *chirothecata* (Scopoli, 1763) (*Limoniidae*)
 2199. *Hexatoma* (s.str.) *bicolor* (Meigen, 1818) (*Limoniidae*)
 2200. *Hexatoma* (s.str.) *fuscipennis* (Curtis, 1836) (*Limoniidae*)
 2201. *Hierodula transcaucasica* Brunner von Wattenwyl, 1878 (*Mantidae*)
 2202. *Hilara bolkarensis* Çiftçi, Parvu & Hasbenli, 2008 (*Empididae*)
 2203. *Hirticomus hispidus* (Rossi, 1792) (*Anthicidae*)
 2204. *Hobbysa stenonota* (Ratzeburg) (*Pteromalidae*)
 2205. *Hockeria apani* Doganlar (*Chalcididae*)
 2206. *Hockeria bifasciata* Walker (*Chalcididae*)
 2207. *Hockeria brachygaster* Boucek (*Chalcididae*)
 2208. *Hockeria karatasensis* Boucek (*Chalcididae*)
 2209. *Hockeria magna* Boucek (*Chalcididae*)
 2210. *Hockeria mengenillarum* (Silvestri) (*Chalcididae*)
 2211. *Hockeria unicolor* Walker (*Chalcididae*)
 2212. *Hockeria urfaensis* (*Chalcididae*)
 2213. *Holcostethus vernalis* (Wolff, 1804) (*Pentatomidae*)
 2214. *Holopogon nigropilosus* Theodor, 1980 (*Asilidae*)
 2215. *Homalotylus flaminus* (Dalman) (*Encyrtidae*)
 2216. *Homalotylus nigricornis* Mercet (*Encyrtidae*)
 2217. *Homalotylus quaylei* Timberlake (*Encyrtidae*)
 2218. *Homodela ismenia* (Gory, 1833) (*Carabidae*)
 2219. *Homoporus arestor* (Walker) (*Pteromalidae*)
 2220. *Homoporus fulviventris* (Walker) (*Pteromalidae*)
 2221. *Homoporus subniger* (Walker) (*Pteromalidae*)
 2222. *Homocoryphus nitidulus* (Scopoli, 1786) (*Tettigoniidae*)
 2223. *Hoplolabis* (*Parilisia*) *punctigera* (Lackschewitz, 1940) (*Limoniidae*)
 2224. *Hoplopsis minuta* (Fabricius) (*Encyrtidae*)
 2225. *Horvathianella palliceps* (Horvath, 1897) (*Delphacidae*)

2226. *Hyalesthes askalensis* Hoch, 1985 (Cixiidae)
 2227. *Hyalesthes hani* Hoch, 1985 (Cixiidae)
 2228. *Hyalesthes luteipes* Fieber, 1876 (Cixiidae)
 2229. *Hyalesthes mavromoustakisi* Dlabola, 1959 (Cixiidae)
 2230. *Hyalesthes mlokiewiczii* Signoret, 1879 (Cixiidae)
 2231. *Hyalesthes obsoletus* Signoret, 1865 (Cixiidae)
 2232. *Hyalesthes philesakis* Hoch & Remane, 1985 (Cixiidae)
 2233. *Hyalesthes ponticorum* Hoch & Remane, 1985 (Cixiidae)
 2234. *Hyalesthes thracicus* Hoch, 1985 (Cixiidae)
 2235. *Hyalesthes veyseli* Hoch, 1985 (Cixiidae)
 2236. *Hyalesthes yozgaticus* Hoch & Remane, 1985 (Cixiidae)
 2237. *Hybomitra acuminata* (Loew, 1858) (Tabanidae)
 2238. *Hybomitra bimaculata* (Macquart, 1826) (Tabanidae)
 2239. *Hybomitra caucasi* (Szilady, 1923) (Tabanidae)
 2240. *Hybomitra ciureai* (Seguy, 1937) (Tabanidae)
 2241. *Hybomitra decora* (Loew, 1858) (Tabanidae)
 2242. *Hybomitra distinguenda* (Verrall, 1909) (Tabanidae)
 2243. *Hybomitra erberi* (Brauer, 1880) (Tabanidae)
 2244. *Hybomitra expollicata* (Pandelle, 1883) (Tabanidae)
 2245. *Hybomitra mohlifeldi* (Brauer, 1880) (Tabanidae)
 2246. *Hybomitra okayi* Leclercq, 1967 (Tabanidae)
 2247. *Hybomitra peculiaris* (Szilady, 1914) (Tabanidae)
 2248. *Hybomitra pilosa* (Loew, 1858) (Tabanidae)
 2249. *Hybomitra tuerkmendagensis* Kiliç & Schacht, 1995 (Tabanidae)
 2250. *Hybomitra ukrainica* Olsufjev, 1952 (Tabanidae)
 2251. *Hycleus polymorphus* (Pallas, 1771) (Meloidea)
 2252. *Hycleus scabiosae* (Olivier, 1811) (Meloidea)
 2253. *Hycleus sexmaculatus* (Olivier, 1811) (Meloidea)
 2254. *Hydaticus* (Guignotites) *ponticus* Sharp, 1882 (Dytiscidae)
 2255. *Hydaticus* (s.str.) *transversalis* (Pontopoddian, 1763) (Dytiscidae)
 2256. *Hydrobius rufipes* (Linnaeus, 1758) (Hydrophilidae)
 2257. *Hydrochara caraboides* (Linnaeus, 1758) (Hydrophilidae)
 2258. *Hydrochara dichorama* (Fairmaire, 1892) (Hydrophilidae)
 2259. *Hydrochara flavipes* (Steven, 1808) (Hydrophilidae)
 2260. *Hydrochara flavipes* (Steven, 1808) (Hydrophilidae)
 2261. *Hydrocyphon australis* Linder, 1864 (Scirtidae)
 2262. *Hydrocyphon deflexicollis* Müller, 1821 (Scirtidae)
 2263. *Hydrocyphon finitimus* Nyholm, 1977 (Scirtidae)
 2264. *Hydrocyphon Redtenbacher*, [1857] (Scirtidae)
 2265. *Hydrocyphon rivulorum* Nyholm, 1977 (Scirtidae)
 2266. *Hydrocyphon segrex* Nyholm, 1972 (Scirtidae)
 2267. *Hydrocyphon vicinans* Nyholm, 1972 (Scirtidae)
 2268. *Hydroglyphus geminus* (Fabricius, 1792) (Dytiscidae)
 2269. *Hydroglyphus pubescens* Gyllenhal, 1808 (Dytiscidae)
 2270. *Hydrophilus* (s.str.) *atterimus* Eschscholtz, 1822 (Hydrophilidae)
 2271. *Hydrophilus* (s.str.) *piceus* (Linnaeus, 1758) (Hydrophilidae)
 2272. *Hydroporus bodemeyeri* Ganglbauer, 1900 (Dytiscidae)
 2273. *Hydroporus discretus* Fairmaire & Brisout, 1859 (Dytiscidae)
 2274. *Hydroporus erzurumensis* Erman & Fery, 2000 (Dytiscidae)
 2275. *Hydroporus kozlovskii* Zaitzev, 1927 (Dytiscidae)
 2276. *Hydroporus marginatus* (Duftschmid, 1805) (Dytiscidae)
 2277. *Hydroporus nigellus* Mannerheim, 1853 (Dytiscidae)
 2278. *Hydroporus palustris* (Linnaeus, 1761) (Dytiscidae)
 2279. *Hydroporus planus* (Fabricius, 1781) (Dytiscidae)
 2280. *Hydroporus pubescens* (Gyllenhal, 1808) (Dytiscidae)
 2281. *Hydroporus thracicus* Guéorguiev, 1966 (Dytiscidae)
 2282. *Hydrotaea meridionalis* Portsckinsky, 1882 (Muscidae)
 2283. *Hydrotaea penicillata* (Rondani, 1866) (Muscidae)
 2284. *Hydrovatus cuspidatus* (Kunze, 1818) (Dytiscidae)
 2285. *Hygrobia hermanni* (Fabricius, 1775) (Hygrobiidae)
 2286. *Hygrotus* (Coelambus) *ahmeti* Hajek, Fery & Erman, 2005 (Dytiscidae)
 2287. *Hygrotus* (Coelambus) *confluens* (Fabricius, 1787) (Dytiscidae)
 2288. *Hygrotus* (Coelambus) *lernaeus* (Schaum, 1857) (Dytiscidae)
 2289. *Hygrotus* (s.str.) *armeniacus* (Zaitzev, 1927) (Dytiscidae)
 2290. *Hygrotus* (s.str.) *inaequalis* (Fabricius, 1777) (Dytiscidae)
 2291. *Hymenalia brignolii* (Muche, 1974) (Tenebrionidae)
 2292. *Hypera constans* (Boheman, 1834) (Curculionidae)
 2293. *Hypera contaminata* (Herbst, 1795) (Curculionidae)
 2294. *Hypera crinata* (Boheman, 1834) (Curculionidae)
 2295. *Hypera cumana* Petri, 1901 (Curculionidae)
 2296. *Hypera farinosa* Boheman, 1842 (Curculionidae)
 2297. *Hypera fasciculata* (Herbst, 1795) (Curculionidae)
 2298. *Hypera jucundus* Capiomont, 1868 (Curculionidae)
 2299. *Hypera maculipennis* Fairmaire, 1859 (Curculionidae)
 2300. *Hypera meles* (Fabricius, 1792) (Curculionidae)
 2301. *Hypera orientalis* Capiomont, 1867 (Curculionidae)
 2302. *Hypera pastinacae* (Rossi, 1790) (Curculionidae)
 2303. *Hypera plantaginis* (De Geer, 1775) (Curculionidae)
 2304. *Hypera punctata* (Fabricius, 1775) (Curculionidae)
 2305. *Hypera rumicis* (Linnaeus, 1758) (Curculionidae)
 2306. *Hypera striata* (Boheman, 1834) (Curculionidae)
 2307. *Hypera trilineata* (Marsham, 1802) (Curculionidae)
 2308. *Hypera variabilis* (Herbst, 1795) (Curculionidae)
 2309. *Hypera viciae* (Gyllenhal, 1813) (Curculionidae)
 2310. *Hypnoidus anatolicus* Platia & Gudenzi, 2000 (Elateridae)
 2311. *Hypocassida subferruginea* (Schrank, 1776) (Chrysomelidae)
 2312. *Hypoganus inunctus* (Panzer, 1795) (Elateridae)
 2313. *Hypoganus stepanovi* Denisova, 1948 (Elateridae)
 2314. *Hypolixus nubilosus* (Boheman, 1836) (Curculionidae)
 2315. *Hyssopus geniculatus* (Hartig) (Eulophidae)
 2316. *Hyssopus nigrifolius* (Zetterstedt) (Eulophidae)
 2317. *Hysteropterum assimile* Horvath, 1905 (Issidae)
 2318. *Hysteropterum campestre* Lindberg, 1948 (Issidae)
 2319. *Hysteropterum despectum* Linnavuori, 1965 (Issidae)
 2320. *Hysteropterum grylloides* (Fabricius, 1794) (Issidae)
 2321. *Hysteropterum placophorum* Horvath, 1905 (Issidae)
 2322. *Hysteropterum transcaucasicum* Melichar, 1914 (Issidae)
 2323. *Hysteropterum trifasciatum* Linnavuori, 1965 (Issidae)
 2324. *Iassus pseudocerris* Abdol-Nour, 1998 (Cicadellidae)
 2325. *Iassus scutellaris* (Fieber, 1868) (Cicadellidae)
 2326. *Iconella albinervis* (Tobias, 1964) (Braconidae)
 2327. *Iconella lacteoides* (Nixon, 1965) (Braconidae)
 2328. *Iconella laspeyresii* (Papp, 1972) (Braconidae)
 2329. *Iconella vindicia* (Nixon, 1965) (Braconidae)
 2330. *Idastrandiella mucoreus* (Waltl, 1838) (Tenebrionidae)
 2331. *Idiocera* (s.str.) *laterospina* (Alexander, 1975) (Limoniidae)
 2332. *Idiocera* (s.str.) *pulchripennis* (Loew, 1856) (Limoniidae)
 2333. *Idiocerus alkani* Wagner, 1958 (Cicadellidae)
 2334. *Idiocerus lituratus* (Fallén, 1806) (Cicadellidae)
 2335. *Idiocerus populi* (Linnaeus, 1761) (Cicadellidae)
 2336. *Idiocerus stigmatalis* Lewis, 1834 (Cicadellidae)
 2337. *Idiocerus vicinus* Melichar, 1898 (Cicadellidae)
 2338. *Idiomacromerus pannonicus* (Ruschka) (Torymidae)
 2339. *Idiomacromerus papaveri* (Förster) (Torymidae)
 2340. *Idolus adrastoides* (Reitter, 1888) (Elateridae)
 2341. *Idotarmonides anatolicus* (Candeze, 1881) (Elateridae)
 2342. *Idotarmonides rydhi* Platia & Schimmel, 1992 (Elateridae)
 2343. *Ilisia maculata* (Meigen, 1804) (Limoniidae)
 2344. *Illidops butalidis* (Marshall, 1888) (Braconidae)
 2345. *Illidops naso* (Marshall, 1888) (Braconidae)
 2346. *Illidops szaboi* (Papp, 1974) (Braconidae)
 2347. *Illidops urgo* (Nixon, 1965) (Braconidae)
 2348. *Illidops vipio* (Reihard, 1880) (Braconidae)
 2349. *Ilybius fuliginosus* (Fabricius, 1792) (Dytiscidae)
 2350. *Ilybius jaechi* (Fery & Nilsson, 1993) (Dytiscidae)
 2351. *Ilybius satunini* (Zaitzev, 1913) (Dytiscidae)
 2352. *Ilybius wewalkai* (Fery & Nilsson, 1993) (Dytiscidae)
 2353. *Ipthimulus truquii* (Marseul, 1869) (Tenebrionidae)
 2354. *Iranoidricerus iranensis* (Kimmins, 1938) (Ascalaphidae)
 2355. *Iris oratoria* (Linnaeus, 1758) (Tarachodidae)
 2356. *Ischnodes kadleci* Mertlik, 2005 (Elateridae)
 2357. *Ischnodes sanguinicollis* (Panzer, 1793) (Elateridae)
 2358. *Ischnomera auripennis* (Reitter, 1903) (Oedemeridae)
 2359. *Ischnomera caerulea* (Linnaeus, 1758) (Oedemeridae)
 2360. *Ischnomera cinerascens* (Pandellé, 1867) (Oedemeridae)
 2361. *Ischnomera cyanea* (Fabricius, 1792) (Oedemeridae)
 2362. *Ischnomera erdemliensis* Svihla, 1998 (Oedemeridae)
 2363. *Ischnomera fulvicollis* (Reitter, 1897) (Oedemeridae)
 2364. *Ischnomera fuscipennis* Svihla, 1988 (Oedemeridae)
 2365. *Ischnomera haemorrhoidalis* (W. Schmidt, 1846) (Oedemeridae)
 2366. *Ischnomera lutescens* (Abeille de Perrin, 1892) (Oedemeridae)
 2367. *Ischnomera maceki* Svihla, 1988 (Oedemeridae)
 2368. *Ischnomera partipennis* (Fairmaire, 1892) (Oedemeridae)
 2369. *Ischnomera sanguinicollis* (Fabricius, 1787) (Oedemeridae)
 2370. *Ischnomera similis* (Svihla, 1982) (Oedemeridae)
 2371. *Ischnomera sveici* (Svihla, 2004) (Oedemeridae)
 2372. *Ischnura elegans* (Van Der Linden, 1820) (Coenagrionidae)
 2373. *Ischnura evansi* Morton, 1919 (Coenagrionidae)
 2374. *Ischnura fountainei* (Morton, 1905) (Coenagrionidae)
 2375. *Ischnura intermedia* Dumont, 1974 (Coenagrionidae)
 2376. *Ischnura pumilio* (Charpentier, 1825) (Coenagrionidae)
 2377. *Ischnura senegalensis* (Rambur, 1842) (Coenagrionidae)
 2378. *Ischyronota desertorum* (Gebler, 1833) (Chrysomelidae)
 2379. *Isidus letourneuxi* Pic, 1902 (Elateridae)
 2380. *Isidus moreli* Mulsant & Rey, 1874 (Elateridae)
 2381. *Isodromus flaviscutum* Hoffer & Trjapitzin (Encyrtidae)
 2382. *Isodromus niger* Ashmead (Encyrtidae)
 2383. *Isolabella graeca* (Verhoeff, 1901) (Spongiphoridae)
 2384. *Isolaboides kosswigi* (Burr, 1947) (Spongiphoridae)
 2385. *Isoperla armeniaca* Zhiltzova, 1961 (Perlidae)
 2386. *Isoperla bithynica* (Kempny, 1908) (Perlidae)
 2387. *Isoperla rhododendri* Zhiltzova, 1956 (Perlidae)
 2388. *Isophya acuminata* Brunner von Wattenwyl, 1878 (Tettigoniidae)
 2389. *Isophya amplipennis* Brunner von Wattenwyl, 1878 (Tettigoniidae)

2390. *Isophya anatolica* Ramme, 1951 (Tettigoniidae)
 2391. *Isophya autumnalis* Karabağ, 1962 (Tettigoniidae)
 2392. *Isophya bicarinata* Karabağ, 1957 (Tettigoniidae)
 2393. *Isophya cania* Karabağ, 1975 (Tettigoniidae)
 2394. *Isophya hakkarica* Karabağ, 1962 (Tettigoniidae)
 2395. *Isophya hemiptera* Bei-Bienko, 1954 (Tettigoniidae)
 2396. *Isophya hospodar* (Saussure & Pictet, 1898) (Tettigoniidae)
 2397. *Isophya ilkazi* Ramme, 1951 (Tettigoniidae)
 2398. *Isophya karabagi* Uvarov, 1940 (Tettigoniidae)
 2399. *Isophya karadenizensis* Ünal, 2005 (Tettigoniidae)
 2400. *Isophya kosswigi* Demirsoy, 1974 (Tettigoniidae)
 2401. *Isophya major* Brunner von Wattenwyl, 1878 (Tettigoniidae)
 2402. *Isophya mersinensis* Sevgili & Çıplak, 2006 (Tettigoniidae)
 2403. *Isophya nervosa* Ramme, 1951 (Tettigoniidae)
 2404. *Isophya obenbergeri* Maran, 1958 (Tettigoniidae)
 2405. *Isophya obtusidens* Ramme, 1951 (Tettigoniidae)
 2406. *Isophya pavelii* Brunner von Wattenwyl, 1878 (Tettigoniidae)
 2407. *Isophya pantheri* Ramme, 1951 (Tettigoniidae)
 2408. *Isophya rectipennis* Brunner von Wattenwyl, 1878 (Tettigoniidae)
 2409. *Isophya redtenbacheri* Adelung, 1907 (Tettigoniidae)
 2410. *Isophya reticulata* Ramme, 1951 (Tettigoniidae)
 2411. *Isophya rizeensis* Sevgili, 2003 (Tettigoniidae)
 2412. *Isophya rodsjankoi* Bolivar, 1899 (Tettigoniidae)
 2413. *Isophya salmani* Sevgili & Heller, 2006 (Tettigoniidae)
 2414. *Isophya savignyi* Brunner von Wattenwyl, 1878 (Tettigoniidae)
 2415. *Isophya schneideri* Brunner von Wattenwyl, 1878 (Tettigoniidae)
 2416. *Isophya sikorai* Ramme, 1951 (Tettigoniidae)
 2417. *Isophya speciosa* (Frivaldsky, 1867) (Tettigoniidae)
 2418. *Isophya splendida* Naskrecki & Ünal, 1995 (Tettigoniidae)
 2419. *Isophya staneki* Maran, 1958 (Tettigoniidae)
 2420. *Isophya stenocauda* Ramme, 1951 (Tettigoniidae)
 2421. *Isophya straubei* (Fieber, 1853) (Tettigoniidae)
 2422. *Isophya sureyai* Ramme, 1951 (Tettigoniidae)
 2423. *Isophya thracica* Karabağ, 1962 (Tettigoniidae)
 2424. *Isophya triangularis* Brunner von Wattenwyl, 1891 (Tettigoniidae)
 2425. *Isophya uludaghensis* Sevgili & Heller, 2003 (Tettigoniidae)
 2426. *Isophya yaraligozi* Ünal, 2003 (Tettigoniidae)
 2427. *Isophya zernovi* Miram, 1938 (Tettigoniidae)
 2428. *Issus dilatatus* (Fourcroy, 1785) (Issidae)
 2429. *Issus lauri* Ahrens, 1814 (Issidae)
 2430. *Iteomyia capreae* Winnertz, 1853 (Cecidomyiidae)
 2431. *Iubsoda stigmatica* (Melichar, 1897) (Delphacidae)
 2432. *İcerya purchasi* Hempel (Margarodidae)
 2433. *Jaapiella chondrillae* Skuhrava, 2005 (Cecidomyiidae)
 2434. *Janetia cerris* (Kollar, 1850) (Cecidomyiidae)
 2435. *Janetia szepligetii* Kieffer, 1896 (Cecidomyiidae)
 2436. *Janetiella lemeei* (Kieffer, 1904) (Cecidomyiidae)
 2437. *Janetiella oenophila* (Haimhoffen, 1875) (Cecidomyiidae)
 2438. *Jassargus kurdicus* Remane & Schultz, 1976 (Cicadellidae)
 2439. *Jassargus obtusivalvis* (Kirschbaum, 1868) (Cicadellidae)
 2440. *Javesella dubia* (Kirschbaum, 1868) (Delphacidae)
 2441. *Javesella obscura* (Boheman, 1847) (Delphacidae)
 2442. *Javesella pellucida* (Fabricius, 1794) (Delphacidae)
 2443. *Javesella salina* (Haupt, 1924) (Delphacidae)
 2444. *Joostiella caucasica* Vaillant, 1983 (Psychodidae)
 2445. *Jothopogon leucomallus* (Loew, 1871) (Asilidae)
 2446. *Katamenes sichelii* (Saussure, 1852) (Vespidae)
 2447. *Kelisia melanops* Fieber, 1878 (Delphacidae)
 2448. *Kelisia ribauti* Wagner, 1938 (Delphacidae)
 2449. *Kelisia yarkonensis* Linnavuori, 1962 (Delphacidae)
 2450. *Kermes bekiri* Bodenheimer (Kermesidae)
 2451. *Kermes muhlisi* Bodenheimer (Kermesidae)
 2452. *Kermes roboris* (Fourcroy) (Kermesidae)
 2453. *Kermes sadrii* Bodenheimer (Kermesidae)
 2454. *Kermes safinazae* Ozkok (Kermesidae)
 2455. *Kermes vermilio* Planchon (Kermesidae)
 2456. *Kervillea ancyra* Bergevin, 1918 (Issidae)
 2457. *Kervillea parvissima* (Dlabola, 1957) (Issidae)
 2458. *Kirbynia (Olivierina) extensa* (Olivier, 1811) (Nemopteridae)
 2459. *Kirbynia sheppardi* (Kirby, 1904) (Nemopteridae)
 2460. *Koroglus disparalatus* Ünal, 2002 (Tettigoniidae)
 2461. *Kriechbaumerella mansues* (Nikol'skaya) (Chalcididae)
 2462. *Krombeinella aramaea* (Suarez, 1963) (Mutillidae)
 2463. *Krombeinella hebraea* (Suarez, 1963) (Mutillidae)
 2464. *Krombeinella nigriceps* (S. Saunders, 1850) (Mutillidae)
 2465. *Krombeinella wolffii* (Invrea, 1963) (Mutillidae)
 2466. *Kropka unipunctata* (Dlabola, 1957) (Cicadellidae)
 2467. *Ksenoplatia quadrata* Boucek (Pteromalidae)
 2468. *Kurdia uvarovi* Karabağ, 1975 (Tettigoniidae)
 2469. *Kuwanaspis pseudoleucaspis* (Kuwana) (Diaspididae)
 2470. *Kybos candelabricus* Dlabola, 1958 (Cicadellidae)
 2471. *Kybos virgator* (Ribaut, 1933) (Cicadellidae)
 2472. *Labia minor* (Linnaeus, 1758) (Spongiphoridae)
 2473. *Labidura riparia* (Pallas, 1773) (Labiduridae)
 2474. *Laburru handlirschi* (Matsumura, 1908) (Cicadellidae)
 2475. *Laburru impictifrons* (Boheman, 1852) (Cicadellidae)
 2476. *Laccobius (Compso-laccobius) decorus* (Gyllenhal, 1827) (Hydrophilidae)
 2477. *Laccobius (Dimorpholaccobius) bipunctatus* (Fabricius, 1775) (Hydrophilidae)
 2478. *Laccobius (Dimorpholaccobius) chiesai* Gentili, 1974 (Hydrophilidae)
 2479. *Laccobius (Dimorpholaccobius) halophilus* Gentili, 1982 (Hydrophilidae)
 2480. *Laccobius (Dimorpholaccobius) hauserianus* Kniz, 1914 (Hydrophilidae)
 2481. *Laccobius (Dimorpholaccobius) hindukuschi* Chiesa, 1966 (Hydrophilidae)
 2482. *Laccobius (Dimorpholaccobius) lycius* Gentili & Whitehead, 2000 (Hydrophilidae)
 2483. *Laccobius (Dimorpholaccobius) obscuratus* Rottenberg, 1874 (Hydrophilidae)
 2484. *Laccobius (Dimorpholaccobius) sculptus* d'Orchymont, 1936 (Hydrophilidae)
 2485. *Laccobius (Dimorpholaccobius) scutellaris* Motschulsky, 1855 (Hydrophilidae)
 2486. *Laccobius (Dimorpholaccobius) simulatrix* d'Orchymont, 1932 (Hydrophilidae)
 2487. *Laccobius (Dimorpholaccobius) sipylus* d'Orchymont, 1939 (Hydrophilidae)
 2488. *Laccobius (Dimorpholaccobius) striatulus* (Fabricius, 1801) (Hydrophilidae)
 2489. *Laccobius (Dimorpholaccobius) sulcatulus* Reitter, 1909 (Hydrophilidae)
 2490. *Laccobius (Dimorpholaccobius) syriacus* Guillebeau, 1896 (Hydrophilidae)
 2491. *Laccobius (Microlaccobius) alternus* Motschulsky, 1855 (Hydrophilidae)
 2492. *Laccobius (Microlaccobius) exilis* Gentili, 1974 (Hydrophilidae)
 2493. *Laccobius (Microlaccobius) gracilis* Motschulsky, 1855 (Hydrophilidae)
 2494. *Laccobius (Microlaccobius) orientalis* Knisch, 1924 (Hydrophilidae)
 2495. *Laccobius (Microlaccobius) quaesitus* Gentili, 1988 (Hydrophilidae)
 2496. *Laccobius (s.str.) albipes* Kuwert, 1890 (Hydrophilidae)
 2497. *Laccobius (s.str.) minutus* (Linnaeus, 1758) (Hydrophilidae)
 2498. *Laccobius simulatrix* d'Orchymont, 1932 (Hydrophilidae)
 2499. *Laccobius syriacus* Guillebeau, 1896 (Hydrophilidae)
 2500. *Laccophilus hyalinus* (De Geer, 1774) (Dytiscidae)
 2501. *Laccophilus minutus* (Linnaeus, 1758) (Dytiscidae)
 2502. *Laccophilus poecilus* Klug, 1834 (Dytiscidae)
 2503. *Lacon candezei* Desbrochers, 1875 (Elateridae)
 2504. *Lacon delagrangiei* Buysson, 1891 (Elateridae)
 2505. *Lacon gillerforsi* Platia & Schimmel, 1994 (Elateridae)
 2506. *Lacon graecus* Candeze, 1857 (Elateridae)
 2507. *Lacon kapleri* Platia & Schimmel, 1994 (Elateridae)
 2508. *Lacon ladae* Mertlik & Dusanek, 2006 (Elateridae)
 2509. *Lacon lepidopterus* (Panzer, 1801) (Elateridae)
 2510. *Lacon punctatus* (Herbst, 1779) (Elateridae)
 2511. *Lacon solai* Platia & Gudenzi, 2000 (Elateridae)
 2512. *Lacon unicolor* (Candeze, 1874) (Elateridae)
 2513. *Laena appfelbecki* Schuster, 1915 (Tenebrionidae)
 2514. *Laena byzantina* Apfelbeck, 1901 (Tenebrionidae)
 2515. *Laena ganglbaueri* Reitter, 1906 (Tenebrionidae)
 2516. *Laena hopffgarteni* Weise, 1878 (Tenebrionidae)
 2517. *Laena kraatzii* Weise, 1878 (Tenebrionidae)
 2518. *Laena osmanlis* Reitter, 1906 (Tenebrionidae)
 2519. *Laena pulchella* (Fischer, 1824) (Tenebrionidae)
 2520. *Laena syriaca* Baudi, 1876 (Tenebrionidae)
 2521. *Laena theana* Reitter, 1906 (Tenebrionidae)
 2522. *Lamennaisia ambigua* (Nees) (Encyrtidae)
 2523. *Laminacutus libanensis* Abdul-Nour, 2001 (Cicadellidae)
 2524. *Lampoterna viride* (Thomson, 1876) (Pteromalidae)
 2525. *Lamprotatus truncatus* (Fonscolombe) (Pteromalidae)
 2526. *Lampyrus angustula* Fairmaire, 1895 (Lampyridae)
 2527. *Lampyrus nervosa* Olivier, 1883 (Lampyridae)
 2528. *Lanelater judaicus* (Reiche & Saulcy, 1856) (Elateridae)
 2529. *Lanelater persicus* (Candeze, 1874) (Elateridae)
 2530. *Laodelphax striatellus* (Fallén, 1826) (Delphacidae)
 2531. *Laphria dizonias* Loew, 1847 (Asilidae)
 2532. *Laphria varia* Loew, 1865 (Asilidae)
 2533. *Laphystia anatolica* (Hermann, 1920) (Asilidae)
 2534. *Laphystia sabulicola* Loew, 1847 (Asilidae)
 2535. *Larinus aeruginosus* Hochhuth, 1851 (Curculionidae)
 2536. *Larinus bremskei* Faust, 1900 (Curculionidae)
 2537. *Larinus brevis* (Herbst, 1795) (Curculionidae)
 2538. *Larinus carinirostris* Gyllenhal, 1836 (Curculionidae)
 2539. *Larinus centaureae* (Olivier, 1807) (Curculionidae)
 2540. *Larinus curtus* Hochhuth, 1851 (Curculionidae)

2541. *Larinus cynarae* (Fabricius, 1787) (Curculionidae)
 2542. *Larinus filiformis* Petri, 1907 (Curculionidae)
 2543. *Larinus flavescens* Germar, 1824 (Curculionidae)
 2544. *Larinus griseus* Gyllenhal, 1836 (Curculionidae)
 2545. *Larinus jaceae* (Fabricius, 1775) (Curculionidae)
 2546. *Larinus latus* (Herbst, 1784) (Curculionidae)
 2547. *Larinus minutus* Gyllenhal, 1836 (Curculionidae)
 2548. *Larinus obtusus* Gyllenhal, 1836 (Curculionidae)
 2549. *Larinus onopordi* (Fabricius, 1787) (Curculionidae)
 2550. *Larinus orientalis* Capiomont, 1874 (Curculionidae)
 2551. *Larinus ovaliformis* Capiomont, 1874 (Curculionidae)
 2552. *Larinus planus* (Fabricius, 1792) (Curculionidae)
 2553. *Larinus rudicollis* Petri, 1907 (Curculionidae)
 2554. *Larinus rusticus* Gyllenhal, 1836 (Curculionidae)
 2555. *Larinus sturnus* (Schaller, 1788) (Curculionidae)
 2556. *Larinus syriacus* Gyllenhal, 1836 (Curculionidae)
 2557. *Larinus turbinatus* Gyllenhal, 1836 (Curculionidae)
 2558. *Larinus ursus* (Fabricius, 1792) (Curculionidae)
 2559. *Lariophagus distinguendus* (Förster) (Pteromalidae)
 2560. *Lasiocalcidia dargelasi* (Latreille) (Chalcididae)
 2561. *Lasiopa balius* (Walker, 1849) (Stratiomyidae)
 2562. *Lasiopa caucasica* (Pleske, 1901) (Stratiomyidae)
 2563. *Lasiopa mannii* Mik, 1882 (Stratiomyidae)
 2564. *Lasiopogon pilosellus* Loew, 1847 (Asilidae)
 2565. *Lasiopogon tarsalis* Loew, 1847 (Asilidae)
 2566. *Lasioptera berlesiana* Paoli, 1907 (Cecidomyiidae)
 2567. *Lasioptera carophila* Loew, 1874 (Cecidomyiidae)
 2568. *Lasioptera eryngii* (Vallot, 1829) (Cecidomyiidae)
 2569. *Lasioptera populnea* Wachtl, 1883 (Cecidomyiidae)
 2570. *Lasioptera rubi* (Schränk, 1803) (Cecidomyiidae)
 2571. *Lasioptera turcica* Möhn, 1968 (Cecidomyiidae)
 2572. *Lasius alienus* (Förster, 1850) (Formicidae)
 2573. *Lasius flavus* (Fabricius, 1781) (Formicidae)
 2574. *Latematium cingulatum* Dlabola, 1983 (Issidae)
 2575. *Latheticus oryzae* Waterhouse, 1880 (Tenebrionidae)
 2576. *Latilica antalyica* (Dlabola, 1986) (Issidae)
 2577. *Latilica maculipes* (Melichar, 1906) (Issidae)
 2578. *Latilica quercus* (Lindberg, 1948) (Issidae)
 2579. *Latilica retamae* (Linnavuori, 1962) (Issidae)
 2580. *Lecanodiaspis sardoa* Targioni Tozzetti (Lecanodiaspididae)
 2581. *Lecanopsis turcica* (Bodenheimer) (Coccidae)
 2582. *Leichenium mucronatum* Küster, 1849 (Tenebrionidae)
 2583. *Leopoldius coronatus* (Rondani, 1857) (Conopidae)
 2584. *Lepidosaphes beckii* (Newman) (Diaspididae)
 2585. *Lepidosaphes conchiformis* (Gmelin) (Diaspididae)
 2586. *Lepidosaphes gloverii* (Packard) (Diaspididae)
 2587. *Lepidosaphes granati* Koroneos (Diaspididae)
 2588. *Lepidosaphes juniperi* Lindinger (Diaspididae)
 2589. *Lepidosaphes malicola* Borchsenius (Diaspididae)
 2590. *Lepidosaphes newsteadi* (Sulc) (Diaspididae)
 2591. *Lepidosaphes pinnaeformis* (Bouche) (Diaspididae)
 2592. *Lepidosaphes pistaciae* Archangelskaya (Diaspididae)
 2593. *Lepidosaphes serrifrons* (Leonardi) (Diaspididae)
 2594. *Lepidosaphes ulmi* (Linnaeus) (Diaspididae)
 2595. *Leptochilus regulus* Saussure, 1855 (Vespidae)
 2596. *Leptoeybe invasa* Fisher & La Salle (Eulophidae)
 2597. *Leptodelphax cyclops* Haupt, 1927 (Delphacidae)
 2598. *Leptodiplosis polypori* (Loew, 1850) (Cecidomyiidae)
 2599. *Leptodusa demirsoyi* (Karabağ, 1975) (Tettigoniidae)
 2600. *Leptodusa expugnata* (Uvarov, 1916) (Tettigoniidae)
 2601. *Leptodusa harzi* (Karabağ, 1975) (Tettigoniidae)
 2602. *Leptogaster calceata* Engel, 1925 (Asilidae)
 2603. *Leptogaster gracilis* Loew, 1847 (Asilidae)
 2604. *Leptogaster helvola* Loew, 1871 (Asilidae)
 2605. *Leptogaster palparis* Loew, 1847 (Asilidae)
 2606. *Leptogaster suleymani* Hasbenli, Candan & Alpay, 2006 (Asilidae)
 2607. *Leptomastidea abnormis* (Girault) (Encyrtidae)
 2608. *Leptomastix algerica* Trjapitzin (Encyrtidae)
 2609. *Leptomastix dactylopii* Howard (Encyrtidae)
 2610. *Leptomastix flava* Mercet (Encyrtidae)
 2611. *Leptophyes albivittata* (Kollar, 1833) (Tettigoniidae)
 2612. *Leptophyes bolivari* (Kirby, 1906) (Tettigoniidae)
 2613. *Leptophyes helleri* Sevgili, 2004 (Tettigoniidae)
 2614. *Leptophyes karanae* Naskrecki & Ünal, 1995 (Tettigoniidae)
 2615. *Leptopternis gracilis* (Eversmann, 1848) (Acrididae)
 2616. *Leptothorax muscorum* (Nylander, 1846) (Formicidae)
 2617. *Lepyronia coleoptrata* (Linnaeus, 1758) (Cercopidae)
 2618. *Lertha ledereri* (Selys-Longchamps, 1866) (Nemopteridae)
 2619. *Lestes barbarus* (Fabricius, 1798) (Lestidae)
 2620. *Lestes dryas* Kirby, 1890 (Lestidae)
 2621. *Lestes macrostigma* (Eversmann, 1836) (Lestidae)
 2622. *Lestes parvidens* Artobolevski, 1929 (Lestidae)
 2623. *Lestes sponsa* (Hansemann, 1823) (Lestidae)
 2624. *Lestes virens* (Charpentier, 1825) (Lestidae)
 2625. *Lestes viridis* (Van Der Linden, 1825) (Lestidae)
 2626. *Leucaspis knemion* Hoke (Diaspididae)
 2627. *Leucaspis lowi* Colvee (Diaspididae)
 2628. *Leucaspis pini* (Hartig) (Diaspididae)
 2629. *Leucaspis pusilla* Löw (Diaspididae)
 2630. *Leucaspis riccae* Targioni Tozzetti (Diaspididae)
 2631. *Leucorrhinia caudalis* (Charpentier, 1840) (Libellulidae)
 2632. *Leucorrhinia pectoralis* (Charpentier, 1825) (Libellulidae)
 2633. *Leucospis bifasciata* Klug (Leucopsidae)
 2634. *Leucospis biguetina* Jurine (Leucopsidae)
 2635. *Leucospis brevicauda* Fabricius (Leucopsidae)
 2636. *Leucospis dorsigera* Fabricius (Leucopsidae)
 2637. *Leucospis gigas* Fabricius (Leucopsidae)
 2638. *Leucospis intermedia* Illiger (Leucopsidae)
 2639. *Leuctra aculeata* Zwick, 1982 (Leuctridae)
 2640. *Leuctra anatolica* Kazanci, 1986 (Leuctridae)
 2641. *Leuctra antalyana* Vincon & Sivec, 2001 (Leuctridae)
 2642. *Leuctra artvinensis* Vincon & Sivec, 2001 (Leuctridae)
 2643. *Leuctra boluensis* Kazanci, 1999 (Leuctridae)
 2644. *Leuctra bozi* Vincon & Sivec, 2001 (Leuctridae)
 2645. *Leuctra brachyptera* Kazanci, 1985 (Leuctridae)
 2646. *Leuctra hippopus* Kempny, 1899 (Leuctridae)
 2647. *Leuctra karcali* Vincon & Sivec, 2001 (Leuctridae)
 2648. *Leuctra kurui* Kazanci, 1983 (Leuctridae)
 2649. *Leuctra marilouae* Vincon & Sivec, 2001 (Leuctridae)
 2650. *Leuctra minuta* Zhiltzova, 1960 (Leuctridae)
 2651. *Leuctra schistocerca* Zwick, 1971 (Leuctridae)
 2652. *Leuctra sipahilerae* Vincon & Sivec, 2001 (Leuctridae)
 2653. *Leuctra theischingeri* Vincon & Sivec, 2001 (Leuctridae)
 2654. *Libanissum talhouki* (Dlabola, 1974) (Issidae)
 2655. *Libelloides jungei* Aistleitner, 1982 (Ascalaphidae)
 2656. *Libelloides lacteus* (Brullé, 1832) (Ascalaphidae)
 2657. *Libelloides macaronius* (Scopoli, 1763) (Ascalaphidae)
 2658. *Libelloides ottomanus* (Germar, 1817) (Ascalaphidae)
 2659. *Libelloides rhomboideus* (Schneider, 1845) (Ascalaphidae)
 2660. *Libelloides syriacus* (McLachan, 1871) (Ascalaphidae)
 2661. *Libelloides ustulatus* (Eversmann, 1850) (Ascalaphidae)
 2662. *Libellula depressa* Linnaeus, 1758 (Libellulidae)
 2663. *Libellula fulva* O.F. Müller, 1764 (Libellulidae)
 2664. *Libellula pontica* Selys, 1887 (Libellulidae)
 2665. *Libellula quadrimaculata* Linnaeus, 1758 (Libellulidae)
 2666. *Lichtensia viburni* Signoret (Coccidae)
 2667. *Ligurobia juniperi* (Lethierry, 1876) (Cicadellidae)
 2668. *Limnophora pulchripes* (Loew, 1860) (Muscidae)
 2669. *Limnoxenus niger* Gmelin, 1790 (Hydrophilidae)
 2670. *Limobius borealis* (Paykull, 1792) (Curculionidae)
 2671. *Limonia eos* Stary & Savchenko, 1976 (Limoniidae)
 2672. *Limonia hercegovinae* (Strobl, 1898) (Limoniidae)
 2673. *Limonia macrostigma* (Schummel, 1829) (Limoniidae)
 2674. *Limonia nubeculosa* Meigen, 1804 (Limoniidae)
 2675. *Limonia nussbaumi* Stary & Freidberg, 2007 (Limoniidae)
 2676. *Limonia pannonica* (Kowarz, 1868) (Limoniidae)
 2677. *Limonia phragmitidis* (Schränk, 1781) (Limoniidae)
 2678. *Limonia subaequalis* Savchenko, 1979 (Limoniidae)
 2679. *Limonia taurica* (Strobl, 1895) (Limoniidae)
 2680. *Limonia trivittata* (Schummel, 1829) (Limoniidae)
 2681. *Limonicus elegans* (Buysson, 1891) (Elateridae)
 2682. *Limonicus violaceus* (P. Müller, 1843) (Elateridae)
 2683. *Limoniulus araratensis* Faldermann, 1835 (Elateridae)
 2684. *Limoniulus minutus* (Linnaeus, 1758) (Elateridae)
 2685. *Limoniulus poneli* Leseigneur & Mertlik, 2007 (Elateridae)
 2686. *Limotettix striola* (Fallén, 1806) (Cicadellidae)
 2687. *Lindbergina tarsalis* (Linnavuori, 1962) (Cicadellidae)
 2688. *Lindenia tetrphylla* (Van Der Linden, 1825) (Gomphidae)
 2689. *Lineaspis striata* (Newstead) (Diaspididae)
 2690. *Linnavuoriana sexmaculata* (Hardy, 1850) (Cicadellidae)
 2691. *Liometopum microcephalum* (Panzer, 1798) (Formicidae)
 2692. *Liorhyssus hyalinus* (Fabricius, 1794) (Rhopalidae)
 2693. *Lipsothrix nobilis* Loew, 1873 (Limoniidae)
 2694. *Lispe apicalis* Mik, 1869 (Muscidae)
 2695. *Lispe caesia* Meigen, 1826 (Muscidae)
 2696. *Lispe elkantarae* Becker, 1907 (Muscidae)
 2697. *Litus cynipseus* Haliday (Mymaridae)
 2698. *Livia juncorum* (Latreille) (Psyllidae)
 2699. *Livia mediterranea* Loginova, 1974 (Psyllidae)
 2700. *Livilla horvathi* (Scott) (Psyllidae)
 2701. *Lixus anguinus* (Linnaeus, 1767) (Curculionidae)
 2702. *Lixus angustatus* (Fabricius, 1775) (Curculionidae)
 2703. *Lixus ascanii* (Linnaeus, 1767) (Curculionidae)
 2704. *Lixus bardanae* (Fabricius, 1787) (Curculionidae)
 2705. *Lixus cardui* Olivier, 1807 (Curculionidae)
 2706. *Lixus circumcinctus* Boheman, 1836 (Curculionidae)
 2707. *Lixus cylindrus* (Fabricius, 1781) (Curculionidae)
 2708. *Lixus elegantulus* Boheman, 1843 (Curculionidae)
 2709. *Lixus furcatus* Olivier, 1807 (Curculionidae)
 2710. *Lixus incanescens* Boheman, 1836 (Curculionidae)
 2711. *Lixus iridis* Olivier, 1807 (Curculionidae)
 2712. *Lixus junci* Boheman, 1836 (Curculionidae)
 2713. *Lixus myagri* Olivier, 1807 (Curculionidae)
 2714. *Lixus obesus* Petri, 1904 (Curculionidae)
 2715. *Lixus punctiventris* Boheman, 1836 (Curculionidae)
 2716. *Lixus rubicundus* Zoubkoff, 1833 (Curculionidae)
 2717. *Lixus scabricollis* Boheman, 1843 (Curculionidae)

2718. *Lixus scolapax* Boheman, 1836 (Curculionidae)
 2719. *Lixus speciosus* Miller, 1861 (Curculionidae)
 2720. *Lixus subtilis* Boheman, 1836 (Curculionidae)
 2721. *Lixus vilis* (Rossi, 1790) (Curculionidae)
 2722. *Lobodera* (Penthomegus) iners Ménéttriés, 1832 (Tenebrionidae)
 2723. *Loboptera decipiens* (Germar, 1817) (Blattidae)
 2724. *Locusta migratoria* (Linnaeus, 1758) (Acrididae)
 2725. *Longicoccus affinis* (Ter-Grigorian) (Pseudococcidae)
 2726. *Longicoccus clarus* (Borkhsenius) (Pseudococcidae)
 2727. *Longicoccus festucae* (Koteja) (Pseudococcidae)
 2728. *Longicoccus psammophilus* (Koteja) (Pseudococcidae)
 2729. *Longicoccus tongiventris* (Borkhsenius) (Pseudococcidae)
 2730. *Lopholeucaspis japonica* (Cockerell) (Diaspididae)
 2731. *Lophyridia aphrodisia* (Baudi, 1864) (Carabidae)
 2732. *Lophyridia caucasica* (Adams, 1817) (Carabidae)
 2733. *Lophyridia concolor* (Dejean, 1822) (Carabidae)
 2734. *Lophyridia fischeri* (Adams, 1817) (Carabidae)
 2735. *Lophyridia hilariola* (Bates, 1874) (Carabidae)
 2736. *Lophyridia littoralis* (Fabricius, 1787) (Carabidae)
 2737. *Lydus anatolicus* Muche, 1962 (Meloidae)
 2738. *Lydus europaeus* Escherich, 1897 (Meloidae)
 2739. *Lydus gibbifer* Escherich, 1896 (Meloidae)
 2740. *Lydus humeralis* Gyllenhal, 1817 (Meloidae)
 2741. *Lydus pilicollis* Fairmaire, 1892 (Meloidae)
 2742. *Lydus tarsalis* Abeille de Perrin, 1880 (Meloidae)
 2743. *Lydus tenuitarsis* Abeille de Perrin, 1880 (Meloidae)
 2744. *Lydus trimaculatus* (Fabricius, 1775) (Meloidae)
 2745. *Lydus turcicus* Kaszab, 1952 (Meloidae)
 2746. *Lydus unicolor* Reitter, 1887 (Meloidae)
 2747. *Lygaeosoma reticulatum* (Herrich-Schäffer, 1838) (Lygaeidae)
 2748. *Lygaeus equestris* (Linnaeus, 1758) (Lygaeidae)
 2749. *Lygus gemellatus* (Herrich-Schäffer, 1835) (Miridae)
 2750. *Lyphia tetraphylla* Fairmaire, 1856 (Tenebrionidae)
 2751. *Lyristes gemellus* Boulard, 1986 (Cicadidae)
 2752. *Lyristes plebejus* (Scopoli, 1763) (Cicadidae)
 2753. *Lytta vesicatoria* (Linnaeus, 1758) (Meloidae)
 2754. *Maccevetus lutheri* Wagner, 1953 (Rhopalidae)
 2755. *Machimus cyanopus* (Loew, 1849) (Asilidae)
 2756. *Machimus elegans* (Loew, 1849) (Asilidae)
 2757. *Machimus graciosus* Loew, 1871 (Asilidae)
 2758. *Machimus leucocephalus* Janssens, 1968 (Asilidae)
 2759. *Machimus modestus* (Loew, 1849) (Asilidae)
 2760. *Machimus mystacinus* Becker, 1923 (Asilidae)
 2761. *Machimus rudis* Becker, 1923 (Asilidae)
 2762. *Machimus sareptanus* Becker, 1923 (Asilidae)
 2763. *Machimus thoracicus* (Loew, 1849) (Asilidae)
 2764. *Macrocoma doboszi* Borowiec, 2005 (Chrysomelidae)
 2765. *Macrodiplosis pustularis* (Bremi, 1847) (Cecidomyiidae)
 2766. *Macrodiplosis roboris* (Hardy, 1854) (Cecidomyiidae)
 2767. *Macroglenes varicornis* (Haliday) (Pteromalidae)
 2768. *Macrolophus melanotoma* (Costa, 1852) (Miridae)
 2769. *Macrolophus nubilus* (Herrich-Schäffer, 1835) (Miridae)
 2770. *Macronemurus bilineatus* Brauer, 1868 (Myrmeleionidae)
 2771. *Macrophya albicincta* (Schrank, 1776) (Tenthredinidae)
 2772. *Macrophya annulata* Geoffroy, 1785 (Tenthredinidae)
 2773. *Macrophya blanda* Fabricius, 1775 (Tenthredinidae)
 2774. *Macrophya crassula* (Klug, 1817) (Tenthredinidae)
 2775. *Macrophya cyrus* Benson, 1954 (Tenthredinidae)
 2776. *Macrophya diversipes* (Schrank, 1782) (Tenthredinidae)
 2777. *Macrophya duodecimpunctata* (Linnaeus, 1758) (Tenthredinidae)
 2778. *Macrophya erythrocnema* A. Costa, 1859 (Tenthredinidae)
 2779. *Macrophya militaris* Klug, 1817 (Tenthredinidae)
 2780. *Macrophya montana* (Scopoli, 1763) (Tenthredinidae)
 2781. *Macrophya postica* Brullé, 1832 (Tenthredinidae)
 2782. *Macrophya rufipes* Linnaeus, 1758 (Tenthredinidae)
 2783. *Macrophya suberba* Tischbein, 1852 (Tenthredinidae)
 2784. *Macrophya teutonia* Panzer, 1799 (Tenthredinidae)
 2785. *Macropsidius ioculator* Dlabola, 1963 (Cicadellidae)
 2786. *Macropsis albae* Wagner, 1950 (Cicadellidae)
 2787. *Macropsis cerea* (Germar, 1837) (Cicadellidae)
 2788. *Macropsis graminea* (Fabricius, 1798) (Cicadellidae)
 2789. *Macropsis megerlei* (Fieber, 1868) (Cicadellidae)
 2790. *Macropsis scutellata* (Boheman, 1845) (Cicadellidae)
 2791. *Macrorileya femorata* (Boucek) (Eurytomidae)
 2792. *Macrorileya inopinata* (Silvestri) (Eurytomidae)
 2793. *Macrosteles fieberti* (Edwards, 1889) (Cicadellidae)
 2794. *Macrosteles forficula* (Ribaut, 1927) (Cicadellidae)
 2795. *Macrosteles laevis* (Ribaut, 1927) (Cicadellidae)
 2796. *Macrosteles quadripunctulatus* (Kirschbaum, 1868) (Cicadellidae)
 2797. *Macrosteles sexnotatus* (Fallén, 1806) (Cicadellidae)
 2798. *Macrostylus anatolicus* Hoberlandt, 1961 (Miridae)
 2799. *Malenia bosnica* (Horvath, 1907) (Derbidae)
 2800. *Malenia kilisica* Dlabola, 1986 (Derbidae)
 2801. *Manica rubida* (Latreille, 1802) (Formicidae)
 2802. *Mantis religiosa* (Linnaeus, 1758) (Mantidae)
 2803. *Mantispa adelungi* Navas, 1912 (Mantispidae)
 2804. *Mantispa aphavexelte* U. Aspöck & H. Aspöck, 1994 (Mantispidae)
 2805. *Mantispa scabricollis* McLachlan, 1875 (Mantispidae)
 2806. *Mantispa styriaca* (Poda, 1761) (Mantispidae)
 2807. *Marchalina hellenica* (Gennadius) (Margarodidae)
 2808. *Marietta leopardina* Motschoulsky, 1863 (Aphelinidae)
 2809. *Marietta picta* (André, 1878) (Aphelinidae)
 2810. *Marthamea vitripennis* (Burmeister, 1839) (Perlidae)
 2811. *Matsucoccus josephi* Bodenheimer & Harpaz (Margarodidae)
 2812. *Matsucoccus pini* Green (Margarodidae)
 2813. *Mayetiola destructor* (Say, 1817) (Cecidomyiidae)
 2814. *Mayetiola hordei* Kieffer, 1909 (Cecidomyiidae)
 2815. *Mayridia formusula* Mercet (Encyrtidae)
 2816. *Mayridia merceti* Trjapitzin (Encyrtidae)
 2817. *Mayridia pulchra* Mercet (Encyrtidae)
 2818. *Meconema thalassinum* (De Geer, 1773) (Tettigoniidae)
 2819. *Medecticus assimilis* (Fieber, 1853) (Tettigoniidae)
 2820. *Meenoplus albosignatus* Döganlar, 1866 (Meenoplidae)
 2821. *Megacephala euphratica* Dejean, 1822 (Carabidae)
 2822. *Megalocoleus dissimilis* (Reuter, 1876) (Miridae)
 2823. *Megalocoleus exsanguis* (Herrich-Schäffer, 1835) (Miridae)
 2824. *Megalonotus concors* (Hovarth, 1878) (Lygaeidae)
 2825. *Megalonotus lynceus* (Fabricius, 1775) (Lygaeidae)
 2826. *Megapenthes lugens* (Redtenbacher, 1842) (Elateridae)
 2827. *Megapenthes rutilipennis* Candèze, 1859 (Elateridae)
 2828. *Megastigmus almusiensis* Döganlar (Torymidae)
 2829. *Megastigmus dorsalis* (Fabricius) (Torymidae)
 2830. *Megastigmus juniperi* Nikol'skaya (Torymidae)
 2831. *Megastigmus pistaciae* Walker (Torymidae)
 2832. *Megastigmus rosae* Boucek (Torymidae)
 2833. *Megastigmus schimitscheki* Novicky (Torymidae)
 2834. *Megastigmus suspectus* Borries (Torymidae)
 2835. *Megastigmus wachtlit* Seitner (Torymidae)
 2836. *Megatelus contractus* (Klug, 1845) (Scarabaeidae)
 2837. *Megischina adeliae* (Reitter, 1890) (Tenebrionidae)
 2838. *Megischina armillata* (Brullé, 1832) (Tenebrionidae)
 2839. *Megischina bozdaglariensis* Novak, 2006 (Tenebrionidae)
 2840. *Megistopus flavicornis* (Rossi, 1807) (Myrmeleionidae)
 2841. *Megophthalmus scabripennis* Edwards, 1915 (Cicadellidae)
 2842. *Melanaspis inopinata* (Leonardi) (Diaspididae)
 2843. *Melanimon kiritschenkoi* Reichart, 1936 (Tenebrionidae)
 2844. *Melanogryllus desertus* (Pallas, 1771) (Gryllidae)
 2845. *Melanosoma bicolor* (Meigen, 1824) (Conopidae)
 2846. *Melanotus* (s.str.) *aemulus* (Erichson, 1841) (Elateridae)
 2847. *Melanotus* (s.str.) *armeniacus* Schwarz, 1891 (Elateridae)
 2848. *Melanotus* (s.str.) *atricapillus* Reitter, 1891 (Elateridae)
 2849. *Melanotus* (s.str.) *bajulus* (Erichson, 1841) (Elateridae)
 2850. *Melanotus* (s.str.) *brignolii* Guglielmi & Platia, 1985 (Elateridae)
 2851. *Melanotus* (s.str.) *brunnipes* (Germar, 1824) (Elateridae)
 2852. *Melanotus* (s.str.) *castanipes* (Paykull, 1800) (Elateridae)
 2853. *Melanotus* (s.str.) *crassicollis* (Erichson, 1841) (Elateridae)
 2854. *Melanotus* (s.str.) *dichrous* (Erichson, 1841) (Elateridae)
 2855. *Melanotus* (s.str.) *fraseri* Platia & Schimmel, 1993 (Elateridae)
 2856. *Melanotus* (s.str.) *fulvus* Reitter, 1891 (Elateridae)
 2857. *Melanotus* (s.str.) *fusciceps* (Gyllenhal, 1817) (Elateridae)
 2858. *Melanotus* (s.str.) *monticola* (Ménéttriés, 1832) (Elateridae)
 2859. *Melanotus* (s.str.) *mutatus* Harold, 1869 (Elateridae)
 2860. *Melanotus* (s.str.) *osellai* Guglielmi & Platia, 1985 (Elateridae)
 2861. *Melanotus* (s.str.) *punctolineatus* (Pélerin, 1829) (Elateridae)
 2862. *Melanotus* (s.str.) *sobrinus* (Ménéttriés, 1832) (Elateridae)
 2863. *Melanotus* (s.str.) *tenebrosus* (Erichson, 1841) (Elateridae)
 2864. *Melanotus* (s.str.) *turcicus* Platia & Gudenzi, 2002 (Elateridae)
 2865. *Melanotus* (s.str.) *villosus* (Fourcroy, 1785) (Elateridae)
 2866. *Melanotus* (Spheniscosomus) *cuneiformis* (Baudi, 1871) (Elateridae)
 2867. *Meliboeus adlbaueri* Niehuis, 1997 (Buprestidae)
 2868. *Meliboeus amethystinus* (Olivier, 1790) (Buprestidae)
 2869. *Meligethes ater* Brisout, 1868 (Nitidulidae)
 2870. *Meligethes devillei* Grouvelle, 1912 (Nitidulidae)
 2871. *Meligethes holzschuhi* Jelinek & Spornraft, 1979 (Nitidulidae)
 2872. *Meligethes incanus* Sturm, 1845 (Nitidulidae)
 2873. *Meligethes interjectus* Jelinek & Spornraft, 1979 (Nitidulidae)
 2874. *Meligethes maurus* Sturm, 1845 (Nitidulidae)
 2875. *Meligethes tauricus* Jelinek & Spornraft, 1979 (Nitidulidae)
 2876. *Meligethes umbrosus* Sturm, 1845 (Nitidulidae)
 2877. *Meligethes vomer* Kirejtschuk, 1978 (Nitidulidae)
 2878. *Meloe autumnalis* Olivier, 1792 (Meloidae)
 2879. *Meloe bodemeyeri* Ganglbauer, 1900 (Meloidae)
 2880. *Meloe brevicollis* Panzer, 1793 (Meloidae)

2881. *Meloe cavensis* Petagna, 1819 (Meloidae)
 2882. *Meloe cicatricosus* Leach, 1815 (Meloidae)
 2883. *Meloe deflexus* Reitter, 1889 (Meloidae)
 2884. *Meloe erythrocnemus* Pallas, 1782 (Meloidae)
 2885. *Meloe ganglbaueri* Apfelbeck, 1907 (Meloidae)
 2886. *Meloe glasunovi* Pliginski, 1910 (Meloidae)
 2887. *Meloe hungarus* Schrank, 1776 (Meloidae)
 2888. *Meloe mediterraneus* Müller, 1925 (Meloidae)
 2889. *Meloe olivieri* Chevrolat, 1833 (Meloidae)
 2890. *Meloe proscarabaeus* Linnaeus, 1758 (Meloidae)
 2891. *Meloe rufiventris* Germar, 1817 (Meloidae)
 2892. *Meloe rugosus* Marsham, 1802 (Meloidae)
 2893. *Meloe scabriusculus* Brandt & Erichson, 1832 (Meloidae)
 2894. *Meloe tuccicus* Rossi, 1792 (Meloidae)
 2895. *Meloe variegatus* Donovan, 1793 (Meloidae)
 2896. *Meloe violaceus* Marsham, 1802 (Meloidae)
 2897. *Melolontha* (s.str.) *melolontha* Linnaeus, 1758 (Scarabaeidae)
 2898. *Menophilus cylindricus* (Herbst, 1784) (Tenebrionidae)
 2899. *Mercetaspis halli* (Green) (Diaspididae)
 2900. *Mercetaspis sureyanus* (Bodenheimer) (Diaspididae)
 2901. *Merisus splendidus* Walker (Pteromalidae)
 2902. *Mesagallia georgii* Zachvatkin, 1946 (Cicadellidae)
 2903. *Mesomorphus longulus* (Reiche, 1847) (Tenebrionidae)
 2904. *Mesonemurus steineri* Hölzel, 1972 (Myrmeleonidae)
 2905. *Mesopolobus diffinis* (Walker) (Pteromalidae)
 2906. *Mesopolobus graminum* (Hardh) (Pteromalidae)
 2907. *Mesopolobus incultus* (Walker) (Pteromalidae)
 2908. *Mesopolobus laticornis* (Walker) (Pteromalidae)
 2909. *Mesopolobus mediterraneus* (Mayr) (Pteromalidae)
 2910. *Mesopolobus morys* (Walker) (Pteromalidae)
 2911. *Mesopolobus nobilis* (Walker) (Pteromalidae)
 2912. *Mesopolobus sericeus* (Forster) (Pteromalidae)
 2913. *Mesopolobus teliformis* (Walker) (Pteromalidae)
 2914. *Mesoptylus impictifrons* (Horvath, 1911) (Cercopidae)
 2915. *Mesostena puncticollis* Solier, 1835 (Tenebrionidae)
 2916. *Messor semirufus* (André, 1881) (Formicidae)
 2917. *Messor structor* (Latreille, 1798) (Formicidae)
 2918. *Metaclisa azurea* (Waltl, 1838) (Tenebrionidae)
 2919. *Metadenopus ankaranus* (Bodenheimer) (Pseudococcidae)
 2920. *Metalimnobia* (s.str.) *bifasciata* (Schrank, 1781) (Limoniidae)
 2921. *Metalimnobia* (s.str.) *quadrifasciata* (Linnaeus, 1761) (Limoniidae)
 2922. *Metanotalia maderensis* (Walker) (Encyrtidae)
 2923. *Metaphycus asterolecanii* (Mercet) (Encyrtidae)
 2924. *Metaphycus bellae* Trjapitzin (Encyrtidae)
 2925. *Metaphycus dispar* Guerrieri & Noyes (Encyrtidae)
 2926. *Metaphycus despar* (Mercet) (Encyrtidae)
 2927. *Metaphycus flavus* (Howard) (Encyrtidae)
 2928. *Metaphycus garmon* Guerrieri & Noyes (Encyrtidae)
 2929. *Metaphycus gennaroii* Guerrieri & Noyes (Encyrtidae)
 2930. *Metaphycus helvolus* (Compere) (Encyrtidae)
 2931. *Metaphycus ibericus* (Mercet) (Encyrtidae)
 2932. *Metaphycus insidiosus* (Mercet) (Encyrtidae)
 2933. *Metaphycus melanostomatus* (Timberlake) (Encyrtidae)
 2934. *Metaphycus petitus* (Walker) (Encyrtidae)
 2935. *Metaphycus piceus* Hoffer (Encyrtidae)
 2936. *Metaphycus silvestrii* Sugonjaev (Encyrtidae)
 2937. *Metaphycus stagnarum* Hoffer (Encyrtidae)
 2938. *Metrioptera* (Bicolorana) *bicolor* (Philippi, 1830) (Tettigoniidae)
 2939. *Metrioptera* (Bicolorana) *burri* Uvarov, 1921 (Tettigoniidae)
 2940. *Metrioptera* (Broughtonia) *arnoldi* Ramme, 1933 (Tettigoniidae)
 2941. *Metrioptera* (Roeseliana) *bispina* (Bolivar, 1899) (Tettigoniidae)
 2942. *Metrioptera* (Roeseliana) *fedschenkoi* (Saussure, 1874) (Tettigoniidae)
 2943. *Metrioptera* (Roeseliana) *pynovi* Uvarov, 1924 (Tettigoniidae)
 2944. *Metrioptera* (Vichetia) *oblongicollis* (Brunner von Wattenwyl, 1882) (Tettigoniidae)
 2945. *Micantulina* (Mulsantina) *stigmatipennis* (Mulsant & Rey, 1855) (Cicadellidae)
 2946. *Micrimon karabagi* Ramme, 1942 (Tettigoniidae)
 2947. *Microcara caspica* Reitter, 1889 (Scirtidae)
 2948. *Microcara* Thomson, 1859 (Scirtidae)
 2949. *Micrococcopsis elongatus* Borchsenius (Pseudococcidae)
 2950. *Micrococcopsis stipae* Borchsenius (Pseudococcidae)
 2951. *Micrococcus inermis* (Hall) (Pseudococcidae)
 2952. *Micrococcus similis* Leonardi (Micrococcidae)
 2953. *Microdontomerus annulatus* (Spinola) (Torymidae)
 2954. *Microgaster alebion* Nixon, 1968 (Braconidae)
 2955. *Microgaster fischeri* Papp, 1960 (Braconidae)
 2956. *Microgaster fulvicornis* Wesmael, 1837 (Braconidae)
 2957. *Microgaster opheltes* Nixon, 1968 (Braconidae)
 2958. *Microgaster subcomplexa* Nees, 1834 (Braconidae)
 2959. *Microhippus turcicus* Ramme, 1939 (Acrididae)
 2960. *Microhoria terminata* (Schmidt, 1842) (Anthicidae)
 2961. *Microlarinus lareynii* (Jacquelin du Val, 1852) (Curculionidae)
 2962. *Microlycus erdoesi* Boucek (Eulophidae)
 2963. *Micropodisma koenigi* (Burr, 1913) (Acrididae)
 2964. *Microptilis cebes* Nixon, 1970 (Braconidae)
 2965. *Microptilis deces* Tobias, 1964 (Braconidae)
 2966. *Microptilis decipiens* Prell, 1925 (Braconidae)
 2967. *Microptilis deprimator* (Fabricius, 1798) (Braconidae)
 2968. *Microptilis docilis* (Telenga, 1964) (Braconidae)
 2969. *Microptilis flavipalpis* Brullé, 1832 (Braconidae)
 2970. *Microptilis fordii* Nixon, 1970 (Braconidae)
 2971. *Microptilis heterocera* Ruthe, 1860 (Braconidae)
 2972. *Microptilis idia* Nixon, 1970 (Braconidae)
 2973. *Microptilis mandibularis* Thomson, 1895 (Braconidae)
 2974. *Microptilis marshallii* Kokujev, 1897 (Braconidae)
 2975. *Microptilis mediator* (Haliday, 1834) (Braconidae)
 2976. *Microptilis naenia* Nixon, 1970 (Braconidae)
 2977. *Microptilis scrophulariae* Szepligeti, 1898 (Braconidae)
 2978. *Microptilis sofron* Nixon, 1970 (Braconidae)
 2979. *Microptilis spinolae* Nees, 1834 (Braconidae)
 2980. *Microptilis strenua* Reinhard, 1880 (Braconidae)
 2981. *Microptilis tristis* (Nees, 1834) (Braconidae)
 2982. *Microptilis tuberculifer* (Wesmael, 1837) (Braconidae)
 2983. *Microptilis varipes* Ruthe, 1860 (Braconidae)
 2984. *Microptilis vidua* (Ruthe, 1860) (Braconidae)
 2985. *Micrositus opacus* Reitter, 1904 (Tenebrionidae)
 2986. *Microterys bellae* Trjapitzin (Encyrtidae)
 2987. *Microterys cneus* Trjapitzin & Sugonjaev (Encyrtidae)
 2988. *Microterys darevskii* Trjapitzin (Encyrtidae)
 2989. *Microterys hortulanus* Erdős (Encyrtidae)
 2990. *Microterys lunatus* (Dalman) (Encyrtidae)
 2991. *Microterys masii* Silvestri (Encyrtidae)
 2992. *Microterys nietneri* (Motschulsky) (Encyrtidae)
 2993. *Microterys tricoloricornis* (De Stefani) (Encyrtidae)
 2994. *Mikiola fagi* (Hartig, 1839) (Cecidomyiidae)
 2995. *Mikiola orientalis* Kieffer, 1908 (Cecidomyiidae)
 2996. *Mikomya coryli* (Kieffer, 1901) (Cecidomyiidae)
 2997. *Mioscirtus wagneri* (Kittary, 1849) (Acrididae)
 2998. *Miscogaster elegans* Walker (Pteromalidae)
 2999. *Miscogaster hortensis* Walker (Pteromalidae)
 3000. *Miscogaster rufipes* Walker (Pteromalidae)
 3001. *Mistshenkotetrix brachyptera* (Lucas, 1849) (Tetrigidae)
 3002. *Mocuellus dlabolai* Kalkandelen, 1972 (Cicadellidae)
 3003. *Mocuellus foxi* Kalkandelen, 1972 (Cicadellidae)
 3004. *Mocuellus quadricornis* Dlabola, 1949 (Cicadellidae)
 3005. *Mocydia aegae* Abdul-Nour, 1988 (Cicadellidae)
 3006. *Mocydiopsis monticola* Remane, 1961 (Cicadellidae)
 3007. *Mocydiopsis parvicauda* Ribaut, 1939 (Cicadellidae)
 3008. *Modicogryllus* (Eumodicogryllus) *bordigalensis* (Latreille, 1804) (Gryllidae)
 3009. *Modicogryllus* (Modicogryllus) *algerius* (Saussure, 1877) (Gryllidae)
 3010. *Modicogryllus* (Modicogryllus) *frontalis* (Fieber, 1845) (Gryllidae)
 3011. *Modicogryllus* (Modicogryllus) *truncatus* (Tarbinski, 1940) (Gryllidae)
 3012. *Modicogryllus* (Promodicogryllus) *bucharicus* (Beibienko, 1933) (Gryllidae)
 3013. *Mogangella straminea* Dlabola, 1957 (Cicadellidae)
 3014. *Mogoplistes brunneus* Audinet-Serville, 1839 (Mogoplistidae)
 3015. *Mohelnaspis massilliensis* (Goux) (Diaspididae)
 3016. *Molophilus* (s.str.) *aduncus* Stary, 1978 (Limoniidae)
 3017. *Molophilus* (s.str.) *griseus* (Meigen, 1804) (Limoniidae)
 3018. *Molophilus* (s.str.) *obscurus* (Meigen, 1818) (Limoniidae)
 3019. *Molophilus* (s.str.) *ochraceus* (Meigen, 1818) (Limoniidae)
 3020. *Molophilus* (s.str.) *pleuralis* De Meijere, 1920 (Limoniidae)
 3021. *Molophilus* (s.str.) *propinquus* (Egger, 1863) (Limoniidae)
 3022. *Monarthropalpus flavus* (Schrank, 1776) (Cecidomyiidae)
 3023. *Monodiscodes dimorphus* (Mercet) (Encyrtidae)
 3024. *Monodontomerus aereus* Walker (Torymidae)
 3025. *Monodontomerus obscurus* Westwood (Torymidae)
 3026. *Monomorium dentigerum* (Roger, 1862) (Formicidae)
 3027. *Monomorium kusnezowi* Santschi, 1928 (Formicidae)
 3028. *Monomorium minutum* Mayr, 1855 (Formicidae)
 3029. *Monorthochaeta adanaensis* Doğanlar, 2002 (Trichogrammatidae)
 3030. *Monorthochaeta galatica* Nowicki (Trichogrammatidae)
 3031. *Monosteira lobulifera* Rt., 1888 (Tingidae)
 3032. *Mormia revisenda* (Eaton, 1896) (Psychodidae)
 3033. *Morphacris fasciata* (Thunberg, 1915) (Acrididae)
 3034. *Muirodelphax aubei* (Perris, 1857) (Delphacidae)
 3035. *Mulsanteus guillebeaudi* (Mulsant & Godart, 1853) (Elateridae)
 3036. *Mulsanteus manuae* Platia & Gudenzi, 1998 (Elateridae)
 3037. *Mulsanteus schaumii* (Candeze, 1881) (Elateridae)
 3038. *Musca calleva* Walker, 1849 (Muscidae)
 3039. *Musca domestica* Linnaeus, 1758 (Muscidae)

3040. *Musca sorbens* Wiedemann, 1830 (*Muscidae*)
 3041. *Muzimes bitlisensis* (Kaszab, 1958) (*Meloidae*)
 3042. *Muzimes collaris* (Fabricius, 1787) (*Meloidae*)
 3043. *Muzimes dersimensis* (Kaszab, 1968) (*Meloidae*)
 3044. *Muzimes erivanicus* (Maran, 1941) (*Meloidae*)
 3045. *Muzimes obenbergeri* (Kaszab, 1958) (*Meloidae*)
 3046. *Muzimes semiobscurus* (Pic, 1898) (*Meloidae*)
 3047. *Muzimes strebai* (Maran, 1940) (*Meloidae*)
 3048. *Muzimes tauricus* (Maran, 1940) (*Meloidae*)
 3049. *Mycterodus* (*Comporodus*) *spenicordatus* Dlabola, 1983 (*Issidae*)
 3050. *Mycterodus* (*Comporodus*) *tekneticus* (Dlabola, 1982) (*Issidae*)
 3051. *Mycterodus* (s.str.) *bicornutus* Dlabola, 1986 (*Issidae*)
 3052. *Mycterodus* (s.str.) *confusus* Stal, 1861 (*Issidae*)
 3053. *Mycterodus* (s.str.) *immaculatus* (Fabricius, 1794) (*Issidae*)
 3054. *Mycterodus* (s.str.) *intricatus* Stal, 1861 (*Issidae*)
 3055. *Mycterodus* (s.str.) *lodosicus* Dlabola, 1980 (*Issidae*)
 3056. *Mycterodus* (s.str.) *muticus* Dlabola, 1986 (*Issidae*)
 3057. *Mycterodus* (s.str.) *osmanicus* Dlabola, 1971 (*Issidae*)
 3058. *Mycterodus* (s.str.) *pozanticus* Kartal, 1983 (*Issidae*)
 3059. *Mycterodus* (s.str.) *rostratulus* Emeljanov, 1964 (*Issidae*)
 3060. *Mylabris apicenigra* Sumacov, 1924 (*Meloidae*)
 3061. *Mylabris bimaculata* Klug, 1845 (*Meloidae*)
 3062. *Mylabris calida* (Pallas, 1784) (*Meloidae*)
 3063. *Mylabris ciliciensis* Escherich, 1899 (*Meloidae*)
 3064. *Mylabris cincta* Olivier, 1811 (*Meloidae*)
 3065. *Mylabris cingulata* Faldermann, 1837 (*Meloidae*)
 3066. *Mylabris concolor* Marseul, 1870 (*Meloidae*)
 3067. *Mylabris crocata* (Pallas, 1781) (*Meloidae*)
 3068. *Mylabris decempunctata* Fabricius, 1781 (*Meloidae*)
 3069. *Mylabris decore* Frivaldsky, 1835 (*Meloidae*)
 3070. *Mylabris emiliae* (Escherich, 1899) (*Meloidae*)
 3071. *Mylabris externepunctata* Faldermann, 1832 (*Meloidae*)
 3072. *Mylabris fabricii* Sumakov, 1924 (*Meloidae*)
 3073. *Mylabris festiva* (Pallas, 1773) (*Meloidae*)
 3074. *Mylabris flavipennis* Motschulsky, 1872 (*Meloidae*)
 3075. *Mylabris formosa* Welman, 1910 (*Meloidae*)
 3076. *Mylabris furcimakula* Sumakov, 1915 (*Meloidae*)
 3077. *Mylabris fusca* (Olivier, 1811) (*Meloidae*)
 3078. *Mylabris geminata* Fabricius, 1798 (*Meloidae*)
 3079. *Mylabris humerosa* (Escherich, 1899) (*Meloidae*)
 3080. *Mylabris laevicollis* Marseul, 1870 (*Meloidae*)
 3081. *Mylabris ledereri* Marseul, 1870 (*Meloidae*)
 3082. *Mylabris munda* Escherich, 1897 (*Meloidae*)
 3083. *Mylabris olivieri* Billberg, 1813 (*Meloidae*)
 3084. *Mylabris petheri* Ganglbauer, 1905 (*Meloidae*)
 3085. *Mylabris polymorphus* (Pallas, 1771) (*Meloidae*)
 3086. *Mylabris pusilla* Olivier, 1811 (*Meloidae*)
 3087. *Mylabris quadripunctata* (Linnaeus, 1767) (*Meloidae*)
 3088. *Mylabris serana* (Escherich, 1897) (*Meloidae*)
 3089. *Mylabris sericea* Pallas, 1782 (*Meloidae*)
 3090. *Mylabris sinuata* Klug, 1845 (*Meloidae*)
 3091. *Mylabris steppensis* Dokhtouroff, 1889 (*Meloidae*)
 3092. *Mylabris suturalis* Pic, 1898 (*Meloidae*)
 3093. *Mylabris syriaca* Klug, 1845 (*Meloidae*)
 3094. *Mylabris variabilis* (Pallas, 1782) (*Meloidae*)
 3095. *Mylabris zebraea* (Marseul, 1870) (*Meloidae*)
 3096. *Myndus musivus* (Germar, 1825) (*Cixiidae*)
 3097. *Myopa buccata* (Linnaeus, 1758) (*Conopidae*)
 3098. *Myopa dorsalis* Fabricius, 1794 (*Conopidae*)
 3099. *Myopa occulta* Wiedemann, 1824 (*Conopidae*)
 3100. *Myopa pallida* Kröber, 1916 (*Conopidae*)
 3101. *Myopa picta* Panzer, 1798 (*Conopidae*)
 3102. *Myopa variegata* Meigen, 1804 (*Conopidae*)
 3103. *Myopotta rubripes* (Villeneuve, 1909) (*Conopidae*)
 3104. *Myriocheile* (*Monelica*) *orientalis* (Dejean, 1825) (*Carabidae*)
 3105. *Myriocheile* (s.str.) *melancholica* (Fabricius, 1798) (*Carabidae*)
 3106. *Myrmecaelurus acerbus* (Walker, 1853) (*Myrmeleontidae*)
 3107. *Myrmecaelurus maior* McLachan, 1875 (*Myrmeleontidae*)
 3108. *Myrmecaelurus major* McLachlan, 1875 (*Myrmeleontidae*)
 3109. *Myrmecaelurus trigrammus* (Pallas, 1781) (*Myrmeleontidae*)
 3110. *Myrmecaelurus trigrammus* (Pallas, 1781) (*Myrmeleontidae*)
 3111. *Myrmecophilus* (s.str.) *acervorum* (Panzer, 1799) (*Myrmecophilidae*)
 3112. *Myrmecophilus* (s.str.) *ochraceus* Fischer von Waldheim, 1853 (*Myrmecophilidae*)
 3113. *Myrmecophilus* (s.str.) *termitophilus* Maran, 1959 (*Myrmecophilidae*)
 3114. *Myrmeleon* (Mortier) *inconspicuus* (Rambur, 1842) (*Myrmeleontidae*)
 3115. *Myrmeleon* (s.str.) *formicarius* Linnaeus, 1767 (*Myrmeleontidae*)
 3116. *Myrmeleon* (s.str.) *noacki* Ohm, 1965 (*Myrmeleontidae*)
 3117. *Myrmeleon* (s.str.) *noacki* Ohm, 1965 (*Myrmeleontidae*)
 3118. *Myrmeleotettix maculatus* (Thunberg, 1815) (*Acrididae*)
 3119. *Myrmica bergi* Ruzsky, 1902 (*Formicidae*)
 3120. *Myrmica lobicornis* Nylander, 1846 (*Formicidae*)
 3121. *Myrmica ruginodis* Nylander, 1846 (*Formicidae*)
 3122. *Myrmica scabrinodis* Nylander, 1846 (*Formicidae*)
 3123. *Myrmica sulcinodis* Nylander, 1846 (*Formicidae*)
 3124. *Myrmilla* (*Eurygnathilla*) *emiliae* (Dalla Torre, 1897) (*Mutillidae*)
 3125. *Myrmilla* (s.str.) *calva* (Villers, 1789) (*Mutillidae*)
 3126. *Myrmilla* (s.str.) *corniculata* (Sichel & Radoszowski, 1869) (*Mutillidae*)
 3127. *Myrmosa atra* Panzer, 1801 (*Mutillidae*)
 3128. *Nabis palifer* Seidenstücker, 1954 (*Nabidae*)
 3129. *Nabis punctatus* Costa, 1847 (*Nabidae*)
 3130. *Nacerdes* (s.str.) *melanura* (Linnaeus, 1758) (*Oedemeridae*)
 3131. *Nacerdes* (*Xanthochroa*) *carniolica* (Gistel, 1832) (*Oedemeridae*)
 3132. *Nacerdes* (*Xanthochroa*) *raymondi* (Mulsant & Godart, 1860) (*Oedemeridae*)
 3133. *Nala lividipes* (Dufour, 1828) (*Labiduridae*)
 3134. *Nalassus dryadophilus* (Mustant, 1854) (*Tenebrionidae*)
 3135. *Nalassus plebejus* (Küster, 1850) (*Tenebrionidae*)
 3136. *Nasonia vitripennis* (Walker) (*Pteromalidae*)
 3137. *Neatus subaequalis* Reitter, 1920 (*Tenebrionidae*)
 3138. *Nebrioporus airumulus* (Kolenati, 1845) (*Dytiscidae*)
 3139. *Nebrioporus suavis* (Sharp, 1882) (*Dytiscidae*)
 3140. *Nebrioporus turca* (Seidlitz, 1887) (*Dytiscidae*)
 3141. *Necremnus artynes* (Walker) (*Eulophidae*)
 3142. *Necremnus croton* (Walker) (*Eulophidae*)
 3143. *Necremnus leucarthros* (Nees) (*Eulophidae*)
 3144. *Necremnus tidius* (Walker) (*Eulophidae*)
 3145. *Nedroledon anatolicus* Navas, 1914 (*Myrmeleontidae*)
 3146. *Negastrius sabulicola* (Boheman, 1851) (*Elateridae*)
 3147. *Nemognatha chrysomelina* (Fabricius, 1775) (*Meloidae*)
 3148. *Nemolecanium aptii* (Bodenheimer) (*Coccidae*)
 3149. *Nemoptera sinuata* Olivier, 1811 (*Nemopteridae*)
 3150. *Nemorius caucasicus* Olsufjev, 1971 (*Tabanidae*)
 3151. *Nemorius irritans* (Ricardo, 1901) (*Tabanidae*)
 3152. *Nemorius vitripennis* (Meigen, 1820) (*Tabanidae*)
 3153. *Nemotelus* (s.str.) *argenteifer* Loew, 1846 (*Stratiomyidae*)
 3154. *Nemotelus* (s.str.) *armenicus* Pleske, 1937 (*Stratiomyidae*)
 3155. *Nemotelus* (s.str.) *bipunctatus* Loew, 1846 (*Stratiomyidae*)
 3156. *Nemotelus* (s.str.) *brachystomus* Loew, 1846 (*Stratiomyidae*)
 3157. *Nemotelus* (s.str.) *curdistanus* Szilady, 1941 (*Stratiomyidae*)
 3158. *Nemotelus* (s.str.) *mersinae* Becker, 1915 (*Stratiomyidae*)
 3159. *Nemotelus* (s.str.) *obscuripes* Loew, 1871 (*Stratiomyidae*)
 3160. *Nemotelus* (s.str.) *pantherinus* (Linnaeus, 1758) (*Stratiomyidae*)
 3161. *Nemoura brevipennis* Martynov, 1928 (*Nemouridae*)
 3162. *Nemoura cinerea* (Retzius, 1783) (*Nemouridae*)
 3163. *Nemoura flexuosa* Aubert, 1949 (*Nemouridae*)
 3164. *Nemoura martynovia* Claassen, 1936 (*Nemouridae*)
 3165. *Nemoura subtilis* Klapalek, 1895 (*Nemouridae*)
 3166. *Nemoura taurica* Zhiltzova, 1967 (*Nemouridae*)
 3167. *Neoliturus dubiosus* (Matsumura, 1908) (*Cicadellidae*)
 3168. *Neoliturus fenestratus* (Herrich-Schäffer, 1834) (*Cicadellidae*)
 3169. *Neoliturus guttulatus* (Kirschbaum, 1868) (*Cicadellidae*)
 3170. *Neoliturus pulcher* (Haupt, 1927) (*Cicadellidae*)
 3171. *Neoliturus transversalis* (Puton, 1881) (*Cicadellidae*)
 3172. *Neobrachyglossum punctatum* Kröber, 1915 (*Conopidae*)
 3173. *Neochalcis fertoni* (Kieffer) (*Chalcididae*)
 3174. *Neochalcis hippotoides* (Masi) (*Chalcididae*)
 3175. *Neoitamus senectus* Richter, 1963 (*Asilidae*)
 3176. *Neomargarodes festucae* Archangelskaya (*Margarodidae*)
 3177. *Neomochtherus albicans* (Loew, 1849) (*Asilidae*)
 3178. *Neomochtherus auratus* Janssens, 1968 (*Asilidae*)
 3179. *Neomochtherus leclerqi* Janssens, 1968 (*Asilidae*)
 3180. *Neophilaenus albipennis* (Fabricius, 1798) (*Cercopidae*)
 3181. *Neophilaenus campestris* (Fallén, 1805) (*Cercopidae*)
 3182. *Neophilaenus lineatus* (Linnaeus, 1758) (*Cercopidae*)
 3183. *Neophilaenus minor* (Kirschbaum, 1868) (*Cercopidae*)
 3184. *Neopristilpophus insitivus* (Germar, 1824) (*Elateridae*)
 3185. *Neotournieria szypulai* Bialooki, 2006 (*Curculionidae*)
 3186. *Neotrichoporoides beyarslani* Doganlar (*Eulophidae*)
 3187. *Neotrichoporoides biogradensis* Graham (*Eulophidae*)
 3188. *Neotrichoporoides cavigena* Graham (*Eulophidae*)
 3189. *Neotrichoporoides cynodontis* (Domenichini) (*Eulophidae*)
 3190. *Neotrichoporoides mediterraneus* Graham (*Eulophidae*)
 3191. *Neotrichoporoides szelenyii* (Erdős) (*Eulophidae*)
 3192. *Neotrichoporoides tokatensis* Doganlar (*Eulophidae*)
 3193. *Neotrichoporoides viridimaculatus* (Fullaway) (*Eulophidae*)
 3194. *Neotrionymus monstus* Borkhsenius (*Pseudococcidae*)
 3195. *Nephrotoma aculeata* (Loew, 1871) (*Tipulidae*)
 3196. *Nephrotoma analis* (Schummel, 1833) (*Tipulidae*)
 3197. *Nephrotoma appendiculata* (Pierre, 1919) (*Tipulidae*)

3198. *Nephrotoma beckeri* (Mannheims, 1951) (Tipulidae)
 3199. *Nephrotoma cornicina* (Linnaeus, 1758) (Tipulidae)
 3200. *Nephrotoma croceiventris* (Strobl, 1909) (Tipulidae)
 3201. *Nephrotoma guesstfalica* (Westhoff, 1879) (Tipulidae)
 3202. *Nephrotoma minuscula* (Mannheims, 1951) (Tipulidae)
 3203. *Nephrotoma nasuta* Oosterbroek, 1975 (Tipulidae)
 3204. *Nephrotoma nox* (Riedel, 1910) (Tipulidae)
 3205. *Nephrotoma pratensis* (Linnaeus, 1758) (Tipulidae)
 3206. *Nephrotoma quadrifaria* (Meigen, 1804) (Tipulidae)
 3207. *Nephrotoma scalaris* (Meigen, 1818) (Tipulidae)
 3208. *Nephrotoma scalaris scalaris* (Meigen, 1818) (Tipulidae)
 3209. *Nephrotoma theowaldi* Oosterbroek, 1978 (Tipulidae)
 3210. *Nesoclutha erythrocephala* (Ferrari, 1882) (Cicadellidae)
 3211. *Neuroleon assimilis* (Navas, 1914) (Myrmeleontidae)
 3212. *Neuroleon egenus* (Navas, 1914) (Myrmeleontidae)
 3213. *Neuroleon occultus* (Navas, 1914) (Myrmeleontidae)
 3214. *Nicticoris wagneri* Hoberlandt, 1961 (Miridae)
 3215. *Nidularia balachowskii* Bodenheimer (Kermesidae)
 3216. *Nidularia pulvinata* (Planchon) (Kermesidae)
 3217. *Nigrotipula nigra* (Linnaeus, 1758) (Tipulidae)
 3218. *Nipaeococcus filamentosus* (Cockerell) (Pseudococcidae)
 3219. *Nipaeococcus nipae* (Maskell) (Pseudococcidae)
 3220. *Nisia nervosa* (Motschulsky, 1863) (Meenoplidae)
 3221. *Nocaracris cyanipes* (Fischer von Waldheim, 1846) (Pamphagidae)
 3222. *Nocaracris tecticollis* Ramme, 1951 (Pamphagidae)
 3223. *Nocarodes aserbus* Mistshenko, 1951 (Pamphagidae)
 3224. *Nocarodes bicoloripes* Uvarov, 1949 (Pamphagidae)
 3225. *Nohoveus atrifrons* Hölzel, 1970 (Myrmeleontidae)
 3226. *Nohoveus atrifrons* Hölzel, 1970 (Myrmeleontidae)
 3227. *Norbanus calabrus* (Masi) (Pteromalidae)
 3228. *Norbanus cerasiops* (Masi) (Pteromalidae)
 3229. *Norbanus obscurus* (Masi) (Pteromalidae)
 3230. *Noterus clavicornis* (De Geer, 1774) (Noteridae)
 3231. *Noterus clavicornis* (De Geer, 1774) (Noteridae)
 3232. *Noterus crassicornis* (O.F. Müller, 1776) (Noteridae)
 3233. *Nothodes parvulus* (Panzer, 1799) (Elateridae)
 3234. *Notoxus angustulus* Kreckich & Strassoldo, 1919 (Anthicidae)
 3235. *Novadrymadusa karabagi* Demirsoy, Salman & Sevgili, 2002 (Tettigoniidae)
 3236. *Nycteribia* (Acrocholidia) *vexata* Westwood, 1835 (Nycteribiidae)
 3237. *Nycteribia* (s.str.) *kolenatii* Theodor & Moscona, 1954 (Nycteribiidae)
 3238. *Nycteribia* (s.str.) *latreillii* (Leach, 1817) (Nycteribiidae)
 3239. *Nycteribia* (s.str.) *pedicularia* Latreille, 1805 (Nycteribiidae)
 3240. *Nycteribia* (s.str.) *schmidlii* Schiner, 1853 (Nycteribiidae)
 3241. *Nymphorgerius curticeps* (Linnavuori, 1965) (Dictyopharidae)
 3242. *Nysius cymoides* (Spinola, 1834) (Lygaeidae)
 3243. *Nysius ericae* (Schilling, 1829) (Lygaeidae)
 3244. *Oceanaspidiotus spinosus* (Comstock) (Diaspididae)
 3245. *Ochrilidia acuta* (Bolivar, 1905) (Acrididae)
 3246. *Ochrilidia obtusa* (Salfi, 1931) (Acrididae)
 3247. *Ochrilidia pruinosa* Brunner von Wattenwyl, 1882 (Acrididae)
 3248. *Ochrilidia tibialis* (Fieber, 1853) (Acrididae)
 3249. *Odeles armilabris* (Nyholm, 1974) (Scirtidae)
 3250. *Odinadiplosis amygdali* (Anagnostopoulos, 1929) (Cecidomyiidae)
 3251. *Odontomyia angulata* (Panzer, [1798]) (Stratiomyidae)
 3252. *Odontomyia cephalonica* Strobl, 1898 (Stratiomyidae)
 3253. *Odontomyia discolor* Loew, 1846 (Stratiomyidae)
 3254. *Odontomyia flavissima* (Rossi, 1790) (Stratiomyidae)
 3255. *Odontomyia hyllosoma* (Linnaeus, 1758) (Stratiomyidae)
 3256. *Odontomyia ornata* (Meigen, 1822) (Stratiomyidae)
 3257. *Odontotarsus plicatulus* Hovarth, 1906 (Scutellaridae)
 3258. *Oecanthus pellucens* (Scopoli, 1763) (Gryllidae)
 3259. *Oecanthus pellucens* (Scopoli, 1763) (Gryllidae)
 3260. *Oedaleus decorus* (Germar, 1826) (Acrididae)
 3261. *Oedemera* (Oncomera) *femoralis* (Fabricius, 1792) (Oedemeridae)
 3262. *Oedemera* (Oncomera) *flavicans* (Fairmaire, 1860) (Oedemeridae)
 3263. *Oedemera* (Oncomera) *natolica* (Reiche, 1862) (Oedemeridae)
 3264. *Oedemera* (s.str.) *artvinensis* Svihla, 1999 (Oedemeridae)
 3265. *Oedemera* (s.str.) *atrata* W. Schmidt, 1846 (Oedemeridae)
 3266. *Oedemera* (s.str.) *barbara* (Fabricius, 1792) (Oedemeridae)
 3267. *Oedemera* (s.str.) *brevipennis* Ganglbauer, 1881 (Oedemeridae)
 3268. *Oedemera* (s.str.) *crassipes* Ganglbauer, 1881 (Oedemeridae)
 3269. *Oedemera* (s.str.) *femorata* (Scopoli, 1763) (Oedemeridae)
 3270. *Oedemera* (s.str.) *flavipennis* W. Schmidt, 1846 (Oedemeridae)
 3271. *Oedemera* (s.str.) *flavipes* (Fabricius, 1792) (Oedemeridae)
 3272. *Oedemera* (s.str.) *lurida* (Marshall, 1802) (Oedemeridae)
 3273. *Oedemera* (s.str.) *merkli* Seidlitz, 1899 (Oedemeridae)
 3274. *Oedemera* (s.str.) *penicillata* W. Schmidt, 1846 (Oedemeridae)
 3275. *Oedemera* (s.str.) *podagrariae* (Linnaeus, 1767) (Oedemeridae)
 3276. *Oedemera* (s.str.) *pthysica* (Scopoli, 1763) (Oedemeridae)
 3277. *Oedemera* (s.str.) *rufomemorata* Germar, 1824 (Oedemeridae)
 3278. *Oedemera* (s.str.) *subrobusta* (Nakane, 1954) (Oedemeridae)
 3279. *Oedemera* (s.str.) *vilis* Roubal, 1917 (Oedemeridae)
 3280. *Oedemera* (s.str.) *virescens* (Linnaeus, 1767) (Oedemeridae)
 3281. *Oedipoda aurea* Uvarov, 1923 (Acrididae)
 3282. *Oedipoda caerulea* (Linnaeus, 1758) (Acrididae)
 3283. *Oedipoda germanica* (Latreille, 1804) (Acrididae)
 3284. *Oedipoda miniata* (Pallas, 1771) (Acrididae)
 3285. *Oedipoda schochi* Saussure, 1884 (Acrididae)
 3286. *Oenasa afer* (Linnaeus, 1767) (Meloidae)
 3287. *Oenasa armeniacus* Kaszab, 1951 (Meloidae)
 3288. *Oenasa crassicornis* (Illiger, 1800) (Meloidae)
 3289. *Oenasa tarsensis* Abeille de Perrin, 1880 (Meloidae)
 3290. *Oenasa tenuicornis* Abeille de Perrin, 1880 (Meloidae)
 3291. *Oliarus cuspidatus* Fieber, 1876 (Cixiidae)
 3292. *Oliarus pallens* (Germar, 1821) (Cixiidae)
 3293. *Oliarus roridus* Fieber, 1876 (Cixiidae)
 3294. *Oligodranes fumipennis* Loew, 1844 (Bombyliidae)
 3295. *Oligodranes obscuripennis* Loew, 1844 (Bombyliidae)
 3296. *Oligopogon anatolicus* Geller-Grimm & Hradski, 2003 (Asilidae)
 3297. *Oligopogon londti* Geller-Grimm & Hradski, 2003 (Asilidae)
 3298. *Oligopogon rufus* Geller-Grimm & Hradski, 2003 (Asilidae)
 3299. *Oligosita collina* Walker (Trichogrammatidae)
 3300. *Oligosita foersteri* Girault (Trichogrammatidae)
 3301. *Oligosita pallida* Kryger (Trichogrammatidae)
 3302. *Oligotrophus juniperinus* (Linnaeus, 1758) (Cecidomyiidae)
 3303. *Oligotrophus panteli* Kieffer, 1898 (Cecidomyiidae)
 3304. *Ommatidiotus iranici* Horvath, 1905 (Calicelidae)
 3305. *Ommatidiotus longiceps* Puton, 1896 (Calicelidae)
 3306. *Ommatius stackelbergi* (Richter, 1960) (Asilidae)
 3307. *Omocestus* (Dirshius) *haemorrhoidalis* (Charpentier, 1825) (Acrididae)
 3308. *Omocestus* (Dirshius) *minutus* (Brullé, 1832) (Acrididae)
 3309. *Omocestus* (Dirshius) *petraeus* (Brissot, 1855) (Acrididae)
 3310. *Omocestus* (s.str.) *nanus* Uvarov, 1934 (Acrididae)
 3311. *Omocestus* (s.str.) *rufipes* (Zetterstedt, 1821) (Acrididae)
 3312. *Omocestus* (s.str.) *ventralis* (Zetterstedt, 1821) (Acrididae)
 3313. *Omocestus* (s.str.) *viridulus* (Linnaeus, 1758) (Acrididae)
 3314. *Omophlus* (Odontomophlus) *lepturoides* (Fabricius, 1787) (Tenebrionidae)
 3315. *Omophlus* (Odontomophlus) *syriacus* Mulsant, 1856 (Tenebrionidae)
 3316. *Omophlus* (s.str.) *caucasicus* Kirsch, 1869 (Tenebrionidae)
 3317. *Omophlus* (s.str.) *turcicus* Kirsch, 1869 (Tenebrionidae)
 3318. *Oncopsis flavicollis* (Linnaeus, 1761) (Cicadellidae)
 3319. *Oncopsis tristis* (Zetterstedt, 1840) (Cicadellidae)
 3320. *Oncotylus setulosus* (Herrich-Schäffer, 1837) (Miridae)
 3321. *Oncotylus viridiflavus* (Miridae)
 3322. *Onitis alexis* Klug, 1835 (Scarabaeidae)
 3323. *Onitis damoetas* Steven, 1806 (Scarabaeidae)
 3324. *Onitis humerosus* (Pallas, 1771) (Scarabaeidae)
 3325. *Onychogomphus assimilis* (Schneider, 1845) (Gomphidae)
 3326. *Onychogomphus flexuosus* (Schneider, 1845) (Gomphidae)
 3327. *Onychogomphus forcipatus* (Linnaeus, 1758) (Gomphidae)
 3328. *Onychogomphus lefebvrei* (Rambur, 1842) (Gomphidae)
 3329. *Onychogomphus macrodon* (Selys, 1887) (Gomphidae)
 3330. *Oochrotus glaber* Demaison, 1904 (Tenebrionidae)
 3331. *Ooencyrtus fecundus* Ferrière & Voegelé (Encyrtidae)
 3332. *Ooencyrtus kuvanae* (Howard) (Encyrtidae)
 3333. *Ooencyrtus masii* (Mercet) (Encyrtidae)
 3334. *Ooencyrtus pityocampae* (Mercet) (Encyrtidae)
 3335. *Ooencyrtus tardus* (Ratzeburg) (Encyrtidae)
 3336. *Ooencyrtus telenomicida* (Vassiliev) (Encyrtidae)
 3337. *Oomyzus scaposus* (Thomson) (Eulophidae)
 3338. *Oomyzus sempronius* (Erdős) (Eulophidae)
 3339. *Opatroides curtulus* Fairmaire, 1892 (Tenebrionidae)
 3340. *Opatroides punctulatus* Brullé, 1832 (Tenebrionidae)
 3341. *Opatrum alternatum* Küster, 1849 (Tenebrionidae)
 3342. *Opatrum geminatum* Brullé, 1832 (Tenebrionidae)
 3343. *Opatrum obesum* Olivier, 1811 (Tenebrionidae)
 3344. *Opatrum sabulosum* (Linnaeus, 1761) (Tenebrionidae)
 3345. *Opatrum verrucosum* Germar, 1817 (Tenebrionidae)
 3346. *Ophiogomphus cecilia* (Fourcroy, 1785) (Gomphidae)
 3347. *Opilo taeniatus* (Klug, 1842) (Cleridae)
 3348. *Opodontha viridula* (Fabricius, 1775) (Stratiomyidae)
 3349. *Opsimea ventralis* Miller, 1880 (Oedemeridae)
 3350. *Opsius cypriacus* Lindberg, 1958 (Cicadellidae)

3351. *Opsius jucundus* (Lethierry, 1871) (Cicadellidae)
 3352. *Opsius lethierryi* Wagner, 1942 (Cicadellidae)
 3353. *Opsius smaragdinus* Emeljanov, 1964 (Cicadellidae)
 3354. *Opsius stactogalus* Fieber, 1866 (Cicadellidae)
 3355. *Orchamus davisii* (Uvarov, 1949) (Pamphagidae)
 3356. *Orchamus yersini* (Brunner von Wattenwyl, 1882) (Pamphagidae)
 3357. *Orectochilus villosus* (Müller, 1776) (Gyrinidae)
 3358. *Orellia falcata* (Scopoli, 1763) (Tephritidae)
 3359. *Orellia sticta* (Gmelin, 1790) (Tephritidae)
 3360. *Oreodytes davisii* (Curtis, 1831) (Dytiscidae)
 3361. *Oreodytes septentrionalis* (Gyllenhal, 1826) (Dytiscidae)
 3362. *Oreodytes septentrionalis* (Gyllenhal, 1826) (Dytiscidae)
 3363. *Ormosia* (s.str.) *hederae* (Curtis, 1835) (Limoniidae)
 3364. *Ormyrus ardahanensis* (Doganlar) (Ormyridae)
 3365. *Ormyrus bingoeliensis* Doganlar (Ormyridae)
 3366. *Ormyrus diffinis* (Fonscolombe) (Ormyridae)
 3367. *Ormyrus gratus* (Förster) (Ormyridae)
 3368. *Ormyrus kazovaensis* (Doganlar) (Ormyridae)
 3369. *Ormyrus nitidulus* (Fabricius) (Ormyridae)
 3370. *Ormyrus orientalis* Walker (Ormyridae)
 3371. *Ormyrus tshami* (Doganlar) (Ormyridae)
 3372. *Ormyrus wachtl* Mayr (Ormyridae)
 3373. *Ormyrus yeschilirmaka* (Doganlar) (Ormyridae)
 3374. *Oronothotes furvus* Mistshenko, 1951 (Pamphagidae)
 3375. *Orosius orientalis* (Matsumura, 1914) (Cicadellidae)
 3376. *Orthetrum albistylum* (Selys, 1848) (Libellulidae)
 3377. *Orthetrum brunneum* (Fonscolombe, 1837) (Libellulidae)
 3378. *Orthetrum cancellatum* (Linnaeus, 1758) (Libellulidae)
 3379. *Orthetrum chrysostigma* (Burmeister, 1839) (Libellulidae)
 3380. *Orthetrum coerulescens* (Fabricius, 1798) (Libellulidae)
 3381. *Orthetrum ransonneti* (Brauer, 1865) (Libellulidae)
 3382. *Orthetrum sabina* (Drury, 1770) (Libellulidae)
 3383. *Orthetrum taeniolatum* (Schneider, 1845) (Libellulidae)
 3384. *Orthetrum trinacrium* (Selys, 1841) (Libellulidae)
 3385. *Orthezia urticae* (Linnaeus) (Ortheziidae)
 3386. *Orthops basalis* (Costa, 1852) (Miridae)
 3387. *Orthotylus minutus* Jakovlev, 1877 (Miridae)
 3388. *Orthotylus nassatus* (Fabricius, 1787) (Miridae)
 3389. *Orthotylus virescens* (Douglas & Scott, 1865) (Miridae)
 3390. *Oryctes* (Oryctes) *nasicornis* (Linnaeus, 1758) (Scarabaeidae)
 3391. *Osbornellus macchiai* (Lindberg, 1948) (Cicadellidae)
 3392. *Osmia* (Exosmia) *difficilis* Morawitz, 1875 (Megachilidae)
 3393. *Osmia* (Tergosmia) *avosetta* Warncke, 1988 (Megachilidae)
 3394. *Osmia* (Tergosmia) *glareola* Warncke, 1988 (Megachilidae)
 3395. *Osmia* (Tergosmia) *pratincta* Warncke, 1988 (Megachilidae)
 3396. *Osmia* (Tergosmia) *rhodoensis* (Zanden, 1983) (Megachilidae)
 3397. *Osmia* (Tergosmia) *tergestensis* Duce, 1897 (Megachilidae)
 3398. *Osmylus cilicicus* Krüger, 1913 (Osmiidae)
 3399. *Osmylus elegantissimus* Kozhantshikov, 1951 (Osmiidae)
 3400. *Osmylus fulvicephalus* (Scopoli, 1763) (Osmiidae)
 3401. *Osmylus multiguttatus* McLachlan, 1870 (Osmiidae)
 3402. *Oxycarenus pallens* (Herrich-Schäffer, 1850) (Lygaeidae)
 3403. *Oxycera limbata* Loew, 1862 (Stratiomyidae)
 3404. *Oxycera pygmaea* (Fallén, 1817) (Stratiomyidae)
 3405. *Oxycera trilineata* (Linnaeus, 1767) (Stratiomyidae)
 3406. *Oxyglypta rugosa* Ruschka (Pteromalidae)
 3407. *Oxyna flavipennis* (Loew, 1844) (Tephritidae)
 3408. *Oxyrhachis egyptiana* Distant, 1915 (Membracidae)
 3409. *Oxythreca funesta* (Poda, 1761) (Scarabaeidae)
 3410. *Ozirhincus anthemidis* Rübsaamen, 1915 (Cecidomyiidae)
 3411. *Ozirhincus longicollis* Rondani, 1840 (Cecidomyiidae)
 3412. *Ozirhincus millefolii* (Wachtl, 1884) (Cecidomyiidae)
 3413. *Pachycerus cordiger* (Germar, 1819) (Curculionidae)
 3414. *Pachycrepoides vindemmiae* (Rondani) (Pteromalidae)
 3415. *Pachygaster atra* (Panzer, [1798]) (Stratiomyidae)
 3416. *Pachyneuron ahlaense* Mani & Saraswat (Pteromalidae)
 3417. *Pachyneuron aphidis* (Bouché) (Pteromalidae)
 3418. *Pachyneuron erzurimicum* Doganlar (Pteromalidae)
 3419. *Pachyneuron formosum* Walker (Pteromalidae)
 3420. *Pachyneuron gibbiscuta* Thomson (Pteromalidae)
 3421. *Pachyneuron groenlandicum* (Holmgren) (Pteromalidae)
 3422. *Pachyneuron leucopiscida* Mani (Pteromalidae)
 3423. *Pachyneuron muscarum* (Linnaeus) (Pteromalidae)
 3424. *Pachyneuron nelsoni* Girault (Pteromalidae)
 3425. *Pachyprotasis rapae* Linne, 1767 (Tenthredinidae)
 3426. *Pachyscelis musiva* (Ménétriér, 1832) (Tenebrionidae)
 3427. *Pachyscelis quadricollis* Brullé, 1832 (Tenebrionidae)
 3428. *Pachyscelis villosa* (Drapiez, 1820) (Tenebrionidae)
 3429. *Pachytrachis gracilis* (Brunner von Wattenwyl, 1861) (Tettigoniidae)
 3430. *Pagiphora annulata* (Brullé, 1832) (Cicadidae)
 3431. *Pagiphora aschei* Kartal, 1978 (Cicadidae)
 3432. *Palaeococcus fuscipennis* (Burmeister) (Margarodidae)
 3433. *Palaeolecanium bituberculatum* (Signoret) (Coccidae)
 3434. *Palaeolecanium kosswigi* Bodenheimer (Coccidae)
 3435. *Palorus depressus* (Fabricius, 1790) (Tenebrionidae)
 3436. *Palpares libelluloides* (Linnaeus, 1764) (Myrmeleonidae)
 3437. *Palpares solidus* Gerstaecker, 1893 (Myrmeleonidae)
 3438. *Palpares turcicus* Koçak, 1976 (Myrmeleonidae)
 3439. *Paluda vitripennis* (Flor, 1861) (Cicadellidae)
 3440. *Pangonius* (Melanopangonius) *funebis* Macquart, 1845 (Tabanidae)
 3441. *Pangonius* (Melanopangonius) *haustellatus* (Fabricius, 1781) (Tabanidae)
 3442. *Pangonius* (s. str.) *obscuratus* Loew, 1859 (Tabanidae)
 3443. *Pangonius* (s.str.) *argentatus* Szilady, 1923 (Tabanidae)
 3444. *Pangonius* (s.str.) *flavocinctus* Szilady, 1923 (Tabanidae)
 3445. *Pangonius* (s.str.) *fulvipes* Loew, 1859 (Tabanidae)
 3446. *Pangonius* (s.str.) *lucidus* Szilady, 1923 (Tabanidae)
 3447. *Pantala flavescens* (Fabricius, 1798) (Libellulidae)
 3448. *Paracaloptenus caloptenoides* (Brunner von Wattenwyl, 1861) (Acrididae)
 3449. *Paracardiophorus musculus* (Erichson, 1840) (Elateridae)
 3450. *Paracinema tricolor* (Thunberg, 1815) (Acrididae)
 3451. *Paracymus aeneus* Germar, 1824 (Hydrophilidae)
 3452. *Paradelphomyia* (Oxyrhiza) *senilis* (Haliday, 1833) (Limoniidae)
 3453. *Paradorydium mustafai* Demir, 2005 (Cicadellidae)
 3454. *Paradorydium occidentale* Lindberg, 1954 (Cicadellidae)
 3455. *Paradorydium paradoxum* (Herrich-Schäffer, 1837) (Cicadellidae)
 3456. *Paradrymadusa aksirayi* Karabağ, 1952 (Tettigoniidae)
 3457. *Paradrymadusa brevicera* Karabağ, 1956 (Tettigoniidae)
 3458. *Paradrymadusa sordida* Herman, 1874 (Tettigoniidae)
 3459. *Parageron punctipennis* (Loew, 1846) (Bombyliidae)
 3460. *Paragnetina transoxanica* (Klapalek, 1921) (Perlidae)
 3461. *Paragomphus genei* (Selys, 1841) (Gomphidae)
 3462. *Paragomphus lineatus* (Selys & Hagen, 1850) (Gomphidae)
 3463. *Paralimnulus cingulatus* (Dlabola, 1960) (Cicadellidae)
 3464. *Paralimnulus phragmitis* (Boheman, 1847) (Cicadellidae)
 3465. *Paralimnulus picturatus* Haupt, 1930 (Cicadellidae)
 3466. *Paramesodes lineaticollis* (Distant, 1908) (Cicadellidae)
 3467. *Paramesodes obtusifrons* (Stål, 1853) (Cicadellidae)
 3468. *Paramyrmosa brunneipes* (Lepeletier, 1845) (Mutillidae)
 3469. *Paramyrmosa radoszkowskyi* (Saussure, 1880) (Mutillidae)
 3470. *Paramyrmosa Saussure*, 1880 (Mutillidae)
 3471. *Paranocaracris bulgaricus* (Ebner & Drenowsky, 1930) (Pamphagidae)
 3472. *Paranocaracris citripes* (Uvarov, 1949) (Pamphagidae)
 3473. *Paranocaracris elegans* Mistshenko, 1951 (Pamphagidae)
 3474. *Paranocaracris rimansonae* (Uvarov, 1918) (Pamphagidae)
 3475. *Paranocaracris rubripes* (Fischer von Waldheim, 1846) (Pamphagidae)
 3476. *Paranocarodes atympanicus* Ramme, 1951 (Pamphagidae)
 3477. *Paranocarodes beieri* (Ramme, 1951) (Pamphagidae)
 3478. *Paranocarodes fieberi* (Brunner von Wattenwyl, 1882) (Pamphagidae)
 3479. *Paranocarodes lubricus* Mistshenko, 1951 (Pamphagidae)
 3480. *Paranocarodes straubei* (Fieber, 1853) (Pamphagidae)
 3481. *Paranocarodes sulcatus* (Bolivar, 1912) (Pamphagidae)
 3482. *Paranorthotes asulcatus* Demirsoy, 1973 (Pamphagidae)
 3483. *Paranorthotes eximius* Mistshenko, 1951 (Pamphagidae)
 3484. *Paranorthotes gotvendicus* (Bolivar, 1912) (Pamphagidae)
 3485. *Paranorthotes kosswigi* Demirsoy, 1973 (Pamphagidae)
 3486. *Paranorthotes levis* Mistshenko, 1951 (Pamphagidae)
 3487. *Paranorthotes opacus* (Brunner von Wattenwyl, 1882) (Pamphagidae)
 3488. *Parapholidoptera antaliae* Nadig, 1991 (Tettigoniidae)
 3489. *Parapholidoptera belen* Ünal, 2006 (Tettigoniidae)
 3490. *Parapholidoptera bolkaensis* Çiplak, 2000 (Tettigoniidae)
 3491. *Parapholidoptera castaneoviridis* (Brunner von Wattenwyl, 1882) (Tettigoniidae)
 3492. *Parapholidoptera distincta* (Uvarov, 1921) (Tettigoniidae)
 3493. *Parapholidoptera flexuosa* Karabağ, 1961 (Tettigoniidae)
 3494. *Parapholidoptera grandis* (Karabağ, 1952) (Tettigoniidae)
 3495. *Parapholidoptera intermixta* Karabağ, 1961 (Tettigoniidae)
 3496. *Parapholidoptera karabagi* Demirsoy, 1974 (Tettigoniidae)
 3497. *Parapholidoptera kosswigi* (Karabağ, 1950) (Tettigoniidae)
 3498. *Parapholidoptera noxia* (Ramme, 1930) (Tettigoniidae)
 3499. *Parapholidoptera punctifrons* (Burmeister, 1839) (Tettigoniidae)
 3500. *Parapholidoptera salmani* Çiplak, 2000 (Tettigoniidae)
 3501. *Parapholidoptera signata* (Brunner von Wattenwyl, 1861) (Tettigoniidae)
 3502. *Parapholidoptera spinulosa* Karabağ, 1956 (Tettigoniidae)
 3503. *Parapholidoptera syriaca* (Ramme, 1930) (Tettigoniidae)
 3504. *Parapholidoptera yoruka* Çiplak, 2000 (Tettigoniidae)
 3505. *Parapholidoptera ziganensis* Karabağ, 1964 (Tettigoniidae)
 3506. *Parapleurus alliaceus* (Germar, 1817) (Acrididae)
 3507. *Parapoclimon antalyaensis* Karabağ, 1975 (Tettigoniidae)
 3508. *Parasaissetia nigra* (Nietner) (Coccidae)
 3509. *Parasaleia trjapitzini* Hoffer (Encyrtidae)
 3510. *Paratettix iranica* Uvarov, 1952 (Tetrigidae)

3511. *Paratettix meridionalis* (Rambur, 1838) (Tetrigidae)
 3512. *Pareumenes laminatus* (Kriechbaumer, 1879) (Vespidae)
 3513. *Parlatoreopsis longispina* (Newstead) (Diaspididae)
 3514. *Parlatoria crotonis* Douglas (Diaspididae)
 3515. *Parlatoria oleae* (Colvee) (Diaspididae)
 3516. *Parlatoria parlatoriae* (Sulc) (Diaspididae)
 3517. *Parlatoria pergandii* Comstock (Diaspididae)
 3518. *Parlatoria ziziphi* (Lucas) (Diaspididae)
 3519. *Parthenolecanium tamaricis* (Bodenheimer) (Coccidae)
 3520. *Parthenolecanium corni* (Bouche) (Coccidae)
 3521. *Parthenolecanium persicae* (Fabricius) (Coccidae)
 3522. *Parthenolecanium pomericum* (Kawecki) (Coccidae)
 3523. *Parthenolecanium pruinosum* (Coquillett) (Coccidae)
 3524. *Parthenolecanium rufulum* (Cockerell) (Coccidae)
 3525. *Pedicia (Amalopsis) occulta* (Meigen, 1830) (Pedicidae)
 3526. *Pedicia (Crunobia) littoralis* (Meigen, 1804) (Pedicidae)
 3527. *Pedicia (Crunobia) tjederi* Mendl, 1974 (Pedicidae)
 3528. *Pedicia (Crunobia) zernyi* (Lackschewitz, 1940) (Pedicidae)
 3529. *Pedinus* (s.str.) *bodemeyeri* Reitter, 1904 (Tenebrionidae)
 3530. *Pedinus* (s.str.) *curvipes* Mulsant & Rey, 1853 (Tenebrionidae)
 3531. *Pedinus* (s.str.) *kiesenwetteri* Seidlitz, 1893 (Tenebrionidae)
 3532. *Pedinus* (s.str.) *marani* Kaszab, 1960 (Tenebrionidae)
 3533. *Pedinus* (s.str.) *quadratus* Brullé, 1832 (Tenebrionidae)
 3534. *Pedinus* (s.str.) *reitteri* Seidlitz, 1893 (Tenebrionidae)
 3535. *Pedinus* (s.str.) *strabonis* Seidlitz, 1893 (Tenebrionidae)
 3536. *Pedinus* (s.str.) *tauricus* Mulsant & Rey, 1853 (Tenebrionidae)
 3537. *Pedinus (Vadulus) punctulatus* Mulsant & Rey, 1853 (Tenebrionidae)
 3538. *Pediobius bruchicida* (Rondani) (Eulophidae)
 3539. *Pediobius cassidae* Erdős (Eulophidae)
 3540. *Pediobius epigonus* (Walker) (Eulophidae)
 3541. *Pediobius metallicus* (Nees) (Eulophidae)
 3542. *Pediobius nigratarsis* (Thomson) (Eulophidae)
 3543. *Pediobius pyrgo* (Walker) (Eulophidae)
 3544. *Pediobius saulius* (Walker) (Eulophidae)
 3545. *Peliococcopsis priesneri* (Laing) (Pseudococcidae)
 3546. *Peliococcus chersonensis* (Kiritshenko) (Pseudococcidae)
 3547. *Peliococcus kimmericus* (Kiritshenko) (Pseudococcidae)
 3548. *Peliococcus manifestus* Borchsenius (Pseudococcidae)
 3549. *Peliococcus salviae* Hadzibejli (Pseudococcidae)
 3550. *Peliococcus tribulatus* (Kiritshenko) (Pseudococcidae)
 3551. *Peliococcus turanicus* (Kiritshenko) (Pseudococcidae)
 3552. *Peltodytes caesus* (Duftschmid, 1805) (Haliphidae)
 3553. *Peltonotellus punctifrons* Horvath, 1895 (Caliscelidae)
 3554. *Penicillidia conspicua* Speiser, 1901 (Nycteribiidae)
 3555. *Penicillidia dufourii* (Westwood, 1835) (Nycteribiidae)
 3556. *Pentacladia hatayensis* Doganlar (Eupelmidae)
 3557. *Pentaclocerus araraticus* (Trjapitzin) (Encyrtidae)
 3558. *Pentaphyllus chrysomeloides* (Rossi, 1792) (Tenebrionidae)
 3559. *Pentastira major* (Kirschbaum, 1868) (Cixiidae)
 3560. *Pentastira megista* Emeljanov, 1978 (Cixiidae)
 3561. *Pentastira torossica* (Dlabola, 1957) (Cixiidae)
 3562. *Pentastiridius leporinus* (Linnaeus, 1761) (Cixiidae)
 3563. *Pentastiridius nanus* (Ivanoff, 1885) (Cixiidae)
 3564. *Penthimia nigra* (Goeze, 1778) (Cicadellidae)
 3565. *Pentodon algerinum* Herbst, 1789 (Scarabaeidae)
 3566. *Pentodon bidens* (Pallas, 1771) (Scarabaeidae)
 3567. *Pentodon caminari* Faldernmann, 1835 (Scarabaeidae)
 3568. *Pentodon idiota* (Herbst, 1789) (Scarabaeidae)
 3569. *Pentodon quadridens* (Gebler, 1845) (Scarabaeidae)
 3570. *Pericoma blandula* Eaton, 1893 (Psychodidae)
 3571. *Pericoma hakkariae* R. Wagner, 1986 (Psychodidae)
 3572. *Pericoma kariana* Vaillant, 1978 (Psychodidae)
 3573. *Pericoma orientalis* R. Wagner, 1986 (Psychodidae)
 3574. *Pericoma platystyla* R. Wagner, 1986 (Psychodidae)
 3575. *Pericoma tenuistylis* Vaillant, 1978 (Psychodidae)
 3576. *Perilampus aeneus* (Rossius) (Perilampidae)
 3577. *Perilampus catilus* (Argaman) (Perilampidae)
 3578. *Periplaneta americana* (Linnaeus, 1758) (Blattidae)
 3579. *Peripontius concolor* (Desbrochers, 1875) (Elateridae)
 3580. *Peripontius crassus* (Buysson, 1906) (Elateridae)
 3581. *Peripontius dentatus* Platia & Schimmel, 1991 (Elateridae)
 3582. *Peripontius elegantulus* Platia, 2003 (Elateridae)
 3583. *Peripontius jagemanni* Platia & Gudenzi, 2000 (Elateridae)
 3584. *Peripontius oertzeni* Schwarz, 1897 (Elateridae)
 3585. *Peripontius omisus* (Buysson, 1889) (Elateridae)
 3586. *Peripontius saroveci* Platia, 2003 (Elateridae)
 3587. *Peripontius terminatus* (Erichson, 1842) (Elateridae)
 3588. *Peripontius turcicus* Platia & Tarnawski, 1998 (Elateridae)
 3589. *Perkinsiella dorsata* Melichar, 1905 (Delphacidae)
 3590. *Perla illiesi* Braasch & Joost, 1971 (Perlidae)
 3591. *Perla kiritshenkoi* Zhiltzova, 1961 (Perlidae)
 3592. *Perla marginata* (Panzer, 1799) (Perlidae)
 3593. *Perla pallida* Guérin, 1838 (Perlidae)
 3594. *Perlantispia perla* (Pallas, 1772) (Mantispidae)
 3595. *Perlodes microcephala* (Pictet, 1833) (Perlidae)
 3596. *Pezodrymadusa affinis* (Bolivar, 1899) (Tettigoniidae)
 3597. *Pezodrymadusa angorensis* (Uvarov, 1930) (Tettigoniidae)
 3598. *Pezodrymadusa diffusa* (Ramme, 1951) (Tettigoniidae)
 3599. *Pezodrymadusa indivisa* Karabağ, 1961 (Tettigoniidae)
 3600. *Pezodrymadusa konovi* (Bolivar, 1899) (Tettigoniidae)
 3601. *Pezodrymadusa kurmana* (Ramme, 1939) (Tettigoniidae)
 3602. *Pezodrymadusa lata* Karabağ, 1961 (Tettigoniidae)
 3603. *Pezodrymadusa magnifica* (Werner, 1901) (Tettigoniidae)
 3604. *Pezodrymadusa sinuata* (Ramme, 1951) (Tettigoniidae)
 3605. *Pezodrymadusa striolata* (Ramme, 1951) (Tettigoniidae)
 3606. *Pezodrymadusa subinermis* Karabağ, 1961 (Tettigoniidae)
 3607. *Pezodrymadusa uvarovi* Karabağ, 1961 (Tettigoniidae)
 3608. *Pezotettix anatolica* Uvarov, 1934 (Acrididae)
 3609. *Pezotettix giornae* (Rossi, 1794) (Acrididae)
 3610. *Pezotettix platycerca* Stål, 1876 (Acrididae)
 3611. *Phaleria acuminata* Küster, 1852 (Tenebrionidae)
 3612. *Phaleria bimaculata* (Linnaeus, 1767) (Tenebrionidae)
 3613. *Phaneroptera falcata* (Poda, 1761) (Tettigoniidae)
 3614. *Phaneroptera hackeri* Harz, 1988 (Tettigoniidae)
 3615. *Phaneroptera nana* Fieber, 1853 (Tettigoniidae)
 3616. *Phantia subquadrata* (Herrich-Schäffer, 1838) (Flatidae)
 3617. *Phaonia cincta* (Zetterstedt, 1846) (Muscidae)
 3618. *Phaonia tersa* Villeneuve, 1936 (Muscidae)
 3619. *Pheidole pallidula* (Nylander, 1848) (Formicidae)
 3620. *Phenacoccus aceris* (Signoret) (Pseudococcidae)
 3621. *Phenacoccus asphodeli* Goux (Pseudococcidae)
 3622. *Phenacoccus avenae* Borchsenius (Pseudococcidae)
 3623. *Phenacoccus bicerarius* Borchsenius (Pseudococcidae)
 3624. *Phenacoccus evelinae* (Tereznikova) (Pseudococcidae)
 3625. *Phenacoccus ferulae* Borchsenius (Pseudococcidae)
 3626. *Phenacoccus graminicola* Leonardi (Pseudococcidae)
 3627. *Phenacoccus hordei* (Lindeman) (Pseudococcidae)
 3628. *Phenacoccus interruptus* Green (Pseudococcidae)
 3629. *Phenacoccus karabardi* Borchsenius & Ter-Grigorian (Pseudococcidae)
 3630. *Phenacoccus loiki* Danzig (Pseudococcidae)
 3631. *Phenacoccus phenacocoides* (Kiritshenko) (Pseudococcidae)
 3632. *Phenacoccus pumilus* Kiritshenko (Pseudococcidae)
 3633. *Phenacoccus tergrigorianae* Borchsenius (Pseudococcidae)
 3634. *Phenacoccus transcaucasicus* Hadzibejli (Pseudococcidae)
 3635. *Phenacoccus yerushalmi* Ben-Dov (Pseudococcidae)
 3636. *Philaenus signatus* Melichar, 1896 (Cercopidae)
 3637. *Philaenus spumarius* (Linnaeus, 1758) (Cercopidae)
 3638. *Philipomyia aprica* (Meigen, 1820) (Tabanidae)
 3639. *Philipomyia graeca* (Fabricius, 1794) (Tabanidae)
 3640. *Philipomyia rohdendorfi* (Olsufjev, 1937) (Tabanidae)
 3641. *Philipomyia zizaniae* (Leclercq, 1966) (Tabanidae)
 3642. *Philippia follicularis* (Targioni Tozzetti) (Coccidae)
 3643. *Philosepedon symmetricus* R. Wagner, 1986 (Psychodidae)
 3644. *Phlepsius intricatus* (Herrich-Schäffer, 1838) (Cicadellidae)
 3645. *Phlepsius ornatus* (Perris, 1857) (Cicadellidae)
 3646. *Phloiocopus basalis* (Klug, 1842) (Cleridae)
 3647. *Pholidoptera aptera* (Fabricius, 1793) (Tettigoniidae)
 3648. *Pholidoptera brevipes* Ramme, 1939 (Tettigoniidae)
 3649. *Pholidoptera fallax* (Fischer, 1853) (Tettigoniidae)
 3650. *Pholidoptera femorata* (Fieber, 1853) (Tettigoniidae)
 3651. *Pholidoptera grandis* Karabağ, 1952 (Tettigoniidae)
 3652. *Pholidoptera griseoptera* (De Geer, 1773) (Tettigoniidae)
 3653. *Pholidoptera guichardi* Karabağ, 1961 (Tettigoniidae)
 3654. *Pholidoptera kosswigi* Karabağ, 1950 (Tettigoniidae)
 3655. *Phonochorion artvinensis* Bei-Bienko, 1954 (Tettigoniidae)
 3656. *Phonochorion satunini* Uvarov, 1916 (Tettigoniidae)
 3657. *Phonochorion uvarovi* Karabağ, 1956 (Tettigoniidae)
 3658. *Phradonoma alium* Hava, 2006 (Dermeestidae)
 3659. *Phradonoma nigrum* Hava, 2006 (Dermeestidae)
 3660. *Phthiria conspicua* Loew, 1846 (Bombyliidae)
 3661. *Phthiria gaedei* Wiedemann, 1820 (Bombyliidae)
 3662. *Phthiria pulcaria* (Mikan, 1796) (Bombyliidae)
 3663. *Phthiria subnitens* Loew, 1846 (Bombyliidae)
 3664. *Phthiria vagans* Loew, 1846 (Bombyliidae)
 3665. *Phthiridium biarticulatum* Hermann, 1804 (Nycteribiidae)
 3666. *Phycus insignis* (Loew, 1874) (Therevidae)
 3667. *Phyllidorea* (s.str.) *ferruginea* (Meigen, 1818) (Limoniidae)
 3668. *Phyllobrotica binotata* Ogloblin, 1936 (Chrysomelidae)
 3669. *Phyllodromica beybienkoi* Maran, 1957 (Blattidae)
 3670. *Phyllodromica brevipennis* (Fischer, 1853) (Blattidae)
 3671. *Phyllodromica graeca* (Brunner von Wattenwyl, 1882) (Blattidae)
 3672. *Phyllodromica larrinuai* (Bolivar, 1881) (Blattidae)
 3673. *Phyllodromica marginata* (Schreber, 1781) (Blattidae)
 3674. *Phyllodromica pallida* (Brunner von Wattenwyl, 1882) (Blattidae)
 3675. *Phyllodromica polita* (Krauss, 1888) (Blattidae)
 3676. *Phyllodromica znoikoi* Bei-Bienko, 1938 (Blattidae)
 3677. *Phyllolabis kocmani* Koc, 2004 (Limoniidae)
 3678. *Phyllomorphus laciniatus* (Villers, 1789) (Coreidae)
 3679. *Physemococcus hartigi* (Liebel, 1892) (Cecidomyiidae)
 3680. *Physocephala chrysorrhoea* (Meigen, 1824) (Conopidae)

3681. *Physocephala laticincta* (Brullé, 1832) (Conopidae)
 3682. *Physocephala nigra* (De Geer, 1776) (Conopidae)
 3683. *Physocephala rufipes* (Fabricius, 1781) (Conopidae)
 3684. *Physocephala vaginalis* (Rondani, 1865) (Conopidae)
 3685. *Physocephala zaitsevi* Zimina, 1979 (Conopidae)
 3686. *Physokermes piceae* (Schrank) (Coccidae)
 3687. *Phytodrymadusa armeniaca* Ramme, 1939 (Tettigoniidae)
 3688. *Phytodrymadusa expugnata* (Uvarov, 1916) (Tettigoniidae)
 3689. *Phytodrymadusa hakkarica* Karabağ, 1956 (Tettigoniidae)
 3690. *Phytodrymadusa longipes* (Brunner von Wattenwyl, 1882) (Tettigoniidae)
 3691. *Phytodrymadusa miramae* (Uvarov, 1929) (Tettigoniidae)
 3692. *Piesma* (Parapiesma) *kolenatii* (Fieber, 1861) (Piesmatidae)
 3693. *Piesma* (Parapiesma) *quadratum* (Fieber, 1844) (Piesmatidae)
 3694. *Piesma* (Parapiesma) *salsolae* (Becker, 1867) (Piesmatidae)
 3695. *Piesma* (s.str.) *capitatum* (Wolff, 1804) (Piesmatidae)
 3696. *Piesma* (s.str.) *maculatum* (Laporte, 1833) (Piesmatidae)
 3697. *Pignatellus friedeli* Hölzel, 1972 (Myrmeleontidae)
 3698. *Pignatellus irroratus* (Olivier, 1811) (Myrmeleontidae)
 3699. *Pilaria discicollis* (Meigen, 1818) (Limoniidae)
 3700. *Pimelia* (Camphonota) *repleta* Reitter, 1915 (Tenebrionidae)
 3701. *Pimelia* (Eurypimelia) *akbesiana* Fairmaire, 1884 (Tenebrionidae)
 3702. *Pimelia* (Eurypimelia) *lendli* Kaszab, 1938 (Tenebrionidae)
 3703. *Pimelia* (Eurypimelia) *subglobosa* (Pallas, 1781) (Tenebrionidae)
 3704. *Pimelia* (Eurypimelia) *subglobosa polita* Solier, 1836 (Tenebrionidae)
 3705. *Pimelia* (Eurypimelia) *subglobosa salaria* Reitter, 1915 (Tenebrionidae)
 3706. *Pimelia* (Eurypimelia) *subglobosa verruculifera* Solier, 1836 (Tenebrionidae)
 3707. *Pimelia* (Eurypimelia) *testudo* Kraatz, 1865 (Tenebrionidae)
 3708. *Pimelia* (Eurypimelia) *testarchoides* Ménétries, 1836 (Tenebrionidae)
 3709. *Pimelia* (Gedeon) *wernerii* Ganglbauer, 1905 (Tenebrionidae)
 3710. *Pimelia* (Melanostola) *bajula* Klug, 1830 (Tenebrionidae)
 3711. *Pimelia* (s.str.) *robusta* Kraatz, 1865 (Tenebrionidae)
 3712. *Pinnaspis pentagona* (Targioni-Tozzetti) (Diaspididae)
 3713. *Piocoris erythrocephalus* (P. & S., 1825) (Lygaeidae)
 3714. *Pionosomus engizekius* Kiyak, 1995 (Lygaeidae)
 3715. *Pittonotus simoni* (Stierlin, 1879) (Elateridae)
 3716. *Pittonotus thesues* (Germar, 1817) (Elateridae)
 3717. *Plagirolepis palleseus* Forel, 1888 (Formicidae)
 3718. *Plagirolepis pygmaea* (Latreille, 1798) (Formicidae)
 3719. *Planaphrodes trifasciatus* (Fourcroy, 1785) (Cicadellidae)
 3720. *Planchonia arabidis* Signoret (Asterolecaniidae)
 3721. *Planchonia zanthenes* (Russel) (Asterolecaniidae)
 3722. *Planococcus citri* (Risso) (Pseudococcidae)
 3723. *Planococcus ficus* (Signoret) (Pseudococcidae)
 3724. *Planococcus vovae* (Nasonov) (Pseudococcidae)
 3725. *Platocercus angulosus* (Germar, 1845) (Elateridae)
 3726. *Platambus lunulatus* (Fischer von Waldheim, 1829) (Dytiscidae)
 3727. *Platambus maculatus* (Linnaeus, 1758) (Dytiscidae)
 3728. *Platneptis laeta* (Walker) (Pteromalidae)
 3729. *Platycleis* (Incertana) *incerta* Brunner von Wattenwyl, 1882 (Tettigoniidae)
 3730. *Platycleis* (Incertana) *persica* Uvarov, 1917 (Tettigoniidae)
 3731. *Platycleis* (Montana) *armeniaca* (Ramme, 1930) (Tettigoniidae)
 3732. *Platycleis* (Montana) *bifoveolata* (Karabağ, 1950) (Tettigoniidae)
 3733. *Platycleis* (Montana) *elegans* (Uvarov, 1934) (Tettigoniidae)
 3734. *Platycleis* (Montana) *helleri* Çıplak & Taylan, 2006 (Tettigoniidae)
 3735. *Platycleis* (Montana) *kure* Ünal, 2006 (Tettigoniidae)
 3736. *Platycleis* (Montana) *schereii* Werner, 1901 (Tettigoniidae)
 3737. *Platycleis* (Montana) *taurica* Bolivar, 1899 (Tettigoniidae)
 3738. *Platycleis* (Montana) *uvarovi* (Karabağ, 1950) (Tettigoniidae)
 3739. *Platycleis* (s.str.) *affinis* Fieber, 1853 (Tettigoniidae)
 3740. *Platycleis* (s.str.) *albopunctata* (Goeze, 1778) (Tettigoniidae)
 3741. *Platycleis* (s.str.) *ehrmanni* Harz, 1991 (Tettigoniidae)
 3742. *Platycleis* (s.str.) *escalerae* Bolivar, 1899 (Tettigoniidae)
 3743. *Platycleis* (s.str.) *grisea* (Fabricius, 1781) (Tettigoniidae)
 3744. *Platycleis* (s.str.) *intermedia* (Audinet-Serville, 1839) (Tettigoniidae)
 3745. *Platycleis* (s.str.) *sinuata* Ramme, 1951 (Tettigoniidae)
 3746. *Platycleis* (Sepiana) *sepium* (Yersin, 1854) (Tettigoniidae)
 3747. *Platycleis* (Sporadiana) *sporadarum* Werner, 1933 (Tettigoniidae)
 3748. *Platycleis* (Squamiana) *ankarensis* (Karabağ, 1950) (Tettigoniidae)
 3749. *Platycleis* (Squamiana) *irritans* Ramme, 1951 (Tettigoniidae)
 3750. *Platycleis* (Squamiana) *kurmana* (Ramme, 1951) (Tettigoniidae)
 3751. *Platycleis* (Squamiana) *melendisensis* Çıplak, 2002 (Tettigoniidae)
 3752. *Platycleis* (Squamiana) *salmani* Çıplak, 2002 (Tettigoniidae)
 3753. *Platycleis* (Squamiana) *sinuata* Ramme, 1951 (Tettigoniidae)
 3754. *Platycleis* (Squamiana) *weidneri* Demirsoy, 1974 (Tettigoniidae)
 3755. *Platycleis* (Tessellana) *nigrosignata* (Costa, 1863) (Tettigoniidae)
 3756. *Platycleis* (Tessellana) *nigrosignata* (Costa, 1863) (Tettigoniidae)
 3757. *Platycleis* (Tessellana) *tessellata* (Charpentier, 1825) (Tettigoniidae)
 3758. *Platycleis* (Tessellana) *veyseli* Koçak, 1984 (Tettigoniidae)
 3759. *Platycleis* (Tessellana) *vittata* (Charpentier, 1825) (Tettigoniidae)
 3760. *Platycleis* (Yalvaciana) *yavaci* (Demirsoy, 1974) (Tettigoniidae)
 3761. *Platycnemis dealbata* Selys, 1863 (Platycnemidae)
 3762. *Platycnemis kervillei* (Martin, 1909) (Platycnemidae)
 3763. *Platycnemis pennipes* (Pallas, 1771) (Platycnemidae)
 3764. *Platydemia europaea* Laporte & Brullé, 1831 (Tenebrionidae)
 3765. *Platymetopius* (Quernus) *curvatus* Dlabola, 1974 (Cicadellidae)
 3766. *Platymetopius* (s.str.) *enatus* Dlabola, 1974 (?) (Cicadellidae)
 3767. *Platymetopius* (s.str.) *filigranus* (Scott, 1876) (Cicadellidae)
 3768. *Platymetopius* (s.str.) *guttatus* Fieber, 1869 (Cicadellidae)
 3769. *Platymetopius* (s.str.) *henribauti* Dlabola, 1961 (Cicadellidae)
 3770. *Platymetopius* (s.str.) *obsoletus* (Signoret, 1880) (Cicadellidae)
 3771. *Platymetopius* (s.str.) *undatus* (De Geer, 1773) (Cicadellidae)
 3772. *Platymetopius* *cruentatus* Haupt, 1927 (Cicadellidae)
 3773. *Platymetopius* *major* (Kirschbaum, 1868) (Cicadellidae)
 3774. *Platymetopius* *quercinus* Dlabola, 1974 (Cicadellidae)
 3775. *Platynocheilus cuprifrons* (Nees) (Tetracampidae)
 3776. *Platynocheilus karsensis* Doganlar (Tetracampidae)
 3777. *Platycletrus bouceki* (Erdős) (Eulophidae)
 3778. *Platypygus bellus* Loew, 1869 (Mythicomyiidae)
 3779. *Platypygus chrysanthemi* Loew, 1844 (Mythicomyiidae)
 3780. *Platypygus kurdorum* Paramonov, 1929 (Mythicomyiidae)
 3781. *Platypygus ridibundus* (A. Costa, 1863) (Mythicomyiidae)
 3782. *Pleurophorus caesus* (Creutzer, 1796) (Scarabaeidae)
 3783. *Pnigalio agraulis* (Walker) (Eulophidae)
 3784. *Pnigalio longulus* (Zetterstedt) (Eulophidae)
 3785. *Pnigalio pectinicornis* (Linnaeus) (Eulophidae)
 3786. *Pnigalio soemius* (Walker) (Eulophidae)
 3787. *Podagrion splendens* Spinola (Torymidae)
 3788. *Podeonius acuticornis* (Germar, 1824) (Elateridae)
 3789. *Podisma pedestris* (Linnaeus, 1758) (Acrididae)
 3790. *Poecilimon adentatus* Ramme, 1933 (Tettigoniidae)
 3791. *Poecilimon amissus* Brunner von Wattenwyl, 1878 (Tettigoniidae)
 3792. *Poecilimon anatolicus* Ramme, 1933 (Tettigoniidae)
 3793. *Poecilimon angulatus* Uvarov, 1939 (Tettigoniidae)
 3794. *Poecilimon ataturki* Ünal, 1999 (Tettigoniidae)
 3795. *Poecilimon azdavayi* Ünal, 2003 (Tettigoniidae)
 3796. *Poecilimon bidens* Retowski, 1889 (Tettigoniidae)
 3797. *Poecilimon bilgeri* Karabağ, 1953 (Tettigoniidae)
 3798. *Poecilimon birandi* Karabağ, 1950 (Tettigoniidae)
 3799. *Poecilimon bischoffi* Ramme, 1933 (Tettigoniidae)
 3800. *Poecilimon bosporicus* Brunner von Wattenwyl, 1878 (Tettigoniidae)
 3801. *Poecilimon brunneri* (Friedlsky, 1867) (Tettigoniidae)
 3802. *Poecilimon celebi* Karabağ, 1953 (Tettigoniidae)
 3803. *Poecilimon cervoides* Karabağ, 1964 (Tettigoniidae)
 3804. *Poecilimon cervus* Karabağ, 1950 (Tettigoniidae)
 3805. *Poecilimon concinnus* Brunner von Wattenwyl, 1878 (Tettigoniidae)
 3806. *Poecilimon davisii* Karabağ, 1953 (Tettigoniidae)
 3807. *Poecilimon demirsoyi* Sevgili, 2001 (Tettigoniidae)
 3808. *Poecilimon djakonovi* Miram, 1938 (Tettigoniidae)
 3809. *Poecilimon doga* Ünal, 2004 (Tettigoniidae)
 3810. *Poecilimon ege* Ünal, 2005 (Tettigoniidae)
 3811. *Poecilimon ersisi* Salman, 1978 (Tettigoniidae)
 3812. *Poecilimon eskishehrensii* Ünal, 2003 (Tettigoniidae)
 3813. *Poecilimon excisus* Karabağ, 1950 (Tettigoniidae)
 3814. *Poecilimon glandifer* Karabağ, 1950 (Tettigoniidae)
 3815. *Poecilimon guichardi* Karabağ, 1964 (Tettigoniidae)
 3816. *Poecilimon hamatus* Brunner von Wattenwyl, 1878 (Tettigoniidae)
 3817. *Poecilimon harveyi* Karabağ, 1964 (Tettigoniidae)
 3818. *Poecilimon hatti* Ünal, 2004 (Tettigoniidae)
 3819. *Poecilimon haydari* Ramme, 1951 (Tettigoniidae)

3820. *Poecilimon heinrichi* Ramme, 1951 (*Tettigoniidae*)
3821. *Poecilimon inflatus* Brunner von Wattenwyl, 1891 (*Tettigoniidae*)
3822. *Poecilimon iucundus* Ünal, 2003 (*Tettigoniidae*)
3823. *Poecilimon izmirnensis* Ramme, 1933 (*Tettigoniidae*)
3824. *Poecilimon karabagi* (Ramme, 1942) (*Tettigoniidae*)
3825. *Poecilimon karabukensis* Ünal, 2003 (*Tettigoniidae*)
3826. *Poecilimon karakushi* Ünal, 2003 (*Tettigoniidae*)
3827. *Poecilimon kocaki* Ünal, 1999 (*Tettigoniidae*)
3828. *Poecilimon kutahiyensis* Werner, 1901 (*Tettigoniidae*)
3829. *Poecilimon ledereri* Ramme, 1933 (*Tettigoniidae*)
3830. *Poecilimon lodosi* Harz, 1975 (*Tettigoniidae*)
3831. *Poecilimon luschni* Ramme, 1933 (*Tettigoniidae*)
3832. *Poecilimon marmaraensis* Naskrecki, 1992 (*Tettigoniidae*)
3833. *Poecilimon martinae* Heller, 2004 (*Tettigoniidae*)
3834. *Poecilimon minutus* Karabağ, 1975 (*Tettigoniidae*)
3835. *Poecilimon miramae* Ramme, 1933 (*Tettigoniidae*)
3836. *Poecilimon mytilenensis* (*Tettigoniidae*)
3837. *Poecilimon naskrecki* Ünal, 2001 (*Tettigoniidae*)
3838. *Poecilimon neglectus* Ramme, 1931 (*Tettigoniidae*)
3839. *Poecilimon pergamicus* Brunner von Wattenwyl, 1891 (*Tettigoniidae*)
3840. *Poecilimon pulcher* Brunner von Wattenwyl, 1891 (*Tettigoniidae*)
3841. *Poecilimon rammeanus* Karabağ, 1953 (*Tettigoniidae*)
3842. *Poecilimon rammei* Miram, 1938 (*Tettigoniidae*)
3843. *Poecilimon sanctipauli* Brunner von Wattenwyl, 1878 (*Tettigoniidae*)
3844. *Poecilimon schmidtii* (Fieber, 1853) (*Tettigoniidae*)
3845. *Poecilimon serratus* Karabağ, 1962 (*Tettigoniidae*)
3846. *Poecilimon similis* Retowski, 1889 (*Tettigoniidae*)
3847. *Poecilimon sureyanus* Uvarov, 1930 (*Tettigoniidae*)
3848. *Poecilimon syriacus* Brunner von Wattenwyl, 1891 (*Tettigoniidae*)
3849. *Poecilimon tauricola* Ramme, 1951 (*Tettigoniidae*)
3850. *Poecilimon tevfikarabagi* Ünal, 2005 (*Tettigoniidae*)
3851. *Poecilimon thoracicus* (Fieber, 1853) (*Tettigoniidae*)
3852. *Poecilimon toros* Ünal, 2003 (*Tettigoniidae*)
3853. *Poecilimon tricuspidis* Miram, 1926 (*Tettigoniidae*)
3854. *Poecilimon tschorchensis* Adelung, 1907 (*Tettigoniidae*)
3855. *Poecilimon tuncayi* Karabağ, 1953 (*Tettigoniidae*)
3856. *Poecilimon turciae* (Ramme, 1951) (*Tettigoniidae*)
3857. *Poecilimon turcicus* Karabağ, 1950 (*Tettigoniidae*)
3858. *Poecilimon unispinosus* Brunner von Wattenwyl, 1878 (*Tettigoniidae*)
3859. *Poecilimon uvarovi* Ramme, 1933 (*Tettigoniidae*)
3860. *Poecilimon variicercis* Miram, 1938 (*Tettigoniidae*)
3861. *Poecilimon xenocercus* Karabağ, 1956 (*Tettigoniidae*)
3862. *Poecilimon zimmeri* Ramme, 1933 (*Tettigoniidae*)
3863. *Poecilimon zonatus* Bolivar, 1899 (*Tettigoniidae*)
3864. *Poecilimonella armeniaca* Uvarov, 1921 (*Tettigoniidae*)
3865. *Polistes associus* (Kohl, 1898) (*Vespidae*)
3866. *Polistes biglumis* (Linnaeus, 1758) (*Vespidae*)
3867. *Polistes dominulus* (Christ, 1791) (*Vespidae*)
3868. *Polistes gallicus* (Linnaeus, 1767) (*Vespidae*)
3869. *Polistes nimpha* (Christ, 1791) (*Vespidae*)
3870. *Polistes sulcifer* Zimmermann, 1930 (*Vespidae*)
3871. *Pollinia pollini* (A. Costa) (*Asterolecaniidae*)
3872. *Polymerus cognatus* (Fieber, 1858) (*Miridae*)
3873. *Polymerus vulneratus* (Wolff, 1801) (*Miridae*)
3874. *Polyphaga aegyptiaca* (Linnaeus, 1758) (*Polyphagidae*)
3875. *Polyphonus laevigatus* Loew, 1848 (*Asilidae*)
3876. *Polyphylla* (s.str.) *fullo* (Linnaeus, 1758) (*Scarabaeidae*)
3877. *Polyserca violacea* Schiner, 1867 (*Asilidae*)
3878. *Polysarcus denticaudus* (Charpentier, 1825) (*Tettigoniidae*)
3879. *Polysarcus zacharovi* (Stschelkanovcev, 1909) (*Tettigoniidae*)
3880. *Pongonius* (s.str.) *pyritosus* Loew, 1859 (*Tabanidae*)
3881. *Pongonius* (s.str.) *rhynchocephalus* Kröber, 1921 (*Tabanidae*)
3882. *Pongonius* (s.str.) *variegatus* (Fabricius, 1850) (*Tabanidae*)
3883. *Pontoperla teberdinica* (Balinsky, 1950) (*Chloroperlidae*)
3884. *Porphyrophora hamelii* Brandt (*Margarodidae*)
3885. *Porphyrophora minuta* Borchsenius (*Margarodidae*)
3886. *Porphyrophora polonica* (Linnaeus) (*Margarodidae*)
3887. *Porphyrophora tritici* (Bodenheimer) (*Margarodidae*)
3888. *Porthmidius austriacus* (Schränk, 1781) (*Elateridae*)
3889. *Prionocyphon ornatus* Abeille, 1881 (*Scirtidae*)
3890. *Prionocyphon Redtenbacher*, 1858 (*Scirtidae*)
3891. *Prionosthenus* (s.str.) *gueleni* Karabağ, 1956 (*Pamphagidae*)
3892. *Prionotropis maculinervis* (Stål, 1878) (*Pamphagidae*)
3893. *Pristaulacus gloriator* (Fabricius, 1804) (*Aulacidae*)
3894. *Pristaulacus obscuripennis* (Westwood, 1841) (*Aulacidae*)
3895. *Probatiscus* (Pelorinus) *adimonius* (Allard, 1876) (*Tenebrionidae*)
3896. *Probatiscus* (Pelorinus) *bodemeyeri* Reitter, 1900 (*Tenebrionidae*)
3897. *Probatiscus* (Pelorinus) *corrugatus* Seidlitz, 1893 (*Tenebrionidae*)
3898. *Probatiscus* (Pelorinus) *dorsalis* (Allard, 1877) (*Tenebrionidae*)
3899. *Probatiscus* (Pelorinus) *granipennis* (Allard, 1876) (*Tenebrionidae*)
3900. *Probatiscus* (Pelorinus) *maurus* (Waltl, 1838) (*Tenebrionidae*)
3901. *Probatiscus* (Pelorinus) *pentheri* Reitter, 1905 (*Tenebrionidae*)
3902. *Probatiscus* (Pelorinus) *tarsatus* (Küster, 1850) (*Tenebrionidae*)
3903. *Probatiscus* (Pelorinus) *tenebricosus* (Brullé, 1832) (*Tenebrionidae*)
3904. *Probatiscus* (s.str.) *tentyrioides* (Küster, 1851) (*Tenebrionidae*)
3905. *Probruggmanniella phillyreae* (Tavares, 1907) (*Cecidomyiidae*)
3906. *Proceps acicularis* Mulsant & Rey, 1855 (*Cicadellidae*)
3907. *Proconura nigripes* (Fonscolombe) (*Chalcididae*)
3908. *Procræus bicolor* Platia & Gudenzi, 2002 (*Elateridae*)
3909. *Procræus carinifrons* (Desbrochers, 1875) (*Elateridae*)
3910. *Procræus levantinus* Platia & Gudenzi, 2007 (*Elateridae*)
3911. *Procræus tibialis* (Lacordaire, 1835) (*Elateridae*)
3912. *Prodiopsis tamaricicola* (Malenotti) (*Diaspididae*)
3913. *Proformica kobachidzei* Arnoldi, 1968 (*Formicidae*)
3914. *Promachus canus* (Wiedemann, 1818) (*Asilidae*)
3915. *Promachus leoninus* Loew, 1848 (*Asilidae*)
3916. *Promachus microlabis* Loew, 1857 (*Asilidae*)
3917. *Promachus mustela* Loew, 1854 (*Asilidae*)
3918. *Pronotalia carlinarum* (Szelényi & Erdős) (*Eulophidae*)
3919. *Pronotalia erzurimica* Doganlar (*Eulophidae*)
3920. *Pronotalia fiorii* (Domenichini) (*Eulophidae*)
3921. *Pronotalia hungarica* (Erdős) (*Eulophidae*)
3922. *Pronotalia tortumensis* Doganlar (*Eulophidae*)
3923. *Prosternon syriacum* (Buysson, 1891) (*Elateridae*)
3924. *Prosternon tessellatum* (Linnaeus, 1758) (*Elateridae*)
3925. *Protaetia* (Cetonischema) *speciosa* (Adams, 1817) (*Scarabaeidae*)
3926. *Protaetia* (Foveopotosia) *judith* (Reiche, 1871) (*Scarabaeidae*)
3927. *Protaetia* (Netocia) *funnebris* (Gory & Percheron, 1833) (*Scarabaeidae*)
3928. *Protaetia* (Netocia) *trojana* (Gory & Percheron, 1833) (*Scarabaeidae*)
3929. *Protaetia* (Potosia) *angustata* (Germar, 1817) (*Scarabaeidae*)
3930. *Protaetia* (Potosia) *besucheti* Alexis & Delpont, 1996 (*Scarabaeidae*)
3931. *Protaetia* (Potosia) *cuprea* (Fabricius, 1775) (*Scarabaeidae*)
3932. *Protaetia* (Potosia) *cuprina* (Motschulsky, 1849) (*Scarabaeidae*)
3933. *Protaetia* (Potosia) *lambillionae* Delpont, 2000 (*Scarabaeidae*)
3934. *Protapanteles anchiades* (Nixon, 1973) (*Braconidae*)
3935. *Protonemura bacuriana* Zhiltzova, 1957 (*Nemouridae*)
3936. *Protonemura Besucheti* Zwick, 1971 (*Nemouridae*)
3937. *Protonemura bithynica* Aubert, 1964 (*Nemouridae*)
3938. *Protonemura capitata* Martynov, 1928 (*Nemouridae*)
3939. *Protonemura eumontana* Zhiltzova, 1957 (*Nemouridae*)
3940. *Protonemura mattheyi* (Aubert, 1956) (*Nemouridae*)
3941. *Protonemura microstyla* Martynov, 1928 (*Nemouridae*)
3942. *Protonemura resilli* Zwick, 1971 (*Nemouridae*)
3943. *Protonemura teberdensis* Zhiltzova, 1958 (*Nemouridae*)
3944. *Psacasta marmottani* Puton, 1887 (*Scutellaridae*)
3945. *Psallus atomosus* Reuter, 1878 (*Miridae*)
3946. *Psallus carduelis* Horvath, 1888 (*Miridae*)
3947. *Psallus pumilus* (Jakovlev, 1876) (*Miridae*)
3948. *Psammotettix alienus* (Dahlbom, 1850) (*Cicadellidae*)
3949. *Psammotettix cephalotes* (Herrich-Schäffer, 1834) (*Cicadellidae*)
3950. *Psammotettix cerinus* (Lindberg, 1948) (*Cicadellidae*)
3951. *Psammotettix confinis* (Dahlbom, 1850) (*Cicadellidae*)
3952. *Psammotettix helvolus* (Kirschbaum, 1868) (*Cicadellidae*)
3953. *Psammotettix majusculus* Linnavuori, 1951 (*Cicadellidae*)
3954. *Psammotettix nodosus* (Ribaut, 1925) (*Cicadellidae*)
3955. *Psammotettix pictipennis* (Kirschbaum, 1868) (*Cicadellidae*)
3956. *Psammotettix provincialis* (Ribaut, 1925) (*Cicadellidae*)
3957. *Psammotettix striatus* (Linnaeus, 1758) (*Cicadellidae*)
3958. *Pseudagrion syriacum* (Selys, 1887) (*Coenagrionidae*)
3959. *Pseudagriotes holtzi* Schwarz, 1896 (*Elateridae*)
3960. *Pseudanostirus jasoni* Dolin & Chantladze, 1987 (*Elateridae*)
3961. *Pseudaraeopus lethierryi* (Mulsant & Rey, 1879) (*Delphacidae*)
3962. *Pseudocatolaccus nitescens* (Walker) (*Pteromalidae*)
3963. *Pseudocoles karadagi* Demirsoy, 1977 (*Acrididae*)
3964. *Pseudocoles ledereri* (Saussure, 1884) (*Acrididae*)

3965. *Pseudocercus obscurus* (Acrididae)
 3966. *Pseudocercus oedipoides* Bolívar, 1899 (Acrididae)
 3967. *Pseudochermes fraxini* (Kaltenbach) (Eriococcidae)
 3968. *Pseudococcobius obenbergeri* (Novickii) (Encyrtidae)
 3969. *Pseudococcus laingi* Bodenheimer (Pseudococcidae)
 3970. *Pseudococcus longispinus* (Targioni Tozzetti) (Pseudococcidae)
 3971. *Pseudococcus viburni* (Signoret) (Pseudococcidae)
 3972. *Pseudocrepidophorus concavifrons* Wurst, 1994 (Elateridae)
 3973. *Pseudocrepidophorus flavescens* (Eschscholtz, 1818) (Elateridae)
 3974. *Pseudoliarus palaestinus* Linnavuori, 1962 (Cixiidae)
 3975. *Pseudoligosita gracilior* (Nowicki) (Trichogrammatidae)
 3976. *Pseudoligosita paphlagonica* (Nowicki) (Trichogrammatidae)
 3977. *Pseudolimonophila* (s.str.) *sepium* (Verrall, 1886) (Limonidae)
 3978. *Pseudomogoplistes squamiger* (Fischer von Waldheim, 1853) (Mogoplistidae)
 3979. *Pseudomogoplistes turcicus* Gorochoy, 1995 (Mogoplistidae)
 3980. *Pseudophotopsis caspica* (Radoszkowski, 1885) (Mutillidae)
 3981. *Pseudophotopsis caucasica* (Radoszkowski, 1885) (Mutillidae)
 3982. *Pseudosavalania karabagi* Demirsoy, 1973 (Pamphagidae)
 3983. *Pseudotorymus millitaris* (Boheman) (Torymidae)
 3984. *Pseudotorymus pannonicus* (Mayr) (Torymidae)
 3985. *Pseudotorymus sapphyrinus* (Fonscolombe) (Torymidae)
 3986. *Psilocera obscura* Walker (Pteromalidae)
 3987. *Psilochalcis benoisti* (Steffan) (Chalcididae)
 3988. *Psilochalcis mirabilis* (Boucek) (Chalcididae)
 3989. *Psilochalcis nigerrima* (Masi) (Chalcididae)
 3990. *Psilochalcis nitida* (Boucek) (Chalcididae)
 3991. *Psilochalcis rufitarsis* (Lliger) (Chalcididae)
 3992. *Psilochalcis subaenea* (Masi) (Chalcididae)
 3993. *Psilochalcis subarmata* (Förster) (Chalcididae)
 3994. *Psilonotus achaeus* Walker (Pteromalidae)
 3995. *Psilonotus adamas* Walker (Pteromalidae)
 3996. *Psilonotus hortensia* Walker (Pteromalidae)
 3997. *Psilophrys bella* Japoshvili & Noyes (Encyrtidae)
 3998. *Psilophrys ghilarevi* Japoshvili (Encyrtidae)
 3999. *Psilophrys tenuicornis* Graham (Encyrtidae)
 4000. *Psophus stridulus* (Linnaeus, 1758) (Acrididae)
 4001. *Psorodonotus anatolicus* Karabağ, 1952 (Tettigoniidae)
 4002. *Psorodonotus caucasicus* (Fischer von Waldheim, 1846) (Tettigoniidae)
 4003. *Psorodonotus davisii* Karabağ, 1956 (Tettigoniidae)
 4004. *Psorodonotus ebneri* Karabağ, 1952 (Tettigoniidae)
 4005. *Psorodonotus rugulosus* Karabağ, 1952 (Tettigoniidae)
 4006. *Psorodonotus specularis* (Fischer von Waldheim, 1846) (Tettigoniidae)
 4007. *Psorodonotus venosus* (Fischer von Waldheim, 1839) (Tettigoniidae)
 4008. *Psychoda cinerea* Banks, 1834 (Psychodidae)
 4009. *Psychophagus omnivorus* (Walker) (Pteromalidae)
 4010. *Psyllaephagus caillardi* Sugonjaev (Encyrtidae)
 4011. *Psyllaephagus elaeagni* Trjapitzin (Encyrtidae)
 4012. *Psyllaephagus euphyllurae* (Masi) (Encyrtidae)
 4013. *Psyllaephagus pistaciae* Ferrière (Encyrtidae)
 4014. *Psyllaephagus procerus* (Mercet) (Encyrtidae)
 4015. *Psyllaephagus pulchellus* (Mercet) (Encyrtidae)
 4016. *Psyllaephagus tokgaevi* Myartseva (Encyrtidae)
 4017. *Psyllopsis fraxinicola* (Förster) (Psyllidae)
 4018. *Pterandrophysalis levantina* Nowicki (Trichogrammatidae)
 4019. *Pteromalus albipennis* Walker (Pteromalidae)
 4020. *Pteromalus apum* (Retzius) (Pteromalidae)
 4021. *Pteromalus bedeguaris* (Thomson) (Pteromalidae)
 4022. *Pteromalus bifoveolatus* Förster (Pteromalidae)
 4023. *Pteromalus chrysos* Walker (Pteromalidae)
 4024. *Pteromalus cionobius* (Erdős) (Pteromalidae)
 4025. *Pteromalus elevatus* (Walker) (Pteromalidae)
 4026. *Pteromalus intermedius* (Walker) (Pteromalidae)
 4027. *Pteromalus platyphilus* Walker (Pteromalidae)
 4028. *Pteromalus puparum* (Linnaeus) (Pteromalidae)
 4029. *Pteromalus semotus* (Walker) (Pteromalidae)
 4030. *Pteromalus sequester* Walker (Pteromalidae)
 4031. *Pteronemobius* (s.str.) *heydeni* (Fischer, 1853) (Gryllidae)
 4032. *Pteronemobius gracilis* Jakovlev, 1871 (Gryllidae)
 4033. *Pteroptrix bicolor* (Howard, 1898) (Aphelinidae)
 4034. *Pteroptrix lauri* (Mercet, 1911) (Aphelinidae)
 4035. *Ptygippus brachypterus* Mistshenko, 1951 (Acrididae)
 4036. *Ptyngidricerus albardanus* (McLachan, 1891) (Ascalaphidae)
 4037. *Ptyngidricerus albardanus albardanus* (McLachan, 1891) (Ascalaphidae)
 4038. *Puklina gelincika* Doganlar (Eulophidae)
 4039. *Pulvinaria floccifera* (Westwood) (Coccidae)
 4040. *Pulvinaria terrestris* Borchsenius (Coccidae)
 4041. *Pulvinariella mesembryanthemi* (Vallot) (Coccidae)
 4042. *Puto palinuri* Marotta & Tranfaglia (Pseudococcidae)
 4043. *Puto pilosellae* (Sulc) (Pseudococcidae)
 4044. *Puto superbus* (Leonardi) (Pseudococcidae)
 4045. *Pycnopogon leucostomus* Engel, 1930 (Asilidae)
 4046. *Pyrgodera armata* (Fischer von Waldheim, 1820) (Acrididae)
 4047. *Pyrgomorpha cognata* Krauss, 1877 (Pyrgomorphidae)
 4048. *Pyrgomorpha conica* (Olivier, 1791) (Pyrgomorphidae)
 4049. *Pyrgomorpha guentheri* Burr, 1899 (Pyrgomorphidae)
 4050. *Pyrgomorpha ozeki* Karabağ, 1953 (Pyrgomorphidae)
 4051. *Pyrrhocoris apterus* (Linnaeus, 1758) (Pyrrhocoridae)
 4052. *Pyrrhosoma nymphula* (Sulzer, 1776) (Coenagrionidae)
 4053. *Quadrastylum jahjai* Dlabola, 1983 (Issidae)
 4054. *Quadrastylum tarsusanum* Dlabola, 1989 (Issidae)
 4055. *Quasimus minutissimus* (Germar, 1817) (Elateridae)
 4056. *Raioscelis coelestinus* (Waltl, 1838) (Tenebrionidae)
 4057. *Raioscelis syriacus* (Reiche, 1861) (Tenebrionidae)
 4058. *Ramburiella bolivari* (Kuthy, 1910) (Acrididae)
 4059. *Ramburiella turcomana* (Fischer von Waldheim, 1833) (Acrididae)
 4060. *Rammehippus turcicus* (Ramme, 1939) (Acrididae)
 4061. *Rammeola anatolica* Uvarov, 1934 (Tettigoniidae)
 4062. *Rammepodisma natoliae* (Ramme, 1939) (Acrididae)
 4063. *Ranissus leptopus* Fieber, 1866 (Dictyopharidae)
 4064. *Ranissus punctiger* (Horvath, 1905) (Dictyopharidae)
 4065. *Rantus suturalis* (Macleay, 1825) (Dytiscidae)
 4066. *Raphidia* (Magnoraphidia) *robusta* Aspöck & Aspöck, 1966 (Raphidiidae)
 4067. *Raphidia* (Parvoraphidia) *microstigma* Stein, 1863 (Raphidiidae)
 4068. *Ratzeburgiola cristatus* (Ratzeburg) (Eulophidae)
 4069. *Ratzeburgiola incompleta* Boucek (Eulophidae)
 4070. *Recilia coronifera* (Marshall, 1866) (Cicadellidae)
 4071. *Recilia schmidtgeni* (Wagner, 1939) (Cicadellidae)
 4072. *Reduvius pallipes* (Klug, 1839) (Reduviidae)
 4073. *Reitterelater dubius* Platia & Cate, 1990 (Elateridae)
 4074. *Reptalus* (s.str.) *horridus* (Linnavuori, 1962) (Cixiidae)
 4075. *Reptalus* (s.str.) *melanochaetus* (Fieber, 1876) (Cixiidae)
 4076. *Reptalus* (s.str.) *oleae* Dlabola, 1987 (Cixiidae)
 4077. *Reptalus* (s.str.) *panzeri* (Loew, 1883) (Cixiidae)
 4078. *Reptalus* (s.str.) *quinquecostatus* (Dufour, 1833) (Cixiidae)
 4079. *Reptalus* (Trepalus) *rufocarinatus* (Kusnezov, 1937) (Cixiidae)
 4080. *Resseliella oleisuga* (Targioni-Tozzetti, 1886) (Cecidomyiidae)
 4081. *Resseliella piceae* Seitner, 1906 (Cecidomyiidae)
 4082. *Resseliella theobaldi* (Barnes, 1927) (Cecidomyiidae)
 4083. *Rhabdomastix* (Rhabdomastix) *filata* Stary, 2004 (Limonidae)
 4084. *Rhabdophaga heterobia* (Loew, 1850) (Cecidomyiidae)
 4085. *Rhabdophaga rosaria* (Loew, 1850) (Cecidomyiidae)
 4086. *Rhabdophaga saliciperda* (Dufour, 1841) (Cecidomyiidae)
 4087. *Rhabdophaga salicis* (Schrank, 1803) (Cecidomyiidae)
 4088. *Rhabdophaga terminalis* (Loew, 1850) (Cecidomyiidae)
 4089. *Rhacocleis acutangula* Karabağ, 1957 (Tettigoniidae)
 4090. *Rhacocleis anatolica* Werner, 1933 (Tettigoniidae)
 4091. *Rhacocleis germanica* (Herrich-Schäffer, 1840) (Tettigoniidae)
 4092. *Rhacocleis tuberculata* Karabağ, 1978 (Tettigoniidae)
 4093. *Rhacocleis turcica* (Uvarov, 1930) (Tettigoniidae)
 4094. *Rhagio albipilosus* Becker, 1821 (Rhagionidae)
 4095. *Rhagio maculipennis* (Loew, 1854) (Rhagionidae)
 4096. *Rhagio sordidus* (Loew, 1862) (Rhagionidae)
 4097. *Rhagio turcicus* Lindler, 1930 (Rhagionidae)
 4098. *Rhagoletis berberidis* Jermy, 1961 (Tephritidae)
 4099. *Rhaphitelus maculatus* Walker (Pteromalidae)
 4100. *Rhinopelte crassicornis* (Nees) (Eulophidae)
 4101. *Rhinocyllus conicus* (Frölich, 1792) (Curculionidae)
 4102. *Rhizaspidiotus canariensis* (Lindinger) (Diaspididae)
 4103. *Rhizaspidiotus donacis* (Leonardi) (Diaspididae)
 4104. *Rhizopulvinaria artemisiae* (Signoret) (Coccidae)
 4105. *Rhizopulvinaria halli* Borchsenius (Coccidae)
 4106. *Rhizopulvinaria pyrethri* Borchsenius (Coccidae)
 4107. *Rhizopulvinaria spinifera* Borchsenius (Coccidae)
 4108. *Rhizopulvinaria turkestanica* (Archangelskaya) (Coccidae)
 4109. *Rhizopulvinaria viridis* Borchsenius (Coccidae)
 4110. *Rhoanans hypochlorus* (Fieber, 1869) (Cicadellidae)
 4111. *Rhodococcus perornatus* (Cockerell & Parrott) (Coccidae)
 4112. *Rhogogaster chlorosoma* Benson, 1943 (Tenthredinidae)
 4113. *Rhopalicus guttatus* (Ratzeburg) (Pteromalidae)
 4114. *Rhopalicus tutela* (Walker) (Pteromalidae)
 4115. *Rhopalomyia artemisiae* (Bouche, 1834) (Cecidomyiidae)
 4116. *Rhopalomyia baccarum* (Wachtl, 1883) (Cecidomyiidae)
 4117. *Rhopalomyia saissanica* Fedotova, 1999 (Cecidomyiidae)
 4118. *Rhopalus rufus* Schilling, 1829 (Rhopalidae)
 4119. *Rhopus flavidus* (Mercet) (Encyrtidae)
 4120. *Rhynchium oculatum* (Fabricius, 1781) (Vespididae)

4121. *Rhynocoris annulatus* (Linnaeus, 1758) (Reduviidae)
 4122. *Rhynocoris iracundus* (Poda, 1761) (Reduviidae)
 4123. *Rhynocoris punctiventris* Herrich-Schäffer, 1846 (Reduviidae)
 4124. *Rhynocoris rubrogularis* (Horvath, 1880) (Reduviidae)
 4125. *Rhytidodus boluicus* Dlabola, 1970 (Cicadellidae)
 4126. *Rhytidodus wagneri* Dlabola, 1965 (Cicadellidae)
 4127. *Ribautiana alces* (Ribaut, 1931) (Cicadellidae)
 4128. *Ribautiana cruciata* (Ribaut, 1931) (Cicadellidae)
 4129. *Ribautiana ognevi* (Zachvatkin, 1948) (Cicadellidae)
 4130. *Ricania aylae* Dlabola, 1983 (Ricaniidae)
 4131. *Ricania hedenborgi* Stål, 1865 (Ricaniidae)
 4132. *Ricania japonica* Melichar, 1898 (Ricaniidae)
 4133. *Rileyia doganlari* Çam, 2003 (Eurytomidae)
 4134. *Ripersiella Kaydani* Konczne Benedicty & Kozar (Pseudococcidae)
 4135. *Ripersiella periolana* Goux (Pseudococcidae)
 4136. *Rivetina asiatica* Mistchenko, 1967 (Mantidae)
 4137. *Rivetina baetica* (Rambur, 1838) (Mantidae)
 4138. *Rivetina balcanica* Kaltenbach, 1963 (Mantidae)
 4139. *Rivetina hyblica* La Greca & Lombardo, 1982 (Mantidae)
 4140. *Rivetina caucasica* (Saussure, 1871) (Mantidae)
 4141. *Rivetina syriaca* (Saussure, 1869) (Mantidae)
 4142. *Roptrocercus xylophagorum* (Ratzeburg) (Pteromalidae)
 4143. *Ruspolia nitidula* (Scopoli, 1796) (Tettigoniidae)
 4144. *Rutpela maculata* (Poda, 1761) (Cerambycidae)
 4145. *Ryukyucardiophorus mertliki* Platia & Gudenzi, 1999 (Elateridae)
 4146. *Saga beieri* Kaltenbach, 1967 (Tettigoniidae)
 4147. *Saga campbelli* Uvarov, 1921 (Tettigoniidae)
 4148. *Saga cappadocica* Werner, 1903 (Tettigoniidae)
 4149. *Saga ephippigera* Fischer de Waldheim, 1846 (Tettigoniidae)
 4150. *Saga ledereri* Saussure, 1888 (Tettigoniidae)
 4151. *Saga longicaudata* Krauss, 1879 (Tettigoniidae)
 4152. *Saga lucasi* Saussure, 1888 (Tettigoniidae)
 4153. *Saga natoliae* Serville, 1839 (Tettigoniidae)
 4154. *Saga puella* Werner, 1901 (Tettigoniidae)
 4155. *Saga rhodiensis* Salfi, 1929 (Tettigoniidae)
 4156. *Saga uvarovi* Ramme, 1951 (Tettigoniidae)
 4157. *Saissetia coffeae* (Walker) (Coccidae)
 4158. *Saissetia oleae* (Olivier) (Coccidae)
 4159. *Salentia fuscipennis* A. Costa, 1857 (Theravididae)
 4160. *Salentia nigripes* (Kröber, 1912) (Theravididae)
 4161. *Salicicola archangelskyae* (Lindinger) (Diaspididae)
 4162. *Salicicola kermanensis* (Lindinger) (Diaspididae)
 4163. *Salicicola pistaciae* (Lindinger) (Diaspididae)
 4164. *Sargus cuprarius* (Linnaeus, 1758) (Stratiomyidae)
 4165. *Saropogon dasynotus* Loew, 1871 (Asilidae)
 4166. *Saropogon ehrenbergii* Loew, 1851 (Asilidae)
 4167. *Saropogon eucerus* (Loew, 1847) (Asilidae)
 4168. *Saropogon platynotus* (Loew, 1847) (Asilidae)
 4169. *Saropogon pollinosus* Loew, 1869 (Asilidae)
 4170. *Satchelliella canescens* (Meigen, 1804) (Psychodidae)
 4171. *Satchelliella malickyi* Vaillant, 1981 (Psychodidae)
 4172. *Satchelliella schachti* R. Wagner, 1986 (Psychodidae)
 4173. *Sathon falcatus* (Nees, 1834) (Braconidae)
 4174. *Scarodytes halensis* (Fabricius, 1787) (Dytiscidae)
 4175. *Schistocerca gregaria* (Forsk., 1775) (Acrididae)
 4176. *Schizodactylus inexpectatus* (Werner, 1901) (Schizodactylidae)
 4177. *Schizonotus sieboldi* (Ratzeburg) (Pteromalidae)
 4178. *Schizoprymnus brevicornis* (Herrich-Schäffer, 1838) (Braconidae)
 4179. *Schizoprymnus obscurus* (Nees, 1813) (Braconidae)
 4180. *Schoutedenomyia superba* (Kröber, 1912) (Theravididae)
 4181. *Schulmeisteri schulmeisteri* Harz, 1992 (Tettigoniidae)
 4182. *Sciapteryx circassica* Dovnar-Zapolski, 1930 (Tenthredinidae)
 4183. *Sciapteryx laeta* Konow, 1891 (Tenthredinidae)
 4184. *Scintharista notabilis* (Walker, 1870) (Acrididae)
 4185. *Sciocoris luteolus* Fieber, 1861 (Pentatomidae)
 4186. *Scirtes haemiphysicus* (Linnaeus, 1767) (Scirtidae)
 4187. *Scirtes Illiger*, 1807 (Scirtidae)
 4188. *Scirtes orbicularis* (Panzer, 1793) (Scirtidae)
 4189. *Scleroprocta balcanica* Stary, 1976 (Limoniidae)
 4190. *Scoliophthalmus civeleki* Deeming, 2006 (Chloropidae)
 4191. *Scorlupella discolor* (Germar, 1821) (Issidae)
 4192. *Scorlupella montana* (Becker, 1865) (Issidae)
 4193. *Scotodrymadusa amani* Ramme, 1951 (Tettigoniidae)
 4194. *Scotodrymadusa anatolica* (Werner, 1901) (Tettigoniidae)
 4195. *Scotodrymadusa kozana* Ramme, 1951 (Tettigoniidae)
 4196. *Scotodrymadusa maculata* (Ebner, 1912) (Tettigoniidae)
 4197. *Scotodrymadusa ozkani* Erman & Salman, 1990 (Tettigoniidae)
 4198. *Scotodrymadusa rammei* (Uvarov, 1929) (Tettigoniidae)
 4199. *Scotodrymadusa syriaca* (Pictet, 1888) (Tettigoniidae)
 4200. *Scutellista caerulea* (Fonscolombe) (Pteromalidae)
 4201. *Scythia craniumequinum* Kiritchenko (Coccidae)
 4202. *Scytomedes haemorrhoidalis* (Fabricius, 1794) (Asilidae)
 4203. *Selatosomus (Pristilophus) melancholicus* (Elateridae)
 4204. *Selatosomus (s.str.) aeneus* (Linnaeus, 1758) (Elateridae)
 4205. *Selatosomus (s.str.) amplicollis* (Germar, 1843) (Elateridae)
 4206. *Selatosomus (s.str.) armeniacus* Dolin, 1982 (Elateridae)
 4207. *Selatosomus (s.str.) atratus* (Ballion, 1878) (Elateridae)
 4208. *Selatosomus (s.str.) beysehiricus* Mertlik, 2000 (Elateridae)
 4209. *Selatosomus (s.str.) caucasicus* (Ménétriés, 1879) (Elateridae)
 4210. *Selatosomus (s.str.) latissimus* Reitter, 1910 (Elateridae)
 4211. *Selatosomus (s.str.) latus* (Fabricius, 1801) (Elateridae)
 4212. *Selatosomus (s.str.) pecirkanus* Reitter, 1910 (Elateridae)
 4213. *Selatosomus (s.str.) punctipennis* Reitter, 1910 (Elateridae)
 4214. *Selatosomus (s.str.) sameki* Mertlik, 2000 (Elateridae)
 4215. *Selatosomus (Warchalowskianus) ampliformis* Reitter, 1910 (Elateridae)
 4216. *Selatosomus (Warchalowskianus) barlaensis* Mertlik, 2000 (Elateridae)
 4217. *Selenocephalus anatolicus* Dlabola, 1957 (Cicadellidae)
 4218. *Selenocephalus ankarae* Dlabola, 1957 (Cicadellidae)
 4219. *Selenocephalus obsoletus* (Germar, 1817) (Cicadellidae)
 4220. *Selenocephalus pallens* Lindberg, 1948 (Cicadellidae)
 4221. *Selenocephalus pallidus* Kirschbaum, 1868 (Cicadellidae)
 4222. *Selenocephalus sirvadi* Dlabola, 1965 (Cicadellidae)
 4223. *Selenocephalus stenopterus* Signoret, 1880 (Cicadellidae)
 4224. *Selenocephalus tapan* Dlabola, 1981 (Cicadellidae)
 4225. *Selenocephalus uvarovi* Zachvatkin, 1946 (Cicadellidae)
 4226. *Selysiotemis nigra* (Van Der Linden, 1825) (Libellulidae)
 4227. *Semiolachra petiolata* (Grault) (Eulophidae)
 4228. *Sepiana sepia* (Yersin, 1854) (Tettigoniidae)
 4229. *Setapius barajus* (Dlabola, 1957) (Cixiidae)
 4230. *Setapius klapperichianus* Dlabola, 1988 (Cixiidae)
 4231. *Setapius lindbergi* (Dlabola, 1957) (Cixiidae)
 4232. *Shelfordella tartara* (Saussure, 1874) (Blattidae)
 4233. *Sialis morio* Klingstedt, 1932 (Sialidae)
 4234. *Sialis nigripes* Pictet, 1865 (Sialidae)
 4235. *Sicus caucasicus* Zimina, 1963 (Conopidae)
 4236. *Sicus ferrugineus* (Linnaeus, 1761) (Conopidae)
 4237. *Sicus nigratarsis* Zimina, 1975 (Conopidae)
 4238. *Sigalphus irrorator* (Fabricius, 1775) (Braconidae)
 4239. *Sigmophora brevicornis* (Panzer) (Eulophidae)
 4240. *Silvius (Heterosilvius) peculiaris* Olsuljev, 1971 (Tabanidae)
 4241. *Silvius (s.str.) alpinus* (Fabricius, 1805) (Tabanidae)
 4242. *Silvius (s.str.) inflaticornis* Austen, 1925 (Tabanidae)
 4243. *Silvius (s.str.) latifrons* Olsuljev, 1937 (Tabanidae)
 4244. *Silvius (s.str.) ochraceus* Loew, 1858 (Tabanidae)
 4245. *Silvius (s.str.) variegatus* (Fabricius, 1805) (Tabanidae)
 4246. *Silvius algeris* Meigen, 1930 (Tabanidae)
 4247. *Siphonoperla burmeisteri* (Pictet, 1841) (Chloroperlidae)
 4248. *Siphonoperla hajastanica* (Zhiltsova, 1961) (Chloroperlidae)
 4249. *Siphonoperla taurica* (Pictet, 1841) (Chloroperlidae)
 4250. *Sisyphus schaefferi* (Linnaeus, 1758) (Scarabaeidae)
 4251. *Sitophagus hololeptoides* Laporte, 1840 (Tenebrionidae)
 4252. *Sogatella vibix* (Haupt, 1927) (Delphacidae)
 4253. *Solskyana villiger* (Solsky, 1881) (Elateridae)
 4254. *Solva marginata* (Meigen, 1820) (Xylomyidae)
 4255. *Somatochlora borisi* Marinov, 2001 (Corduliidae)
 4256. *Somatochlora flavomaculata* (Van Der Linden, 1825) (Corduliidae)
 4257. *Somatochlora meridionalis* Nielsen, 1935 (Corduliidae)
 4258. *Spalangia fuscipes* Nees (Pteromalidae)
 4259. *Spalangia subpunctata* Förster (Pteromalidae)
 4260. *Sparedrus testaceus* (Andersch, 1797) (Oedemeridae)
 4261. *Sphaerolecanium prunastri* (Boyer de Fonscolombe) (Coccidae)
 4262. *Sphegigaster brevicornis* (Walker) (Pteromalidae)
 4263. *Sphegigaster pallicornis* (Spinola) (Pteromalidae)
 4264. *Sphegigaster pedunculiventris* (Spinola) (Pteromalidae)
 4265. *Sphenella marginata* (Fallén, 1814) (Tephritidae)
 4266. *Sphenophyma rugulosa* (Stål, 1876) (Acrididae)
 4267. *Sphingonotus (s.str.) coerulipes* Uvarov, 1922 (Acrididae)
 4268. *Sphingonotus (s.str.) nebulosus* (Fischer von Waldheim, 1846) (Acrididae)
 4269. *Sphingonotus (s.str.) octofasciata* Audinet-Serville, 1839 (Acrididae)
 4270. *Sphingonotus (s.str.) pilosus* Saussure, 1884 (Acrididae)
 4271. *Sphingonotus (s.str.) rubescens* (Walker, 1870) (Acrididae)
 4272. *Sphingonotus (s.str.) theodori* Uvarov, 1923 (Acrididae)
 4273. *Sphingonotus (s.str.) turcicus* Uvarov, 1930 (Acrididae)
 4274. *Sphingonotus (Sphingoderus) carinatus* (Saussure, 1888) (Acrididae)
 4275. *Sphingonotus (Sphingonotus) coerulans* (Acrididae)
 4276. *Sphingonotus caeruleans* (Linnaeus, 1767) (Acrididae)
 4277. *Sphingonotus coerulipes* Uvarov, 1922 (Acrididae)
 4278. *Sphingonotus pilosus* Saussure, 1884 (Acrididae)
 4279. *Sphingonotus rubescens* (Walker, 1870) (Acrididae)

4280. *Spilococcus mamillariae* (Bouche) (*Pseudococcidae*)
 4281. *Spilogona biseriata* (Stein, 1916) (*Muscidae*)
 4282. *Spilogona carbonella* (Zetterstedt, 1845) (*Muscidae*)
 4283. *Spilogona dispar* (Fallén, 1823) (*Muscidae*)
 4284. *Spilostethus saxatilis* (Scopoli, 1763) (*Lygaeidae*)
 4285. *Spinococcus morrisoni* (Kiritshenko) (*Pseudococcidae*)
 4286. *Spintherus dubius* (Nees) (*Pteromalidae*)
 4287. *Sporadana brevipes* (Uvarov, 1934) (*Tettigoniidae*)
 4288. *Squamiana kurmana* Ramme, 1951 (*Tettigoniidae*)
 4289. *Stryphophagus aphidivorus* (Mayr) (*Encyrtidae*)
 4290. *Stauroderus scalaris* (Fischer von Waldheim, 1846) (*Acrididae*)
 4291. *Stegelytra putoni* Mulsant & Rey, 1855 (*Cicadellidae*)
 4292. *Stenagostus rhombeus* (Olivier, 1790) (*Elateridae*)
 4293. *Stenagostus rosti* (Schwarz, 1897) (*Elateridae*)
 4294. *Stenagostus zuercheri* Reitter, 1909 (*Elateridae*)
 4295. *Stenobothrus (Crotalacris) bozcuki* Çiplak, 1994 (*Acrididae*)
 4296. *Stenobothrus (Crotalacris) selmae* Ünal, 1999 (*Acrididae*)
 4297. *Stenobothrus (s.str.) burri* Karabağ, 1953 (*Acrididae*)
 4298. *Stenobothrus (s.str.) derrai* Harz, 1988 (*Acrididae*)
 4299. *Stenobothrus (s.str.) fischeri* (Eversmann, 1848) (*Acrididae*)
 4300. *Stenobothrus (s.str.) graecus* (*Acrididae*)
 4301. *Stenobothrus (s.str.) lineatus* (Panzer, 1796) (*Acrididae*)
 4302. *Stenobothrus (s.str.) miramae* Dirsh, 1931 (*Acrididae*)
 4303. *Stenobothrus (s.str.) nigrogeniculatus* Krauss, 1878 (*Acrididae*)
 4304. *Stenobothrus (s.str.) nigromaculatus* (Herrich-Schäffer, 1840) (*Acrididae*)
 4305. *Stenobothrus (s.str.) stigmaticus* (Rambur, 1839) (*Acrididae*)
 4306. *Stenobothrus (s.str.) zubovskii* Bolivar, 1899 (*Acrididae*)
 4307. *Stenobothrus (Stenobothrodes) sviridenkoi* Ramme, 1930 (*Acrididae*)
 4308. *Stenobothrus (Stenobothrodes) werneri* Adelung, 1907 (*Acrididae*)
 4309. *Stenocranus minutus* (Fabricius, 1787) (*Delphacidae*)
 4310. *Stenodema trispinosum* Reuter, 1904 (*Miridae*)
 4311. *Stenodera anatolica* Frivaldsky, 1884 (*Meloidae*)
 4312. *Stenodera caucasica* (Pallas, 1781) (*Meloidae*)
 4313. *Stenodera coeruleiceps* Fairmaire, 1892 (*Meloidae*)
 4314. *Stenodera oculifera* Abeille de Perrin, 1880 (*Meloidae*)
 4315. *Stenodera puncticollis* (Chevrolat, 1829) (*Meloidae*)
 4316. *Stenomalina communis* (Nees) (*Pteromalidae*)
 4317. *Stenomalina favorinus* (Walker) (*Pteromalidae*)
 4318. *Stenomalina laticeps* (Walker) (*Pteromalidae*)
 4319. *Stenometopiellus angorensis* Zachvatkin, 1946 (*Cicadellidae*)
 4320. *Stenonemobius (s.str.) gracilis* (Jakovleff, 1871) (*Gryllidae*)
 4321. *Stenopogon coracinus* (Loew, 1847) (*Asilidae*)
 4322. *Stenopogon flavibarbis* Enderlein, 1934 (*Asilidae*)
 4323. *Stenopogon laevigatus* (Loew, 1851) (*Asilidae*)
 4324. *Stenopogon milvus* (Loew, 1847) (*Asilidae*)
 4325. *Stenopogon mollis* Loew, 1868 (*Asilidae*)
 4326. *Stenopogon nataliae* Richter, 1963 (*Asilidae*)
 4327. *Stenopogon nigriventris* Loew, 1868 (*Asilidae*)
 4328. *Stenopogon roederi* Bezzi, 1895 (*Asilidae*)
 4329. *Stenopogon rufescens* Theodor, 1980 (*Asilidae*)
 4330. *Stenopogon sabaudus* (Fabricius, 1794) (*Asilidae*)
 4331. *Stenopogon strataegus* Gerstaecker, 1862 (*Asilidae*)
 4332. *Stenoria analis* Schaum, 1859 (*Meloidae*)
 4333. *Stenosis dilutipes* Reitter, 1887 (*Tenebrionidae*)
 4334. *Stenosis intermedia* (Solier, 1838) (*Tenebrionidae*)
 4335. *Stenosis orientalis* Brullé, 1832 (*Tenebrionidae*)
 4336. *Stenosis sardoa* (Küster, 1848) (*Tenebrionidae*)
 4337. *Stenosis sulcata* Müller, 1861 (*Tenebrionidae*)
 4338. *Stephanodes similis* (Förster) (*Mymaridae*)
 4339. *Stethophyna grossum* (Linnaeus, 1758) (*Acrididae*)
 4340. *Stibula cyniformis* (Rossi) (*Eucharitidae*)
 4341. *Stibula vitripennis* Masi (*Eucharitidae*)
 4342. *Stichopogon inaequalis* Loew, 1847 (*Asilidae*)
 4343. *Stichopogon scalaris* Loew, 1847 (*Asilidae*)
 4344. *Stictocoris picturatus* (Sahlberg, 1842) (*Cicadellidae*)
 4345. *Stictopleurus pictus* (Fieber, 1861) (*Rhopalidae*)
 4346. *Stictotarsus griseostriatus* (De Geer, 1774) (*Dytiscidae*)
 4347. *Stonemyia caucasia* (Kröber, 1921) (*Tabanidae*)
 4348. *Stonemyia tigris* (Bigot, 1880) (*Tabanidae*)
 4349. *Stratiomys armeniacus* Bigot, 1879 (*Stratiomyidae*)
 4350. *Stratiomys cenisia* Meigen, 1822 (*Stratiomyidae*)
 4351. *Stratiomys chamaeleon* (Linnaeus, 1758) (*Stratiomyidae*)
 4352. *Stratiomys longicornis* (Scopoli, 1763) (*Stratiomyidae*)
 4353. *Stratiomys nigerrima* (Szilady, 1941) (*Stratiomyidae*)
 4354. *Stratiomys ruficornis* (Macquart, 1838) (*Stratiomyidae*)
 4355. *Streptanus albanicus* (Horvath, 1916) (*Cicadellidae*)
 4356. *Stylascalaphus fabiani* Meszaros & Abraham, 2005 (*Ascalaphidae*)
 4357. *Stymphalus rubrolineatus* (Stål, 1855) (*Cicadellidae*)
 4358. *Sulamicerus ancorarius* (Dlabola, 1964) (*Cicadellidae*)
 4359. *Sulamicerus stali* (Fieber, 1868) (*Cicadellidae*)
 4360. *Sureyaella bella* Uvarov, 1934 (*Tettigoniidae*)
 4361. *Sycophila biguttata* (Swederus) (*Eurytomidae*)
 4362. *Sycophila submutica* (Thomson) (*Eurytomidae*)
 4363. *Sycophila variegata* (Curtis) (*Eurytomidae*)
 4364. *Sympecma annulata* (Selys, 1887) (*Lestidae*)
 4365. *Sympecma fusca* (Van Der Linden, 1820) (*Lestidae*)
 4366. *Sympetrum arenicolor* Jödicke, 1994 (*Libellulidae*)
 4367. *Sympetrum danae* (Sulzer, 1776) (*Libellulidae*)
 4368. *Sympetrum depressiusculum* (Selys, 1841) (*Libellulidae*)
 4369. *Sympetrum flaveolum* (Linnaeus, 1758) (*Libellulidae*)
 4370. *Sympetrum fonscolombii* (Selys, 1840) (*Libellulidae*)
 4371. *Sympetrum haritonovi* Borisov, 1983 (*Libellulidae*)
 4372. *Sympetrum meridionale* (Selys, 1841) (*Libellulidae*)
 4373. *Sympetrum pedemontanum* (Allioni, 1766) (*Libellulidae*)
 4374. *Sympetrum sanguineum* (O.F. Müller, 1764) (*Libellulidae*)
 4375. *Sympetrum striolatum* (Charpentier, 1840) (*Libellulidae*)
 4376. *Sympetrum vulgatum* (Linnaeus, 1758) (*Libellulidae*)
 4377. *Sympiesis acalle* (Walker) (*Eulophidae*)
 4378. *Sympiesis albiflava* Fahringer (*Eulophidae*)
 4379. *Sympiesis euspilapterygis* (Erdős) (*Eulophidae*)
 4380. *Sympiesis sericeicornis* (Nees) (*Eulophidae*)
 4381. *Sympiesis turcica* Fahringer (*Eulophidae*)
 4382. *Symplecta (Psiloconopa) stictica* (Meigen, 1818) (*Limoniidae*)
 4383. *Symplecta (s.str.) hybrida* (Meigen, 1804) (*Limoniidae*)
 4384. *Symplecta (Trimicra) pilipes* (Fabricius, 1787) (*Limoniidae*)
 4385. *Synaptus filiformis* (Fabricius, 1781) (*Elateridae*)
 4386. *Synophyropsis lauri* (Horvath, 1897) (*Cicadellidae*)
 4387. *Syntomopus incisus* Thomson (*Pteromalidae*)
 4388. *Syntomopus incurvus* Walker (*Pteromalidae*)
 4389. *Syriolytta vulneratus* (Fairmaire, 1892) (*Meloidae*)
 4390. *Syromastus rhombeus* (Linnaeus, 1758) (*Coreidae*)
 4391. *Systasis encyrtoides* Walker (*Pteromalidae*)
 4392. *Systoechus gradatus* (Wiedemann, 1820) (*Bombyliidae*)
 4393. *Systole brunnicornis* Zerova & Çam, 2003 (*Eurytomidae*)
 4394. *Systole minima* Zerova & Çam, 2003 (*Eurytomidae*)
 4395. *Systole plana* Zerova & Çam, 2004 (*Eurytomidae*)
 4396. *Systole tokata* Zerova & Çam, 2004 (*Eurytomidae*)
 4397. *Tabanus accensus* Austen, 1927 (*Tabanidae*)
 4398. *Tabanus aidini* Kröber, 1928 (*Tabanidae*)
 4399. *Tabanus alvarengia* Schacht, 1987 (*Tabanidae*)
 4400. *Tabanus anatolicus* Osufjev, Moucha & Chvala, 1967 (*Tabanidae*)
 4401. *Tabanus anthrax* Olsufjev, 1937 (*Tabanidae*)
 4402. *Tabanus arabicus* Macquart, 1839 (*Tabanidae*)
 4403. *Tabanus armeniacus* Kröber, 1928 (*Tabanidae*)
 4404. *Tabanus atropathenicus* Olsufjev, 1937 (*Tabanidae*)
 4405. *Tabanus autumnalis* Linnaeus, 1761 (*Tabanidae*)
 4406. *Tabanus bifarius* Loew, 1858 (*Tabanidae*)
 4407. *Tabanus bovinus* Linnaeus, 1758 (*Tabanidae*)
 4408. *Tabanus briani* Leclercq, 1962 (*Tabanidae*)
 4409. *Tabanus bromiolus* Szilady, 1923 (*Tabanidae*)
 4410. *Tabanus bromius* Linnaeus, 1761 (*Tabanidae*)
 4411. *Tabanus brunescens* Szilady, 1917 (*Tabanidae*)
 4412. *Tabanus canipalpis* Bigot, 1892 (*Tabanidae*)
 4413. *Tabanus cudiger* Meigen, 1820 (*Tabanidae*)
 4414. *Tabanus cuculus* Szilady, 1923 (*Tabanidae*)
 4415. *Tabanus darimonti* Leclercq, 1964 (*Tabanidae*)
 4416. *Tabanus decipiens* Kröber, 1928 (*Tabanidae*)
 4417. *Tabanus eggeri* Schiner, 1868 (*Tabanidae*)
 4418. *Tabanus exclusus* Pandella, 1883 (*Tabanidae*)
 4419. *Tabanus fraseri* Austen, 1925 (*Tabanidae*)
 4420. *Tabanus glaucopsis* Meigen, 1820 (*Tabanidae*)
 4421. *Tabanus golovi* Olsufjev, 1936 (*Tabanidae*)
 4422. *Tabanus grandis* Szilady, 1923 (*Tabanidae*)
 4423. *Tabanus ilchanii* Jezek, 1981 (*Tabanidae*)
 4424. *Tabanus indrae* Hauser, 1939 (*Tabanidae*)
 4425. *Tabanus karaosus* Timmer, 1984 (*Tabanidae*)
 4426. *Tabanus laeteticinctus* Becker, 1912 (*Tabanidae*)
 4427. *Tabanus lunatus* Fabricius, 1794 (*Tabanidae*)
 4428. *Tabanus maculicornis* Zetterstedt, 1842 (*Tabanidae*)
 4429. *Tabanus martinii* Kröber, 1928 (*Tabanidae*)
 4430. *Tabanus mianjangelensis* Jezek, 1981 (*Tabanidae*)
 4431. *Tabanus miki* Brauer, 1880 (*Tabanidae*)
 4432. *Tabanus nemoralis* Meigen, 1820 (*Tabanidae*)
 4433. *Tabanus obsolescens* Pandelle, 1883 (*Tabanidae*)
 4434. *Tabanus olsufjevi* Hauser, 1960 (*Tabanidae*)
 4435. *Tabanus oppugnator* Austen, 1925 (*Tabanidae*)
 4436. *Tabanus paradoxus* Jaennicke, 1866 (*Tabanidae*)
 4437. *Tabanus portschinskii* Olsufjev, 1937 (*Tabanidae*)
 4438. *Tabanus prometheus* Szilady, 1923 (*Tabanidae*)
 4439. *Tabanus quatuornatus* Meigen, 1820 (*Tabanidae*)
 4440. *Tabanus rectus* Loew, 1858 (*Tabanidae*)
 4441. *Tabanus regularis* Jaennicke, 1866 (*Tabanidae*)
 4442. *Tabanus rupium* Brauer, 1880 (*Tabanidae*)
 4443. *Tabanus semiargenteus* Olsufjev, 1937 (*Tabanidae*)
 4444. *Tabanus shannonellus* Kröber, 1936 (*Tabanidae*)
 4445. *Tabanus shekovnikovi* Paramanov, 1934 (*Tabanidae*)

4446. *Tabanus spectabilis* Loew, 1858 (Tabanidae)
 4447. *Tabanus spodopterus* Meigen, 1820 (Tabanidae)
 4448. *Tabanus subparadoxus* Olsufjev, 1937 (Tabanidae)
 4449. *Tabanus sudeticus* Zeller, 1847 (Tabanidae)
 4450. *Tabanus swiridowi* Portschinsky, 1882 (Tabanidae)
 4451. *Tabanus tergestinus* Egger, 1859 (Tabanidae)
 4452. *Tabanus tinctus* Walker, 1850 (Tabanidae)
 4453. *Tabanus unifasciatus* Loew, 1858 (Tabanidae)
 4454. *Tabanus yasujensis* Bogatshev & Samedov, 1949 (Tabanidae)
 4455. *Tachycixius bidentifer* Dlabola, 1971 (Cixiidae)
 4456. *Tachycixius creticus* Dlabola, 1974 (Cixiidae)
 4457. *Tachycixius desertorum* (Fieber, 1876) (Cixiidae)
 4458. *Tachycixius pilosus* (Olivier, 1791) (Cixiidae)
 4459. *Tamaricella cypria* (Ribaut, 1948) (Cicadellidae)
 4460. *Tamaricella remanei* Dworakowska, 1971 (Cicadellidae)
 4461. *Tamaricella tamaricis* (Puton, 1872) (Cicadellidae)
 4462. *Tapinoma erraticum* (Latreille, 1798) (Formicidae)
 4463. *Targionia nigra* Signoret (Diaspididae)
 4464. *Targionia vitis* (Signoret) (Diaspididae)
 4465. *Tartarogryllus tartarus* (Saussure, 1877) (Gryllidae)
 4466. *Taxomyia taxi* (Inchbald, 1861) (Cecidomyiidae)
 4467. *Tenebrio obscurus* Fabricius, 1792 (Tenebrionidae)
 4468. *Tenebrio syriacus* Zoufal, 1892 (Tenebrionidae)
 4469. *Tenthredo acerrima* Benson, 1952 (Tenthredinidae)
 4470. *Tenthredo albiventris* Moscardi, 1880 (Tenthredinidae)
 4471. *Tenthredo albopicta* Puls, 1870 (Tenthredinidae)
 4472. *Tenthredo arcuata* Forster, 1771 (Tenthredinidae)
 4473. *Tenthredo caligator* Eversmann, 1847 (Tenthredinidae)
 4474. *Tenthredo caucasica* Eversmann, 1847 (Tenthredinidae)
 4475. *Tenthredo colon* Klug, 1817 (Tenthredinidae)
 4476. *Tenthredo costata* Klug, 1817 (Tenthredinidae)
 4477. *Tenthredo discophora* Konow, 1896 (Tenthredinidae)
 4478. *Tenthredo excellens* Konow, 1886 (Tenthredinidae)
 4479. *Tenthredo flavipennis* (Brullé, 1832) (Tenthredinidae)
 4480. *Tenthredo frauenfeldii* Giraud, 1857 (Tenthredinidae)
 4481. *Tenthredo hyrcana* Benson, 1968 (Tenthredinidae)
 4482. *Tenthredo liturata* (Moscardi, 1886) (Tenthredinidae)
 4483. *Tenthredo livida* Linnaeus, 1758 (Tenthredinidae)
 4484. *Tenthredo luteipennis* Eversmann, 1847 (Tenthredinidae)
 4485. *Tenthredo maculata* Geoffroy, 1785 (Tenthredinidae)
 4486. *Tenthredo mesomelas* Linnaeus, 1758 (Tenthredinidae)
 4487. *Tenthredo notha* Klug, 1817 (Tenthredinidae)
 4488. *Tenthredo omissa* Förster, 1844 (Tenthredinidae)
 4489. *Tenthredo propinqua* Klug, 1817 (Tenthredinidae)
 4490. *Tenthredo scrophulariae* Linnaeus, 1758 (Tenthredinidae)
 4491. *Tenthredo thompsoni* Curtis, 1839 (Tenthredinidae)
 4492. *Tenthredo vespa* Retzius, 1783 (Tenthredinidae)
 4493. *Tenthredo vespiformis* Schrank, 1781 (Tenthredinidae)
 4494. *Tenthredo zonula* Klug, 1817 (Tenthredinidae)
 4495. *Tenthredopsis albonotata* (Brullé, 1832) (Tenthredinidae)
 4496. *Tenthredopsis festiva* Konow, 1890 (Tenthredinidae)
 4497. *Tenthredopsis harveyi* Benson, 1968 (Tenthredinidae)
 4498. *Tenthredopsis nassata* Linnaeus, 1767 (Tenthredinidae)
 4499. *Tenthredopsis nigella* Konow, 1891 (Tenthredinidae)
 4500. *Tenthredopsis sordida* Klug, 1817 (Tenthredinidae)
 4501. *Tenthredopsis tessellata* Klug, 1817 (Tenthredinidae)
 4502. *Tentyria cylindrica* Solier, 1835 (Tenebrionidae)
 4503. *Tentyria cypria* Kraatz, 1865 (Tenebrionidae)
 4504. *Tentyria rotundata* Brullé, 1832 (Tenebrionidae)
 4505. *Tentyria tessellata* Tauscher, 1812 (Tenebrionidae)
 4506. *Tentyria wiedemanni* Ménétries, 1838 (Tenebrionidae)
 4507. *Tephritis acanthiophilopsis* Hering, 1938 (Tephritidae)
 4508. *Tephritis carmen* Hering, 1937 (Tephritidae)
 4509. *Tephritis cometa* (Loew, 1856) (Tephritidae)
 4510. *Tephritis dioscurea* (Loew, 1856) (Tephritidae)
 4511. *Tephritis divisa* Rondani, 1871 (Tephritidae)
 4512. *Tephritis fallax* (Loew, 1844) (Tephritidae)
 4513. *Tephritis formosa* (Loew, 1844) (Tephritidae)
 4514. *Tephritis frauenfeldi* Hendel, 1927 (Tephritidae)
 4515. *Tephritis hurvitzii* Freidberg, 1981 (Tephritidae)
 4516. *Tephritis hyoseyami* (Linnaeus, 1758) (Tephritidae)
 4517. *Tephritis mariannae* Merz, 1992 (Tephritidae)
 4518. *Tephritis matricariae* (Loew, 1844) (Tephritidae)
 4519. *Tephritis merzi* Freidberg & Kütük, 2002 (Tephritidae)
 4520. *Tephritis nigricauda* (Loew, 1856) (Tephritidae)
 4521. *Tephritis postica* (Loew, 1844) (Tephritidae)
 4522. *Tephritis praecox* (Loew, 1844) (Tephritidae)
 4523. *Tephritis pulchra* (Loew, 1844) (Tephritidae)
 4524. *Tephritis recurrens* Loew, 1869 (Tephritidae)
 4525. *Tephritis sauteri* Merz, 1992 (Tephritidae)
 4526. *Tephritis separata* Rondani, 1871 (Tephritidae)
 4527. *Tephritis simplex* (Loew, 1844) (Tephritidae)
 4528. *Tephritis vespertina* (Loew, 1844) (Tephritidae)
 4529. *Tephritomyia lauta* (Loew, 1869) (Tephritidae)
 4530. *Teratolytta carlae* Bologna, 2006 (Meloidae)
 4531. *Teratolytta dives* (Brullé, 1832) (Meloidae)
 4532. *Teratolytta dvoraki* Bologna, 2006 (Meloidae)
 4533. *Teratolytta flavipes* (Mulsant & Rey, 1858) (Meloidae)
 4534. *Teratolytta gentilis* (Frivaldsky, 1877) (Meloidae)
 4535. *Teratolytta kulzeri* Kaszab, 1958 (Meloidae)
 4536. *Teratolytta monticola* Bologna, 2006 (Meloidae)
 4537. *Teratolytta senilis* (Abeille de Perrin, 1895) (Meloidae)
 4538. *Teratolytta taurica* Bologna, 2006 (Meloidae)
 4539. *Teratolytta vanensis* Kaszab, 1968 (Meloidae)
 4540. *Terellia ceratocera* Hendel, 1913 (Tephritidae)
 4541. *Terellia fuscicornis* (Loew, 1844) (Tephritidae)
 4542. *Terellia gynaecochroma* (M. Hering, 1936) (Tephritidae)
 4543. *Terellia luteola* (Wiedemann, 1830) (Tephritidae)
 4544. *Terellia nigripalpis* Hendel, 1927 (Tephritidae)
 4545. *Terellia quadratula* (Loew, 1869) (Tephritidae)
 4546. *Terellia ruficauda* (Fabricius, 1794) (Tephritidae)
 4547. *Terellia serratulae* (Linnaeus, 1758) (Tephritidae)
 4548. *Terellia virens* (Loew, 1846) (Tephritidae)
 4549. *Terellia zerovae* Korneyev, 1985 (Tephritidae)
 4550. *Tetartostylus illyricus* (Kirschbaum, 1868) (Cicadellidae)
 4551. *Tetracnemus heydeni* (Mayr) (Encyrtidae)
 4552. *Tetracnemus terminassianae* Herthetvztian (Encyrtidae)
 4553. *Tetramesa anatolica* Zerova & Çam (Eurytomidae)
 4554. *Tetramesa maderae* (Walker) (Eurytomidae)
 4555. *Tetramorium caespitum* (Linnaeus, 1758) (Formicidae)
 4556. *Tetramorium lucidula* Emery, 1909 (Formicidae)
 4557. *Tetramorium schmidtii* Forel, 1904 (Formicidae)
 4558. *Tetramorium sculptum* Poldi, 1975 (Formicidae)
 4559. *Tetramorium semilaeve* André, 1883 (Formicidae)
 4560. *Tetrastichus coelarchus* Graham (Eulophidae)
 4561. *Tetrastichus decrescens* Graham (Eulophidae)
 4562. *Tetrastichus melasomae* Graham (Eulophidae)
 4563. *Tetrastichus sinope* (Walker) (Eulophidae)
 4564. *Tetratetrix nutans* (Hagenbach, 1822) (Tetrigidae)
 4565. *Tetrigus cyprius* Baudi, 1871 (Elateridae)
 4566. *Tetrix bolivari* (Saulcy, 1901) (Tetrigidae)
 4567. *Tetrix ceperoi* (Bolivar, 1887) (Tetrigidae)
 4568. *Tetrix depressa* (Brisout, 1848) (Tetrigidae)
 4569. *Tetrix subulata* (Linnaeus, 1758) (Tetrigidae)
 4570. *Tetrix tenuicornis* Sahlberg, 1893 (Tetrigidae)
 4571. *Tetrix tuerki* (Krauss, 1876) (Tetrigidae)
 4572. *Tettigometra* (Hystriogonia) *hexaspina* Kolenati, 1857 (Tettigometridae)
 4573. *Tettigometra* (Metroplaca) *baranii* Signoret, 1866 (Tettigometridae)
 4574. *Tettigometra* (Metroplaca) *longicornis* (Signoret, 1866) (Tettigometridae)
 4575. *Tettigometra* (Mitricephalus) *eremi* Lindberg, 1948 (Tettigometridae)
 4576. *Tettigometra* (Mitricephalus) *leucophaea* (Preysler, 1792) (Tettigometridae)
 4577. *Tettigometra* (Mitricephalus) *macrocephalus* (Fieber, 1865) (Tettigometridae)
 4578. *Tettigometra* (s.str.) *impressopunctata* Dufour, 1846 (Tettigometridae)
 4579. *Tettigometra* (s.str.) *sulphurea* Mulsant-Rey, 1855 (Tettigometridae)
 4580. *Tettigometra* (s.str.) *virescens* (Panzer, 1799) (Tettigometridae)
 4581. *Tettigometra* (Stirometra) *costulata* Fieber, 1865 (Tettigometridae)
 4582. *Tettigometra* *angulata* Lindberg, 1948 (Tettigometridae)
 4583. *Tettigometra* *atra* Hagenbach, 1825 (Tettigometridae)
 4584. *Tettigometra* *atrata* Fieber, 1872 (Tettigometridae)
 4585. *Tettigometra* *beckeri* Horvath, 1909 (Tettigometridae)
 4586. *Tettigometra* *lyncea* Horvath, 1903 (Tettigometridae)
 4587. *Tettigometra* *sordida* Fieber, 1865 (Tettigometridae)
 4588. *Tettigometra* *vitellina* Fieber, 1865 (Tettigometridae)
 4589. *Tettigonia acutipennis* Ebner, 1946 (Tettigoniidae)
 4590. *Tettigonia caudata* (Charpentier, 1845) (Tettigoniidae)
 4591. *Tettigonia turcica* Ramme, 1951 (Tettigoniidae)
 4592. *Tettigonia viridissima* Linnaeus, 1758 (Tettigoniidae)
 4593. *Thamnotettix* (Loepotettix) *exemtus* Melichar, 1896 (Cicadellidae)
 4594. *Thamnotettix* (s.str.) *confinis* Zetterstedt, 1828 (Cicadellidae)
 4595. *Thamnotettix* (s.str.) *creticus* Dlabola, 1974 (Cicadellidae)
 4596. *Thamnotettix* (s.str.) *klapperichi* Dlabola, 1965 (Cicadellidae)
 4597. *Thamnotettix* (s.str.) *zelleri* (Kirschbaum, 1868) (Cicadellidae)
 4598. *Thamnotettix* *wittmeri* Dlabola, 1971 (Cicadellidae)
 4599. *Thecodiplosis* sp. (Cecidomyiidae)
 4600. *Thecophora atra* (Fabricius, 1775) (Conopidae)
 4601. *Thecophora distincta* (Wiedemann, 1824) (Conopidae)
 4602. *Thecophora fulvipes* (Robineau-Desvoidy, 1830) (Conopidae)
 4603. *Thecophora pusilla* (Meigen, 1824) (Conopidae)
 4604. *Theocolax elegans* (Westwood, 1874) (Pteromalidae)
 4605. *Thereva affinis* Kröber, 1913 (Therevidae)
 4606. *Thereva albohirta* Kröber, 1912 (Therevidae)
 4607. *Thereva apicalis* Wiedemann, 1821 (Therevidae)

4608. *Thereva aurata* (Loew,1854) (*Therevidae*)
 4609. *Thereva binotata* (Loew,1847) (*Therevidae*)
 4610. *Thereva cincta* Meigen,1820 (*Therevidae*)
 4611. *Thereva cinifera* Meigen,1830 (*Therevidae*)
 4612. *Thereva claripennis* (Loew,1847) (*Therevidae*)
 4613. *Thereva flavescens* (Loew,1847) (*Therevidae*)
 4614. *Thereva fulva* (Meigen,1804) (*Therevidae*)
 4615. *Thereva fulvibarba* Kröber,1912 (*Therevidae*)
 4616. *Thereva glaucescens* Kröber,1912 (*Therevidae*)
 4617. *Thereva handlirschi* Kröber,1912 (*Therevidae*)
 4618. *Thereva hirta* Kröber,1913 (*Therevidae*)
 4619. *Thereva lanata* Zetterstedt,1838 (*Therevidae*)
 4620. *Thereva neglecta* Kröber,1912 (*Therevidae*)
 4621. *Thereva nitidifrons* Kröber,1913 (*Therevidae*)
 4622. *Thereva pilifrons* Kröber,1912 (*Therevidae*)
 4623. *Thereva plebeja* (Linnaeus,1758) (*Therevidae*)
 4624. *Thereva strigata* (Fabricius,1794) (*Therevidae*)
 4625. *Thereva tristis* (Loew,1847) (*Therevidae*)
 4626. *Thereva tuberculata* (Loew,1847) (*Therevidae*)
 4627. *Thereva unica* (Harris,1780) (*Therevidae*)
 4628. *Thereva valida* (Loew,1847) (*Therevidae*)
 4629. *Theriopectes carabaghensis* (Potschinsky,1877) (*Tabanidae*)
 4630. *Theriopectes tricolor* Zeller,1842 (*Tabanidae*)
 4631. *Theriopectes tunicatus* (Szilady, 1927) (*Tabanidae*)
 4632. *Thinodytes cyzicus* (Walker) (*Pteromalidae*)
 4633. *Thisiocetrinus pterostichus* (Fischer von Waldheim,1833) (*Acrididae*)
 4634. *Thornburghiella quezeli* (Vaillant,1956) (*Psychodidae*)
 4635. *Thricops aculeipes* (Zetterstedt,1838) (*Muscidae*)
 4636. *Thricops diaphanus* (Wiedemann,1817) (*Muscidae*)
 4637. *Thricops nigritellus* (Zetterstedt,1838) (*Muscidae*)
 4638. *Thricops sudeticus* (Schnabl,1888) (*Muscidae*)
 4639. *Thyridanthrax incanus* (Klug,1832) (*Bombyliidae*)
 4640. *Thyridanthrax lotus* (Loew,1869) (*Bombyliidae*)
 4641. *Thyridanthrax mutilus* (Loew,1869) (*Bombyliidae*)
 4642. *Thyridanthrax perspicillaris* (Loew,1869) (*Bombyliidae*)
 4643. *Thyridanthrax polyphemus* (Wiedemann,1820) (*Bombyliidae*)
 4644. *Thysanus ater* Walker (*Signiphoridae*)
 4645. *Tibicina haematodes* (Scopoli,1763) (*Cicadidae*)
 4646. *Tilloidea transversalis* (Charpentier,1825) (*Cleridae*)
 4647. *Tillus holtzi* Hintz,1902 (*Cleridae*)
 4648. *Tillus pallidipennis* Bielz (*Cleridae*)
 4649. *Tillus pectinicornis* Abeille de Perrin,1892 (*Cleridae*)
 4650. *Tipula* (*Acutipula*) aktashi Koç, Hasbenli & De Jong,1998 (*Tipulidae*)
 4651. *Tipula* (*Acutipula*) fulvipennis De Geer,1776 (*Tipulidae*)
 4652. *Tipula* (*Acutipula*) isparta Vermoolen,1983 (*Tipulidae*)
 4653. *Tipula* (*Acutipula*) latifurca Vermoolen,1983 (*Tipulidae*)
 4654. *Tipula* (*Acutipula*) nigroantennata Savchenko,1961 (*Tipulidae*)
 4655. *Tipula* (*Beringotipula*) unca Wiedemann,1817 (*Tipulidae*)
 4656. *Tipula* (*Dendrotipula*) flavolineata Meigen,1804 (*Tipulidae*)
 4657. *Tipula* (*Emodotipula*) obscuriventris Strobl,1900 (*Tipulidae*)
 4658. *Tipula* (*Lunatipula*) acudens Theischinger,1977 (*Tipulidae*)
 4659. *Tipula* (*Lunatipula*) adapazariensis Theischinger,1987 (*Tipulidae*)
 4660. *Tipula* (*Lunatipula*) adusta Savchenko,1954 (*Tipulidae*)
 4661. *Tipula* (*Lunatipula*) anthe Mannheims,1968 (*Tipulidae*)
 4662. *Tipula* (*Lunatipula*) antiope Theischinger,1977 (*Tipulidae*)
 4663. *Tipula* (*Lunatipula*) arnoldii Savchenko,1957 (*Tipulidae*)
 4664. *Tipula* (*Lunatipula*) artemis Theischinger,1977 (*Tipulidae*)
 4665. *Tipula* (*Lunatipula*) astigma Savchenko,1968 (*Tipulidae*)
 4666. *Tipula* (*Lunatipula*) auriculata Mannheims,1963 (*Tipulidae*)
 4667. *Tipula* (*Lunatipula*) bimacula Theowald,1980 (*Tipulidae*)
 4668. *Tipula* (*Lunatipula*) borysthena Savchenko,1954 (*Tipulidae*)
 4669. *Tipula* (*Lunatipula*) brinki Theischinger,1987 (*Tipulidae*)
 4670. *Tipula* (*Lunatipula*) canakkalensis Theischinger,1987 (*Tipulidae*)
 4671. *Tipula* (*Lunatipula*) carens Theischinger,1987 (*Tipulidae*)
 4672. *Tipula* (*Lunatipula*) cedrophila Mannheims,1963 (*Tipulidae*)
 4673. *Tipula* (*Lunatipula*) chelifera Savchenko,1964 (*Tipulidae*)
 4674. *Tipula* (*Lunatipula*) christophi Theischinger,1982 (*Tipulidae*)
 4675. *Tipula* (*Lunatipula*) cillibema Koç,2004 (*Tipulidae*)
 4676. *Tipula* (*Lunatipula*) cinerella Pierre,1919 (*Tipulidae*)
 4677. *Tipula* (*Lunatipula*) cirratula Oosterbroek,1997 (*Tipulidae*)
 4678. *Tipula* (*Lunatipula*) curvata Theischinger,1977 (*Tipulidae*)
 4679. *Tipula* (*Lunatipula*) decolor Mannheims,1963 (*Tipulidae*)
 4680. *Tipula* (*Lunatipula*) dedecor Loew,1873 (*Tipulidae*)
 4681. *Tipula* (*Lunatipula*) didymotes Theischinger,1977 (*Tipulidae*)
 4682. *Tipula* (*Lunatipula*) dracula Theischinger,1977 (*Tipulidae*)
 4683. *Tipula* (*Lunatipula*) emmahelene Theischinger,1980 (*Tipulidae*)
 4684. *Tipula* (*Lunatipula*) franzressli Theischinger,1982 (*Tipulidae*)
 4685. *Tipula* (*Lunatipula*) furcula Mannheims,1954 (*Tipulidae*)
 4686. *Tipula* (*Lunatipula*) gebze Koç, Hasbenli & Vogtenhuber,2007 (*Tipulidae*)
 4687. *Tipula* (*Lunatipula*) helvola Loew,1873 (*Tipulidae*)
 4688. *Tipula* (*Lunatipula*) horsti Theischinger,1982 (*Tipulidae*)
 4689. *Tipula* (*Lunatipula*) huberti Theischinger,1982 (*Tipulidae*)
 4690. *Tipula* (*Lunatipula*) iliensis Mannheims,1965 (*Tipulidae*)
 4691. *Tipula* (*Lunatipula*) istriana Erhan & Theowald,1961 (*Tipulidae*)
 4692. *Tipula* (*Lunatipula*) jaroslavi Koç,2007 (*Tipulidae*)
 4693. *Tipula* (*Lunatipula*) kerkis Theischinger,1977 (*Tipulidae*)
 4694. *Tipula* (*Lunatipula*) kreissli Theischinger,1987 (*Tipulidae*)
 4695. *Tipula* (*Lunatipula*) kumerloevei Mannheims,1968 (*Tipulidae*)
 4696. *Tipula* (*Lunatipula*) kybele Mannheims,1968 (*Tipulidae*)
 4697. *Tipula* (*Lunatipula*) lucasi Theischinger,1987 (*Tipulidae*)
 4698. *Tipula* (*Lunatipula*) mendli Martinovsky,1976 (*Tipulidae*)
 4699. *Tipula* (*Lunatipula*) micropeliostigma Mannheims,1965 (*Tipulidae*)
 4700. *Tipula* (*Lunatipula*) montifer Theischinger,1977 (*Tipulidae*)
 4701. *Tipula* (*Lunatipula*) murati Koç,2004 (*Tipulidae*)
 4702. *Tipula* (*Lunatipula*) musensis Theischinger,1987 (*Tipulidae*)
 4703. *Tipula* (*Lunatipula*) neutra Theischinger,1982 (*Tipulidae*)
 4704. *Tipula* (*Lunatipula*) nigdeensis Bischof,1905 (*Tipulidae*)
 4705. *Tipula* (*Lunatipula*) oorschotorum Theischinger,1987 (*Tipulidae*)
 4706. *Tipula* (*Lunatipula*) oosterbroeki Koç,2007 (*Tipulidae*)
 4707. *Tipula* (*Lunatipula*) ornithogona Theischinger,1982 (*Tipulidae*)
 4708. *Tipula* (*Lunatipula*) osmana Mannheims,1963 (*Tipulidae*)
 4709. *Tipula* (*Lunatipula*) palifera Mannheims,1965 (*Tipulidae*)
 4710. *Tipula* (*Lunatipula*) paravelox Theischinger,1987 (*Tipulidae*)
 4711. *Tipula* (*Lunatipula*) peliostigma Schummel,1833 (*Tipulidae*)
 4712. *Tipula* (*Lunatipula*) peteri Theischinger,1979 (*Tipulidae*)
 4713. *Tipula* (*Lunatipula*) pseudolunata Theischinger,1980 (*Tipulidae*)
 4714. *Tipula* (*Lunatipula*) pseudopeliostigma Mannheims,1965 (*Tipulidae*)
 4715. *Tipula* (*Lunatipula*) pseudowolffi Theischinger,1979 (*Tipulidae*)
 4716. *Tipula* (*Lunatipula*) quinquespinis Theischinger,1980 (*Tipulidae*)
 4717. *Tipula* (*Lunatipula*) renate Theischinger,1982 (*Tipulidae*)
 4718. *Tipula* (*Lunatipula*) rhodolivia Theowald,1972 (*Tipulidae*)
 4719. *Tipula* (*Lunatipula*) rhynchos Theischinger,1977 (*Tipulidae*)
 4720. *Tipula* (*Lunatipula*) russula Theischinger,1977 (*Tipulidae*)
 4721. *Tipula* (*Lunatipula*) rutila Savchenko,1952 (*Tipulidae*)
 4722. *Tipula* (*Lunatipula*) sciurus Theischinger,1977 (*Tipulidae*)
 4723. *Tipula* (*Lunatipula*) selenis Loew,1873 (*Tipulidae*)
 4724. *Tipula* (*Lunatipula*) semipeliostigma Mannheims,1965 (*Tipulidae*)
 4725. *Tipula* (*Lunatipula*) sepiaformis Vogtenhuber,2002 (*Tipulidae*)
 4726. *Tipula* (*Lunatipula*) soosi Mannheims,1954 (*Tipulidae*)
 4727. *Tipula* (*Lunatipula*) sternalis Theischinger,1977 (*Tipulidae*)
 4728. *Tipula* (*Lunatipula*) strigosa Savchenko,1952 (*Tipulidae*)
 4729. *Tipula* (*Lunatipula*) subacuminata Mannheims,1963 (*Tipulidae*)
 4730. *Tipula* (*Lunatipula*) substernalis Oosterbroek,1997 (*Tipulidae*)
 4731. *Tipula* (*Lunatipula*) subvelox Savchenko,1968 (*Tipulidae*)
 4732. *Tipula* (*Lunatipula*) teunissenii Theischinger,1979 (*Tipulidae*)
 4733. *Tipula* (*Lunatipula*) theia Mannheims,1963 (*Tipulidae*)
 4734. *Tipula* (*Lunatipula*) tibonella Theischinger,1977 (*Tipulidae*)
 4735. *Tipula* (*Lunatipula*) transmarmarensis Koç, Aktaş & Oosterbroek,1996 (*Tipulidae*)
 4736. *Tipula* (*Lunatipula*) trapeza Theischinger,1982 (*Tipulidae*)
 4737. *Tipula* (*Lunatipula*) truncata Loew,1873 (*Tipulidae*)
 4738. *Tipula* (*Lunatipula*) turca Mannheims,1963 (*Tipulidae*)
 4739. *Tipula* (*Lunatipula*) turcolivida Mannheims,1968 (*Tipulidae*)
 4740. *Tipula* (*Lunatipula*) turgida Oosterbroek,1997 (*Tipulidae*)
 4741. *Tipula* (*Lunatipula*) ulrike Theischinger,1982 (*Tipulidae*)
 4742. *Tipula* (*Lunatipula*) unicornis Theischinger,1977 (*Tipulidae*)
 4743. *Tipula* (*Lunatipula*) ursulae Mannheims,1965 (*Tipulidae*)

4744. *Tipula* (*Lunatipula*) *vermooleni* Theischinger, 1987 (*Tipulidae*)
 4745. *Tipula* (*Lunatipula*) *verrucosa* Pierre, 1919 (*Tipulidae*)
 4746. *Tipula* (*Lunatipula*) *vogtenhuberi* Theischinger, 1979 (*Tipulidae*)
 4747. *Tipula* (*Lunatipula*) *vulpecula* Theischinger, 1979 (*Tipulidae*)
 4748. *Tipula* (*Lunatipula*) *zaitzevi* Savchenko, 1952 (*Tipulidae*)
 4749. *Tipula* (*Mediotipula*) *anatoliensis* Theowald, 1978 (*Tipulidae*)
 4750. *Tipula* (*Mediotipula*) *stigmatella* Schummel, 1833 (*Tipulidae*)
 4751. *Tipula* (*Pterelachisus*) *aspoecki* Vogtenhuber, 2004 (*Tipulidae*)
 4752. *Tipula* (*Pterelachisus*) *luteobasalis* Savchenko, 1964 (*Tipulidae*)
 4753. *Tipula* (*Pterelachisus*) *varipennis* Meigen, 1818 (*Tipulidae*)
 4754. *Tipula* (*Savtshenkia*) *obsoleta* Meigen, 1818 (*Tipulidae*)
 4755. *Tipula* (*Savtshenkia*) *rufina* Meigen, 1818 (*Tipulidae*)
 4756. *Tipula* (*Savtshenkia*) *serrulifera* Alexander, 1942 (*Tipulidae*)
 4757. *Tipula* (*Schummelia*) *ahrensi* Savchenko, 1957 (*Tipulidae*)
 4758. *Tipula* (*Schummelia*) *variicornis* Schummel, 1833 (*Tipulidae*)
 4759. *Tipula* (*Tipula*) *italica* Lackschewitz, 1930 (*Tipulidae*)
 4760. *Tipula* (*Tipula*) *orientalis* Lackschewitz, 1930 (*Tipulidae*)
 4761. *Tipula* (*Vestiplex*) *kosswigi* Mannheims, 1953 (*Tipulidae*)
 4762. *Tipula* (*Vestiplex*) *pallidicosta* Pierre, 1924 (*Tipulidae*)
 4763. *Tipula* (*Vestiplex*) *semivittata* Savchenko, 1960 (*Tipulidae*)
 4764. *Tipula* (*Yamatotipula*) *caesia* Schummel, 1833 (*Tipulidae*)
 4765. *Tipula* (*Yamatotipula*) *caucasimontana* Savchenko, 1955 (*Tipulidae*)
 4766. *Tipula* (*Yamatotipula*) *guentheri* Oosterbroek, 1994 (*Tipulidae*)
 4767. *Tipula* (*Yamatotipula*) *iranensis* Theowald, 1978 (*Tipulidae*)
 4768. *Tipula* (*Yamatotipula*) *lateralis* Meigen, 1804 (*Tipulidae*)
 4769. *Tipula* (*Yamatotipula*) *submontium* Theowald & Oosterbroek, 1981 (*Tipulidae*)
 4770. *Tmethis pulchripennis* Audinet-Serville, 1839 (*Pamphagidae*)
 4771. *Tolmerus angustifrons* (Loew, 1849) (*Asilidae*)
 4772. *Tolmerus paganus* Becker, 1923 (*Asilidae*)
 4773. *Tolmerus senex* (Wiedemann, 1820) (*Asilidae*)
 4774. *Tolmerus tessellatus* (Loew, 1849) (*Asilidae*)
 4775. *Tolmerus tivenensis* Theodor, 1980 (*Asilidae*)
 4776. *Tolphorea kurdistanicus* Platia & Gudenzi, 1996 (*Elateridae*)
 4777. *Tolphorea pallida* Platia, 2004 (*Elateridae*)
 4778. *Tolphorea turcica* Platia & Gudenzi, 2000 (*Elateridae*)
 4779. *Tomicobia promulus* (Walker) (*Pteromalidae*)
 4780. *Tonnoiriella turcica* R. Wagner, 1986 (*Psychodidae*)
 4781. *Torymoides dispar* (Masi) (*Torymidae*)
 4782. *Torymoides kiesewetteri* (Mayr) (*Torymidae*)
 4783. *Torymoides yumurtalikensis* (Doganlar) (*Torymidae*)
 4784. *Torymus arcella* Graham & Gijswijt (*Torymidae*)
 4785. *Torymus bedeguaris* (Linnaeus) (*Torymidae*)
 4786. *Torymus cultratus* Graham & Gijswijt (*Torymidae*)
 4787. *Torymus cultriventris* Ratzeburg (*Torymidae*)
 4788. *Torymus nitidulus* (Walker) (*Torymidae*)
 4789. *Torymus rubi* (Schränk) (*Torymidae*)
 4790. *Toxophora epargyra* Hermann, 1907 (*Bombyliidae*)
 4791. *Toxophora fasciculata* (Villers, 1789) (*Bombyliidae*)
 4792. *Toya ibiturca* Asche, 1980 (*Delphacidae*)
 4793. *Toya obtusangula* (Linnavuori, 1957) (*Delphacidae*)
 4794. *Toya propinqua* (Fieber, 1866) (*Delphacidae*)
 4795. *Trabutina crassispinosa* Borchsenius (*Pseudococcidae*)
 4796. *Trabutina mannipara* (Hemprich & Ehrenberg) (*Pseudococcidae*)
 4797. *Trachyderma lima* (Petagna, 1819) (*Tenebrionidae*)
 4798. *Trachyscelis aphodioides* Latreille, 1809 (*Tenebrionidae*)
 4799. *Trechnites flavipes* (Mercet) (*Encyrtidae*)
 4800. *Trechnites psyllae* (Ruschka) (*Encyrtidae*)
 4801. *Tremulicerus mesopyrrhus* (Kirschbaum, 1868) (*Cicadellidae*)
 4802. *Triaspis caudatus* (Nees, 1813) (*Braconidae*)
 4803. *Triaspis flavipalpis* Wesmäl, 1835 (*Braconidae*)
 4804. *Tribolium castaneum* (Herbst, 1797) (*Tenebrionidae*)
 4805. *Tribolium confusum* Jacquelin du Val, 1868 (*Tenebrionidae*)
 4806. *Trichius orientalis* Reitter, 1894 (*Scarabaeidae*)
 4807. *Trichodes affinis* Chevrolat, 1843 (*Cleridae*)
 4808. *Trichodes albei* Escherich, 1893 (*Cleridae*)
 4809. *Trichodes apiarius* (Linnaeus, 1758) (*Cleridae*)
 4810. *Trichodes crabroniformis* Fabricius, 1787 (*Cleridae*)
 4811. *Trichodes ephippiger* Chevrolat, 1874 (*Cleridae*)
 4812. *Trichodes ganglbaueri* Escherich, 1893 (*Cleridae*)
 4813. *Trichodes heydeni* Escherich (*Cleridae*)
 4814. *Trichodes inermis* Reitter, 1893 (*Cleridae*)
 4815. *Trichodes insignis* Fischer, 1829 (*Cleridae*)
 4816. *Trichodes laminatus* Chevrolat, 1843 (*Cleridae*)
 4817. *Trichodes longissimus* Abeille de Perrin, 1881 (*Cleridae*)
 4818. *Trichodes nobilis* Klug, 1842 (*Cleridae*)
 4819. *Trichodes oberthueri* Champenois, 1900 (*Cleridae*)
 4820. *Trichodes olivieri* Chevrolat (*Cleridae*)
 4821. *Trichodes pulcherrimus* Escherich, 1892 (*Cleridae*)
 4822. *Trichodes punctatus* Fischer, 1829 (*Cleridae*)
 4823. *Trichodes quadriguttatus* Adams, 1817 (*Cleridae*)
 4824. *Trichodes reichei* Mulsant & Rey, 1863 (*Cleridae*)
 4825. *Trichodes rubrolimbatus* Chevrolat, 1876 (*Cleridae*)
 4826. *Trichodes sexpustulatus* Chevrolat, 1874 (*Cleridae*)
 4827. *Trichodes sipylus* (Linnaeus, 1758) (*Cleridae*)
 4828. *Trichodes suspectus* Escherich, 1892 (*Cleridae*)
 4829. *Trichodes syriacus* Spinola, 1844 (*Cleridae*)
 4830. *Trichodes tauricus* Zimmermann, 1971 (*Cleridae*)
 4831. *Trichogramma brassicae* Bezdenko (*Trichogrammatidae*)
 4832. *Trichogramma buluti* Bulut & Kilincer (*Trichogrammatidae*)
 4833. *Trichogramma cacaciae* Marchal (*Trichogrammatidae*)
 4834. *Trichogramma dendrolimi* Matsumura (*Trichogrammatidae*)
 4835. *Trichogramma embryophagum* (Hartig) (*Trichogrammatidae*)
 4836. *Trichogramma evanescens* Westwood (*Trichogrammatidae*)
 4837. *Trichogramma kilinceri* Bulut & Kilincer (*Trichogrammatidae*)
 4838. *Trichogramma pinto* Voegelé (*Trichogrammatidae*)
 4839. *Trichogramma turkeense* Bulut & Kilincer (*Trichogrammatidae*)
 4840. *Trichogramma turkestanicum* Meyer (*Trichogrammatidae*)
 4841. *Trichomalopsis hemiptera* (Walker) (*Pteromalidae*)
 4842. *Trichomalopsis littoralis* (Graham) (*Pteromalidae*)
 4843. *Trichomalopsis peregrina* (Graham) (*Pteromalidae*)
 4844. *Trichomalus apertus* (Walker) (*Pteromalidae*)
 4845. *Trichomalus campestris* (Walker) (*Pteromalidae*)
 4846. *Trichomalus elongatus* Delucchi & Graham (*Pteromalidae*)
 4847. *Trichomalus fulvipes* (Walker) (*Pteromalidae*)
 4848. *Trichomalus helvipes* (Walker) (*Pteromalidae*)
 4849. *Trichomalus nanus* (Walker) (*Pteromalidae*)
 4850. *Trichomalus posticus* (Walker) (*Pteromalidae*)
 4851. *Trichomalus rufinus* (Walker) (*Pteromalidae*)
 4852. *Trichomasthus albinus* Thomson (*Encyrtidae*)
 4853. *Trichomeloe conicicollis* (Reitter, 1907) (*Meloidae*)
 4854. *Trichomeloe sericellus* (Reiche, 1857) (*Meloidae*)
 4855. *Tricyphona* (s.str.) *immaculata* (Meigen, 1804) (*Pediciidae*)
 4856. *Tricyphona* (s.str.) *zwicki* Mendl, 1973 (*Pediciidae*)
 4857. *Tridactylus fasciatus* Guérin, 1829 (*Tridactylidae*)
 4858. *Tridactylus irremipes* Uvarov, 1934 (*Tridactylidae*)
 4859. *Tricophorella geniculata* (Horvath, 1881) (*Cercopidae*)
 4860. *Triglena virescens* Fieber, 1876 (*Cicadidae*)
 4861. *Trigonidium* (s.str.) *cicindeloides* Rambur, 1839 (*Gryllidae*)
 4862. *Trigonotylus pallidicornis* Reuter, 1899 (*Miridae*)
 4863. *Trionymus aberrans* Goux (*Pseudococcidae*)
 4864. *Trionymus cressae* (Hall) (*Pseudococcidae*)
 4865. *Trionymus multivorus* (Kiritschenko) (*Pseudococcidae*)
 4866. *Trionymus perrisii* (Signoret) (*Pseudococcidae*)
 4867. *Trioza urticae* (Linnaeus) (*Triozae*)
 4868. *Trithemis annulata* (P. de Beauvais, 1807) (*Libellulidae*)
 4869. *Trithemis arteriosa* (Burmeister, 1839) (*Libellulidae*)
 4870. *Trithemis festiva* (Rambur, 1842) (*Libellulidae*)
 4871. *Trjapitzinia leucomae* Dzhanokmen (*Pteromalidae*)
 4872. *Trogophilus* (s.str.) *adamovici* Us, 1974 (*Raphidophoridae*)
 4873. *Trogophilus* (s.str.) *escalerae* Bolívar, 1899 (*Raphidophoridae*)
 4874. *Trogophilus* (s.str.) *gajaci* Us, 1974 (*Raphidophoridae*)
 4875. *Tropidocephala andropogonis* Horvath, 1895 (*Delphacidae*)
 4876. *Tropidocephala tuberipennis* (Mulsant & Rey, 1855) (*Delphacidae*)
 4877. *Tropidomyia aureifacies* Kröber, 1915 (*Conopidae*)
 4878. *Tropidopola graeca* Uvarov, 1926 (*Acrididae*)
 4879. *Tropidopola longicornis* (Fieber, 1853) (*Acrididae*)
 4880. *Tropistethus fasciatus* Ferrari, 1874 (*Lygaeidae*)
 4881. *Tropistethus majusculus* Horvath, 1881 (*Lygaeidae*)
 4882. *Trupanea amoena* (Frauenfeld, 1857) (*Tephritidae*)
 4883. *Trupanea stellata* (Fuesslin, 1775) (*Tephritidae*)
 4884. *Truxalis bicolor* (Thunberg, 1815) (*Acrididae*)
 4885. *Truxalis eximia* Eichwald, 1830 (*Acrididae*)
 4886. *Truxalis nasuta* (Linnaeus, 1758) (*Acrididae*)
 4887. *Truxalis robusta* (Uvarov, 1916) (*Acrididae*)
 4888. *Trypetimorpha occidentalis* Huang & Bourgoin, 1993 (*Tropiduchidae*)
 4889. *Tshurtshurnella acutus* (Linnavuori, 1965) (*Issidae*)
 4890. *Tshurtshurnella adana* Dlabola, 1986 (*Issidae*)
 4891. *Tshurtshurnella alanyana* Dlabola, 1982 (*Issidae*)
 4892. *Tshurtshurnella aschei* Kartal, 1985 (*Issidae*)
 4893. *Tshurtshurnella bicornuta* Dlabola, 1983 (*Issidae*)
 4894. *Tshurtshurnella bozarmutica* Kartal, 1985 (*Issidae*)

4895. *Tshurtshurnella campestre* (Lindberg, 1948) (Issidae)
 4896. *Tshurtshurnella longispinosa* (Linnavuori, 1962) (Issidae)
 4897. *Tshurtshurnella peloponica* Dlabola, 1979 (Issidae)
 4898. *Tshurtshurnella trifasciata* (Linnavuori, 1965) (Issidae)
 4899. *Tshurtshurnella ventricornis* Dlabola, 1986 (Issidae)
 4900. *Tuponia eckerleini* Wagner, 1955 (Miridae)
 4901. *Tuponia hippophaes* (Fieber, 1861) (Miridae)
 4902. *Turanogryllus aelleni* (Chopard, 1954) (Gryllidae)
 4903. *Tylopsis lilifolia* (Fabricius, 1793) (Tettigoniidae)
 4904. *Ufens similis* (Kryger) (Trichogrammatidae)
 4905. *Ufensia foersteri* (Kryger) (Trichogrammatidae)
 4906. *Ula* (s.str.) *mollissima* Haliday, 1833 (Pediidae)
 4907. *Uloma cypreaca* Kraatz, 1873 (Tenebrionidae)
 4908. *Unaspis euonymi* (Comstock) (Diaspididae)
 4909. *Unkanodes latespinosa* (Dlabola, 1957) (Delphacidae)
 4910. *Urophora doganlari* Kütük, 2006 (Tephritidae)
 4911. *Urophora jaceana* (M. Hering, 1935) (Tephritidae)
 4912. *Urophora mauritanica* Macquart, 1851 (Tephritidae)
 4913. *Urophora quadrifasciata* (Meigen, 1826) (Tephritidae)
 4914. *Urophora solstitialis* (Linnaeus, 1758) (Tephritidae)
 4915. *Urophora tenuior* Hendel, 1910 (Tephritidae)
 4916. *Uscana johnstoni* (Waterston) (Trichogrammatidae)
 4917. *Usia* (Micrusia) *sicula* Egger, 1859 (Bombyliidae)
 4918. *Usia* (Micrusia) *versicolor* (Fabricius, 1794) (Bombyliidae)
 4919. *Usia* (s.str.) *aenea* (Rossi, 1794) (Bombyliidae)
 4920. *Usia* (s.str.) *bicolor* Macquart, 1855 (Bombyliidae)
 4921. *Usia* (s.str.) *calva* Loew, 1869 (Bombyliidae)
 4922. *Usia* (s.str.) *lata* Loew, 1846 (Bombyliidae)
 4923. *Utecha trivia* (Germar, 1821) (Cicadellidae)
 4924. *Uvarovistia* (s.str.) *satunini* (Uvarov, 1916) (Tettigoniidae)
 4925. *Uvarovistia* (s.str.) *zebra* (Uvarov, 1916) (Tettigoniidae)
 4926. *Ventocoris trigonus* (Krynicky, 1871) (Pentatomidae)
 4927. *Verdanus hardei* (Dlabola, 1980) (Cicadellidae)
 4928. *Vespa crabro* Linnaeus, 1758 (Vespidae)
 4929. *Vespa orientalis* Linnaeus, 1771 (Vespidae)
 4930. *Vespula germanica* (Fabricius, 1793) (Vespidae)
 4931. *Vespula vulgaris* (Linnaeus, 1758) (Vespidae)
 4932. *Villa bizonata* Becker, 1916 (Bombyliidae)
 4933. *Villa bombiformis* Becker, 1916 (Bombyliidae)
 4934. *Villa brunnea* Becker, 1916 (Bombyliidae)
 4935. *Villa circumdata* (Meigen, 1820) (Bombyliidae)
 4936. *Villa deludens* François, 1966 (Bombyliidae)
 4937. *Villa haesitans* Becker, 1916 (Bombyliidae)
 4938. *Villa melanura* (Loew, 1869) (Bombyliidae)
 4939. *Villa merlei* François, 1969 (Bombyliidae)
 4940. *Villa multibalteata* Austen, 1936 (Bombyliidae)
 4941. *Villa niphobleta* (Loew, 1869) (Bombyliidae)
 4942. *Villa pygarga* (Loew, 1868) (Bombyliidae)
 4943. *Villa quinquefasciata* (Wiedemann, 1820) (Bombyliidae)
 4944. *Villa senecio* (Loew, 1869) (Bombyliidae)
 4945. *Villa stenozone* (Loew, 1869) (Bombyliidae)
 4946. *Villa tomentosa* Becker, 1916 (Bombyliidae)
 4947. *Viridicerus ustulatus* (Mulsant & Rey, 1855) (Cicadellidae)
 4948. *Wachtliella ericina* (Loew, 1885) (Cecidomyiidae)
 4949. *Webbsianus ochreicolor* Dlabola, 1983 (Issidae)
 4950. *Wichmannia decorata* Ruschka (Eulophidae)
 4951. *Xanthochroina auberti* (Abeille de Perrin, 1876) (Oedemeridae)
 4952. *Xerohippus alkani* Karabağ, 1953 (Acrididae)
 4953. *Xerohippus anatolicus* Ramme, 1951 (Acrididae)
 4954. *Xerohippus azami* (Bolivar, 1901) (Acrididae)
 4955. *Xestocephalus guttulatus* (Motschulsky, 1859) (Cicadellidae)
 4956. *Xya pfaendleri* (Harz, 1970) (Tridactylidae)
 4957. *Xya variegata* Latreille, 1809 (Tridactylidae)
 4958. *Xylomya maculata* (Meigen, 1804) (Xylomyidae)
 4959. *Xyphosia miliaria* (Schrank, 1781) (Tephritidae)
 4960. *Zaomma lambinus* (Walker) (Encyrtidae)
 4961. *Zercanus rubrocellatus* Dlabola, 1965 (Cicadellidae)
 4962. *Zodion cinereum* (Fabricius, 1794) (Conopidae)
 4963. *Zodion erythrurum* Rondani, 1865 (Conopidae)
 4964. *Zodion notatum* (Meigen, 1804) (Conopidae)
 4965. *Zonitis flava* Fabricius, 1775 (Meloidae)
 4966. *Zonitis gibbicollis* Abeille de Perrin, 1880 (Meloidae)
 4967. *Zonitis immaculata* (Olivier, 1789) (Meloidae)
 4968. *Zonitis microcephala* Escherich, 1889 (Meloidae)
 4969. *Zonitis nana* Ragusa, 1882 (Meloidae)
 4970. *Zonitis nigriventris* Motschulsky, 1845 (Meloidae)
 4971. *Zonitis ruficollis* Frivaldsky, 1877 (Meloidae)
 4972. *Zophosis (Oculosis) dilatata* Deyrolle, 1867 (Tenebrionidae)
 4973. *Zophosis (Oculosis) punctata* Brullé, 1832 (Tenebrionidae)
 4974. *Zorochros alysidotus* (Kiesenwetter, 1858) (Elateridae)
 4975. *Zorochros anatolicus* Dolin & Mertlik, 2002 (Elateridae)
 4976. *Zorochros araxicola* (Reitter, 1895) (Elateridae)
 4977. *Zorochros caucasicus* Jagemann, 1939 (Elateridae)
 4978. *Zorochros georgicus* Dolin & Tschatlandze, 1980 (Elateridae)
 4979. *Zorochros heyrovskiyi* Roubal, 1940 (Elateridae)
 4980. *Zorochros kopeckiyi* Platia & Gudenzi, 1998 (Elateridae)
 4981. *Zorochros kurdicus* Dolin & Mertlik, 2002 (Elateridae)
 4982. *Zorochros meridionalis* (Laporte, 1840) (Elateridae)
 4983. *Zorochros minimus* (Lacordaire, 1835) (Elateridae)
 4984. *Zorochros murinus* (Reitter, 1895) (Elateridae)
 4985. *Zorochros nanus* (Gurjeva, 1963) (Elateridae)
 4986. *Zorochros pallicrus* (Desbrochers, 1875) (Elateridae)
 4987. *Zorochros pilosellus* (Reitter, 1895) (Elateridae)
 4988. *Zorochros quadriguttatus* (Laporte, 1840) (Elateridae)
 4989. *Zorochros recellatus* Dolin, 1995 (Elateridae)
 4990. *Zorochros stibicki* (Leseigneur, 1970) (Elateridae)
 4991. *Zygina* (s.str.) *karatasa* (Dlabola, 1957) (Cicadellidae)
 4992. *Zygina* (s.str.) *ordinaria* (Ribaut, 1936) (Cicadellidae)
 4993. *Zygina* (s.str.) *ramni* Ferrari, 1882 (Cicadellidae)
 4994. *Zygina* (s.str.) *tithide* Ferrari, 1882 (Cicadellidae)
 4995. *Zyginella pulchra* Loew, 1885 (Cicadellidae)
 4996. *Zyginidia* (Anatolidia) *obesa* Zachvatkin, 1937 (Cicadellidae)
 4997. *Zyginidia* (Anatolidia) *rostrata* Zachvatkin, 1937 (Cicadellidae)
 4998. *Zyginidia* (s.str.) *pullula* (Boheman, 1845) (Cicadellidae)
 4999. *Zyginidia* (s.str.) *sohrab* Zachvatkin, 1947 (Cicadellidae)
 5000. *Zygiobia carpini* (Loew, 1874) (Cecidomyiidae)
 5001. *Zygonyx torridus* (Kirby, 1889) (Libellulidae)

New data on the biology of *Pieris (Artogeia) persis* Verity (*Pieridae*, *Lepidoptera*)

Halil Özkol Abdurrahman Sefalı

Abstract: On the biology and foodplant of *Pieris (Artogeia) persis* Verity (*Pieridae*, *Lepidoptera*). – Cesa News 42: 39-44, 7 figs.

In this paper some notes regarding the development and larval foodplant of *Pieris persis* Verity are given. *Barbarea plantaginea* is reported as the larval foodplant of the caterpillar. The pupa of *Pieris (Artogeia) persis* is also illustrated.

Key words: *Lepidoptera*, *Pieridae*, biology, larva, foodplant, *Barbarea*, *Brassicaceae*.

In this paper, information on the late stage of the development and foodplant of *Pieris (Artogeia) persis* Verity, 1922 obtained during the field studies are mentioned.

The species inhabits in the mountainous regions of East Turkey and in Iran. Provincially it is known from Van, Bitlis and Hakkari in East Turkey (Koçak & Kemal, 2006, 2007).

In the course of field studies carried out by the second author on 1st July of 2008, along river beds in the vicinity of Kirazlı village (Van, Çatak), a mature caterpillar was observed while feeding on the leaves of *Barbarea plantaginea*. After three days it pupated and this stage continued 8 days. Adult male emerged on 13.07.2008. The identification of *Pieris persis* Verity was also confirmed by Ahmet Ö. Koçak.²

As foodplant of *Pieris* caterpillars, the *Barbarea* species were not reported so far (The Natural History Museum, 2007). *Barbarea plantaginea* is given as the first larval foodplant of this species.

Barbarea plantaginea DC. is a biennial plant inhabiting at the middle heights of the mountains between 1000-2100m (**Fig 1**). It is recorded in the following provinces of Turkey: Amasya, Ankara, Antalya, Denizli, Gümüşhane, Erzurum, Erzincan, Tunceli, and Van. Besides, its range extends from West Syria, North Iraq, North and West Iran, Transcaucasia to Afghanistan in the West Palaearctic (Coode & Cullen, 1965).

Additionally, the pupa of *Pieris (Artogeia) persis* is illustrated here for the first time (**Figs. 2-4**).

Other examined material of *Pieris (Artogeia) persis* in Van Province are as follows (see also Özkol, 2007): 6♂ 2♀ Gevaş, Yanıkçay village 1850m, 20.05.2003, H.Özkol leg. 6♂ 2♀; Gevaş, Koçak village 1800m, 04.05.2003, H.Özkol leg. 1♂; Gevaş, Dokuzağaç village 1750m, 11.05.2003, H.Özkol leg. 1♂; Gevaş, Balaban village 1850m, 18.05.2002, H.Özkol leg. 1♂; Gevaş, Uysal village 1700m, 04.05.2003, H.Özkol leg. 2♂ 1♀; Van: Gevaş, Yanıkçay village 1850m, 11.05.2003, H.Özkol leg.; 1♂ (ex larva) Çatak, Kirazlı village 1650m, 01.07.2008, A. Sefalı leg. (**Figs. 5-7**)

² *Pieris persis* Verity, 1922; Entomologist's Rec. J. Var. 34: 140, Type locality: Husseinabad, Iran.



Fig. 1 - *Barbarea plantaginea* DC. (photo H.Özkol)



Fig. 2 - Young pupa of *Pieris (Artogeia) persis* Verity (05.07.2008) (photo M. Kemal)



Fig. 3 - The dorsal view of the pupa (09.07.2008) (photo M.Kemal)



Fig. 4 - The lateral view of the pupa (09.07.2008) (photo M.Kemal)



Fig. 5 - Emergent male of *Pieris (Artogeia) persis* Verity (13.07.2008) (photo M.Kemal)



Figs. 6-7 – Upperside and underside of the male of *Pieris (Artogeia) persis* Verity (13.07.2008) (photo M.Kemal)

Selected Literature

- Coode, M.J.E & J. Cullen, 1965.** Genus *Barbarea* In: Davis, P.H. (edi.) *Flora of Turkey and East Aegean Islands Vol 1*: 433-438. Univ. Press, Edinburg.
- Koçak, A.Ö. & M., Kemal, 2006.** Checklist of the *Lepidoptera* of Turkey. *Cent. Ent. Stud., Priamus Suppl.* 1: 1-196.
- Koçak, A.Ö. & M., Kemal, 2007.** Revised and Annotated Checklist of the *Lepidoptera* of Turkey. *Cent. Ent. Stud., Priamus Suppl.* 8: 1-150, 2 tables.
- Özkoç, H., 2007.** Gevaş İlçesi (Van) *Papilionoidea* ve *Hesperioidea* Ekolojisi ve Faunası Üzerine Araştırmalar (*Lepidoptera*). *Cent. Ent. Stud., Priamus Suppl.*, 5:1-56.
- The Natural History Museum, 2007.** Hosts - a Database of the World's Lepidopteran Hostplants. <http://internt.nhm.ac.uk/jdsml/researchcuration/projects/hostplants/index.dsml>. London. date of access: 06.08.2008.



Centre for Entomological Studies Ankara

(A scientific Consortium)

(co-operation of research workers for pure-scientific, not commercial purpose)

Web Page of the Cesa: <http://www.cesa-tr.org/>

Scientific Serials: *Priamus* & Supplement (ISSN 1015-8243)³, *Miscellaneous Papers* (ISSN 1015-8235)⁴, *Memoirs* (ISSN-8227)⁵, *DVD Films*⁶, *Iconographia Insectorum*⁷, *Cesa Publications on African Lepidoptera* (series)⁸, *Cesa News* [online]⁹, *Cesa Books*¹⁰

Owners / Sahipleri - Editors / Yayıncılar: Prof. Dr. Ahmet Ömer Koçak (c/o Yüzüncü Yıl University, Turkey) - Editor Assistant: Asst. Prof. Dr. Muhabbet Kemal Koçak (c/o Yüzüncü Yıl University, Turkey).

Editorial Board of all Scientific Serials / Bütün Bilimsel Yayınların Yayın Kurulu: *Insecta*, taxonomy, nomenclature, ecology, faunistics: Prof. Dr. Ahmet Ömer Koçak (Yüzüncü Yıl Üniversitesi, Turkey), Asst. Prof. Dr. Muhabbet Kemal Koçak (Yüzüncü Yıl University, Turkey), Asst. Prof. Dr. Selma Seven (Gazi University, Turkey), General Entomology: Assoc. Prof. Dr. Paitoon Leksawasdi (Chiang Mai University, Faculty of Science, Thailand); *Homoptera*: Dr. Emine Demir (Turkey). *Orthoptera*: Dr. Piotr Naskrecki (Connecticut University, U.S.A.), Assoc. Prof. Dr. Mustafa Ünal (Abant İzzet Baysal University, Turkey), Asst. Prof. Dr. Yusuf Hüseyinoğlu (Mersin University, Turkey), Asst. Prof. Dr. Yaşar Gülmez (Gazi Osman Paşa University, Tokat). *Coleoptera* / *Chrysomelidae*: Assoc. Prof. M.S.Mohammedsaid (Malaysia). - Plant taxonomy, flora and vegetation: Prof. Dr. Lütfi Behçet, Asst. Prof. Dr. Fevzi Özgökçe, Asst. Prof. Dr. Mural Ünal (Yüzüncü Yıl University, Van, Turkey).

³ <http://www.cesa-tr.org/Pri.htm> - pdf available after corresponding

⁴ <http://www.cesa-tr.org/Miscell.htm> - pdf available after corresponding

⁵ <http://www.cesa-tr.org/Memoirs.htm> - pdf available after corresponding

⁶ <http://www.cesa-tr.org/CDF.htm>

⁷ <http://www.cesa-tr.org/Icon.htm>

⁸ http://www.metafro.be/Members/Cesa/internet_sayfas305/base_view - pdf available

⁹ <http://www.cesa-tr.org/Cesanews.htm> pdf available

¹⁰ <http://www.cesa-tr.org/Cesabooks.htm>

ALL RIGHTS RESERVED

Correspondences should be addressed to: Prof. Dr. Ahmet Ömer Koçak, c/o Yüzüncü Yıl University, Fen-Edebiyat Fakültesi, Biyoloji Bölümü, Kampus, Van / Turkey. - e-mails: cesa_tr@yahoo.com.tr - a_kocak@lycos.com

All serials are recorded regularly by the Zoological Record,
Thomson Reuters, Enterprise House, Innovation Way, Heslington, York, YO10 5NY, United Kingdom
ts-emea-york.dcsadmins@thomson.com

